Index

VOLUMES 1–3

Included in this issue is a cumulative index for Volumes 1 to 3 of *Reactor Core Materials*. Future indexes for this quarterly will be prepared annually and will appear in the final (Number 4) issue. In this index the bold numbers denote volumes, the numbers in parentheses denote issues, and the other numbers denote pages.

A

Actinium-beryllium alloys, preparation, **3**(3), 31
Alkali halides, effects of pressure on ionic conductivity, **3**(2), 36
  radiation effects, **1**(3), 43; **3**(2), 27
Alkali metal–alkali metal halide systems, phase diagrams, **3**(2), 24
Alloys
  See also Metals and specific alloys
  corrosion resistance to NaK, **1**(3), 37
  diffusion, **2**(4), 33
  oxidation, **3**(2), 35
  pressure bonding, **1**(4), 41
  radiation effects, **3**(3), 1; **3**(4), 38
Alloys (refractory), bibliography, **2**(3), 45
Alnico, graphite diffusion, **1**(3), 24
Alumel, corrosion, **1**(2), 30
Aluminum, cladding interdiffusion, **1**(1), 28
  corrosion by jet impingement, **2**(2), 27–8
  corrosion in, H_2O, **1**(1), 32, 34; **2**(3), 28; **3**(3), 38
    Na, **1**(3), 37
    organic coolant, **3**(1), 35
    polyphenyl, **3**(2), 23
    steam, **1**(1), 32
  corrosion inhibition, **1**(1), 32; **2**(1), 30
  corrosion measurement, **1**(1), 33
  diffusion in Ni, **3**(2), 36
  electrical resistivity, **3**(3), 41
  electron-beam welding, **2**(1), 51
  equilibrium vacancy concentrations, **3**(3), 41
  fabrication of, containing Al-coated fueled fibers, **3**(3), 19–20
  He diffusion, **3**(3), 44
  He effects on grain growth and recrystallization, **3**(4), 42–3
  H_2 effects in oxide film on corrosion, **3**(3), 21–2
  injection casting, **2**(2), 54
  mechanical properties, **3**(3), 32
  nuclear properties, **3**(3), 32
  pressure bonding, **1**(1), 26
  radiation effects, **3**(1), 36–7
  radiation-induced, gas formation, **3**(3), 42
    He release, **3**(4), 40
    void formation, **3**(4), 40
  reaction with H_2O, **2**(1), 33
  reaction with H_2O vapor, **3**(2), 9
  texture, **3**(4), 7
Aluminum (2S)–beryllium couplings, tensile properties, **1**(4), 14
Aluminum (1100), compatibility with UO_2 pellets, **3**(3), 17
  corrosion in H_2O and D_2O, **3**(1), 33
  radiation effects on, hardness, **2**(3), 33
    mechanical properties, **3**(3), 43
    stress relaxation, **2**(3), 33
    tensile properties, **2**(3), 33
Aluminum (2024), explosion-forming effects, **3**(3), 56–7
Aluminum (6061), explosion-forming effects, **3**(3), 56–7
Aluminum (6063), radiation effects on tensile properties, **2**(3), 33
Aluminum (deformed), small-angle X-ray scattering studies, **3**(2), 26
Aluminum (irradiated), annealing kinetics, **3**(2), 26
  dislocation loops, **2**(3), 32
  heating effects, **3**(3), 42
  He injected into, **3**(3), 42
  vacancy formation, **2**(3), 32
Aluminum (M-257), compatibility with UO_2 pellets, **3**(3), 17
Aluminum (molten), reaction with H_2O, **1**(1), 35–6
Aluminum (SAP 865), radiation effects on mechanical properties, **3**(1), 38–9

Aluminum (sintered), corrosion, **3**(4), 31
Aluminum (Zircaloy-2-clad), spontaneous ignition in steam, **3**(2), 23–4
Aluminum alloy (X-8001), corrosion in H_2O, **3**(2), 23
Aluminum alloy extrusions, corrosion, **2**(3), 29
tensile strength, **2**(3), 29
Aluminum alloy fuel rods, coextrusion with Al cladding, **3**(2), 45
Aluminum alloy–niobium–uranium system, diffusion, **2**(3), 16
Aluminum alloys, corrosion inhibition, **2**(1), 30
corrosion protection, **2**(2), 28
H_2 depolarization with Fe and Ni, **3**(3), 22
radiation effects, **2**(1), 43; **3**(1), 38
U diffusion, **3**(3), 44
Aluminum alloys (Ni-coated), corrosion protection, **2**(1), 30
Aluminum-base cores, strengthening with Al-coated fuel-bearing Fiberglas, **3**(4), 10
Aluminum bicrystals, grain-boundary migration, **3**(4), 43–4
Aluminum–boron carbide dispersions, Cu, Mg, Mn, and Ni addition effects on fabricability, **2**(3), 25
description, **1**(4), 18
Aluminum-boron dispersions, properties, **2**(4), 17
Aluminum-boron-manganese dispersion compacts, fabrication, **2**(3), 25
Aluminum–boron monocarbide dispersions, neutron-absorbing properties, **3**(1), 30
Aluminum bromide (liquid), properties, **3**(3), 40
Aluminum-calcium-magnesium system, ternary intermediate phase, **2**(4), 32
Aluminum chloride, properties, **3**(3), 40
Aluminum-chromium alloys, intermetallic structure, **3**(4), 43
oxidation, **2**(4), 22–3
Aluminum-chromium-cobalt-molybdenum-nickel-titanium alloys, B addition effects, **3**(2), 40
heat-treatment effects, **2**(3), 35
melting method effects, **3**(2), 40
Zr addition effects, **3**(2), 40
Aluminum-chromium-iron alloys, **1**(1), 33; **2**(2), 29
See also Hastelloys
annealing effects on structure, **3**(3), 43
corrosion, **3**(3), 39; **3**(4), 32
development for cladding, **3**(3), 38
grain size and oxidation, **3**(2), 34
Mo addition effects, **2**(3), 30, 43
Nb addition effects, **2**(3), 30, 43
oxidation, **2**(1), 29–30; **3**(1), 33; **3**(2), 34
oxidation resistance, **1**(4), 23; **2**(2), 29–30
strength, **3**(3), 45
transition temperatures, **3**(2), 31
Zr addition effects, **2**(3), 30, 43
Aluminum-chromium-iron-nickel-titanium alloys
See Inconel X
Aluminum-chromium-iron-titanium alloys, corrosion in H_2O, **3**(3), 39
Aluminum-chromium-nickel alloys, oxidation kinetics, **2**(2), 29
Aluminum-chromium-nickel-titanium alloys
See Inconel 702
Aluminum-chromium-niobium alloys, oxidation, **2**(1), 28–9; **2**(4), 22–3; **3**(3), 37
Aluminum-chromium-niobium-thorium alloys, oxidation resistance, **1**(3), 34
oxidation weight gain, **1**(3), 34
Aluminum-chromium-niobium-titanium alloys, oxidation, **2**(4), 22–3
Aluminum-chromium-niobium-titanium-zirconium alloys, oxidation, **2**(4), 22–3
Aluminum-chromium-titanium alloys, oxidation, **2**(4), 22–3
Aluminum-chromium-titanium-zirconium alloys, oxidation, **2**(4), 22–3
Aluminum cladding, eddy-current testing, **1**(3), 54
X-ray photometry detection of Al-Si penetrations, **1**(3), 54
Aluminum-copper alloys, annealing effects on electrical resistivity, **3**(1), 36
corrosion in H_2O, **1**(2), 31
corrosion resistance, **1**(3), 34
radiation effects on resistivity and diffusion, **2**(2), 33; **2**(4), 25; **3**(1), 36; **3**(2), 26–7; **3**(4), 37
radiation-induced cold hardening, **3**(2), 26
Aluminum-copper-iron-nickel alloys, corrosion in H_2O, **1**(2), 31
Aluminum-copper-magnesium-tin alloys, corrosion in H_2O, **3**(1), 34
Aluminum-copper-nickel-titanium alloys, corrosion in H_2O, **1**(2), 31
Aluminum-cored fuel elements, swaging of stainless steel and Zircaloy cladding, **3**(1), 49
Aluminum films (Cu-supported), radiation effects, **3**(4), 38–9
Aluminum foils, radiation effects, **3**(4), 39
Aluminum-iron alloy crystal, annealing and radiation effects on diffusion, **3**(3), 41
Aluminum-iron alloys, corrosion, **1**(2), 31; **1**(3), 34; **2**(4), 22; **3**(3), 39
development for roll-bonding use, **2**(4), 42
ductility, **2**(4), 37
oxidation, **2**(3), 43; **2**(4), 22, 37
radiation effects, **2**(4), 25–7; **3**(4), 38
stress-rupture life, **2**(4), 37
tensile properties, **2**(4), 37
thermal-neutron cross sections, **2**(3), 43
Aluminum-iron-nickel alloys, Be addition effects on corrosion, **2**(3), 28–9
corrosion, **2**(2), 28; **3**(4), 31–2
Ti addition effects on corrosion, **2**(3), 28–9; **3**(3), 38
Zr addition effects on corrosion, **2**(3), 28–9; **3**(3), 38
Aluminum-iron-nickel-titanium alloys, corrosion and erosion, **2**(4), 20
Aluminum-iron-nickel-uranium alloy fuel elements, bonding using Si powder, **3**(1), 49
corrosion in H_2O, **3**(2), 4
roll cladding with Al, **3**(1), 48–9

Aluminum-iron-niobium alloys, oxidation, **2**(1), 28–9; **3**(3), 37
Aluminum-lithium alloys, radiation-induced H^3 formation, **3**(3), 42
radiation-induced He formation, **3**(3), 42, 44
thermal conductivity, **3**(4), 42–3
Aluminum-lithium mixtures, radiation-induced gas formation, **3**(3), 23
Aluminum-magnesium alloys, corrosion in $Mg(OH)_2$ inhibited H_2O, **2**(4), 23
creep test results, **2**(1), 38
erosion in H_2O, **3**(2), 23
radiation effects on tensile properties, **3**(2), 27
Aluminum-magnesium-manganese-zinc alloys, creep strength, **3**(3), 46
Aluminum-magnesium-manganese-zirconium alloys, creep and tensile properties, **2**(4), 38
stress-corrosion cracking, **2**(4), 23
Aluminum-magnesium-zinc alloys, tensile properties, **3**(3), 46
Aluminum-molybdenum-niobium alloys, oxidation, **3**(3), 37
Aluminum-molybdenum-uranium alloys, as-cast properties, **2**(4), 2
mechanical properties, **3**(1), 2; **3**(3), 3
metallurgical properties, **3**(1), 2; **3**(3), 3
thermal-cycling effects on mechanical properties, **3**(1), 2
Aluminum-molybdenum-zirconium alloys, aging studies, **1**(3), 38
heat-treatment effects on tensile properties, **1**(4), 26
tensile properties, **1**(3), 38; **1**(4), 26; **3**(1), 53
transformation temperatures, **2**(4), 30
weldability, **3**(1), 53
Aluminum-nickel alloys, corrosion, **1**(2), 31; **1**(3), 34; **2**(1), 30; **3**(4), 31
intermetallic layer growth, **3**(1), 15
Aluminum-nickel diffusion couples, pressure effects, **1**(2), 40
Aluminum-nickel system, diffusion in pressure bonding, **1**(4), 41
Aluminum-nickel-uranium alloys, diffusion, **2**(2), 37–9
ternary eutectic, **3**(1), 4; **3**(3), 5
Aluminum-nickel-uranium bond, strength and compound formation, **1**(4), 6
Aluminum-niobium alloys, existence of NbAl, **3**(3), 43
Aluminum-niobium-titanium alloys, oxidation, **3**(3), 37
Aluminum-niobium-zirconium alloys, aging studies, **1**(3), 38
tensile properties, **1**(3), 38
Aluminum oxide, arc spraying, **3**(2), 47
bend strength of single-crystal whiskers, **1**(3), 26
corrosion resistance, **2**(1), 32
dissolution in H_2O, **3**(3), 38
radiation effects, **2**(4), 11; **3**(3), 22; **3**(4), 40
reaction with PuO_2, **3**(4), 15
thermal expansion, **2**(1), 23–4
Aluminum oxide–beryllium oxide, reaction with H_2O vapor, **3**(3), 32
Aluminum oxide–beryllium system, high-temperature properties, **1**(2), 22
Aluminum oxide–boron carbide dispersions, corrosion in H_2O, **1**(3), 32; **2**(2), 25
development, **1**(2), 26
fabrication of irradiation specimens, **1**(3), 31
poison loading, **1**(3), 31-2
radiation effects, **1**(3), 31; **2**(3), 26
Aluminum oxide ceramic, radiation effects, **3**(1), 19
Aluminum oxide–dysprosium oxide system, compounds, **3**(4), 28
Aluminum oxide–plutonium dioxide mixture, reactions and sintering, **3**(3), 21
Aluminum oxide–uranium dioxide dispersions, radiation effects, **3**(1), 19; **3**(3), 22
Aluminum oxide–uranium dioxide fuel (Zircaloy-clad), pressure bonding, **1**(2), 40
Aluminum oxide–uranium dioxide mixtures, density, **1**(2), 15
fission-gas release, **1**(2), 15
radiation effects, **1**(2), 15
Aluminum oxide–uranium dioxide pellets, reaction with Zircaloy-2, **1**(3), 19
Aluminum oxide–uranium dioxide system, fabrication, **3**(1), 12
ultrahigh-pressure studies, **3**(3), 18
Aluminum-plutonium alloy fuel elements, coextrusion with Al cladding, **3**(3), 54
swaging of stainless-steel and Zircaloy cladding, **3**(1), 49
Aluminum-plutonium alloys, casting, **1**(2), 9; **1**(4), 39
cold swaging, **1**(4), 8
corrosion, **2**(2), 9; **3**(3), 12, 14
production, **1**(2), 8–9; **1**(3), 10
radiation-induced dimensional changes, **3**(4), 9
roll bonding with Al cladding, **3**(3), 15–16
Aluminum-plutonium alloys (Al-clad), radiation effects, **1**(2), 9
Aluminum-plutonium alloys (Zircaloy-2-clad), corrosion in H_2O, **3**(3), 14
interreaction, **3**(3), 14
radiation effects, **1**(3), 10; **3**(3), 14
Aluminum-plutonium-silicon alloys, radiation effects, **1**(2), 9
Aluminum-plutonium-silicon alloys (Zircaloy-2-clad), radiation effects on hardness, **1**(3), 10
Aluminum-plutonium-uranium alloys (Zircaloy-clad), bonding evaluation and corrosion in H_2O, **2**(3), 7
Aluminum powder alloys, tensile properties, **3**(3), 46
Aluminum powder–iron oxide powder mixtures, explosion compaction, **3**(2), 49
Aluminum powder metallurgy material, welding, **3**(3), 58
Aluminum-silicon alloys, structure, **3**(2), 31

Aluminum-silicon spikes, eddy-current detection in fuel-slug jackets, 1(3), 54
Aluminum-silicon-uranium alloys, fabrication, 1(4), 5
Aluminum-thorium alloys, casting, 2(1), 11
constitution, 2(2), 9–10
eutectics, 2(2), 10
grain-growth restriction, 2(4), 6
hot hardness, 2(4), 6
melting, 2(1), 11
metallography, 2(4), 6
precipitation hardening, 3(1), 8
Aluminum-thorium-uranium alloys, constitution, 1(2), 7, 10–11
Aluminum-thorium-uranium eutectic, containment by Ta and Y, 1(4), 25
Aluminum-tin-uranium alloys, casting, 3(2), 4
corrosion in H_2O, 3(2), 4
hot hardness, 3(2), 4
melting, 3(2), 4
tensile strength, 3(2), 4
UAl_3-UAl_4 reaction, 3(2), 4
Aluminum-tin-zirconium alloys, tensile properties, 3(1), 53
weldability, 3(1), 53
Aluminum-titanium-vanadium alloys, explosion welding, 3(4), 55
Aluminum-uranium alloy cored tubes, coextrusion with Al cladding, 2(2), 51, 53
Aluminum-uranium alloy cores, hot roll bonding with Al (1100), 1(3), 50
roll cladding with 1100 Al and Al-clad 6061 alloy, 1(3), 50
Aluminum-uranium alloy extrusion blanks, centrifugal casting, 2(1), 8
Aluminum-uranium alloy fuel elements, fabrication yield evaluation, 1(1), 26
hot pressing in Al alloy cans, 3(2), 46
Aluminum-uranium alloy powder fuel tubes, coextrusion with Al cladding, 2(3), 51
Aluminum-uranium alloy rods, coextrusion with Cu cladding, 3(2), 45
Aluminum-uranium alloy shot, production with spinning disk, 2(1), 8
rod fabrication from, 2(1), 8
Aluminum-uranium alloy tubes, coextrusion with Zircaloy cladding, 3(2), 45
Aluminum-uranium alloys, B addition effects, 1(3), 7; 2(3), 6
casting, 1(1), 6–7; 1(2), 6–7; 1(3), 48; 2(2), 7; 3(1), 48
cladding, 1(2), 7
coextrusion, 1(2), 7
composition, 1(1), 7
corrosion, 1(1), 7; 1(3), 7; 3(2), 4
deformation in textures, 2(2), 6; 3(4), 7
diffusion, 1(1), 7; 3(4), 43
dip sampling of melt, 2(1), 7–8
etching, 1(1), 7
fabrication, 1(3), 7; 1(4), 5–6; 2(2), 48
fuel loading, 2(1), 7
Ge addition effects, 2(2), 7
heat-treatment effects on rollability, 3(1), 4
hot hardness, 3(2), 4
ignition in air and O_2, 2(4), 9
intermetallic layer growth, 3(1), 15
Li addition effects, 2(3), 6
liquidus temperatures, 1(4), 6
Mg addition effects on fabricability, 2(2), 7
microstructure, 3(2), 4
Pb addition effects on structure, 1(4), 6
Pd addition effects, 2(2), 7
physical properties, 1(3), 7
preparation, 1(3), 8; 2(4), 4
pressure effects on interdiffusion, 2(3), 16
production, 2(1), 7–8
Pt addition effects on structure, 1(4), 6
radiation effects, 1(3), 7
reaction with H_2O vapor, 3(2), 9
segregation, 2(1), 7; 2(2), 47
shot production on spinning disk, 1(4), 39; 2(2), 48
Si addition effects, 1(2), 7; 1(3), 7; 1(4), 6; 2(2), 7; 2(3), 6–7
Sn addition effects, 1(3), 7; 1(4), 6; 2(3), 7; 2(4), 3–4; 3(1), 4; 3(3), 5; 3(4), 7
tensile strength, 3(2), 4
Ti addition effects on UAl_4 formation, 1(3), 7
UAl_3-UAl_4 transformation kinetics, 3(1), 4
UAl_3-UAl_4 transformation suppression with Si, Sn, or Zr, 3(2), 4
Zr addition effects, 1(3), 7; 2(2), 7; 2(3), 7; 2(4), 3–4; 3(1), 4; 3(3), 5; 3(4), 7
Aluminum–uranium aluminide diffusion couples, UAl_4 growth kinetics, 3(1), 15
Aluminum–uranium carbide dispersions, chemical reactions, 1(1), 15; 3(2), 5
Aluminum–uranium dicarbide dispersion fuel elements, corrosion in H_2O, 3(2), 5
fabrication, 3(2), 5
Aluminum–uranium dicarbide system, effects of H_2 on UC_2 stability, 3(2), 6
Aluminum-uranium diffusion couples, interdiffusion, 3(1), 13–15
pressure effects, 1(2), 41
UAl_3 growth, 3(1), 13–15
Aluminum–uranium dioxide dispersions, chemical reactions, 1(1), 15; 2(3), 11
fabrication, 1(1), 15
swelling, 2(3), 11
Aluminum–uranium dioxide joints, thermal contact conductance, 2(1), 13–14
Aluminum–uranium dioxide mixture films, radiation-induced UO_2 redistribution, 3(2), 8
Aluminum-uranium dispersions, coextrusion with Al cladding, 1(3), 52
Aluminum-uranium hollow extrusion billets, centrifugal casting, 2(3), 7
Aluminum–uranium oxide dispersion fuel elements (Al-canned), fabrication, 3(4), 51

Aluminum–uranium oxide dispersions, chemical reactions, **2**(2), 11
development, **1**(2), 12–13; **1**(3), 14
growth characteristics, **1**(2), 13
Aluminum-uranium-zirconium alloys, as-cast properties, **2**(4), 2
casting, **3**(2), 4
corrosion in H_2O, **1**(4), 2–3; **3**(2), 4
diffusion, **2**(2), 37
hot hardness, **3**(2), 4
melting, **3**(2), 4
tensile strength, **3**(2), 4
thermal-cycling effects on dimensional stability, **3**(3), 3
UAl_3-UAl_4 reaction, **3**(2), 4
Aluminum-vanadium alloys, constitution, **2**(2), 37
Antimony-uranium alloys, constitution, **3**(1), 5
Arc melting, crucible cooling with air, **1**(1), 25
studies, **1**(1), 25
Argon, properties, **3**(3), 40
Army Package Power Reactor, control-rod specifications, **1**(1), 23
fuel-element fabrication specifications, **1**(1), 14

B

Barium-hydrogen system, constitution, **3**(4), 26
Barium uranate, preparation, thermal stability, melting point, and reactions with air and He, **2**(4), 9
Beryllium, adhesive bonding, **3**(2), 13–14
air spectrographic analysis for, **3**(3), 31
allotrope, **1**(3), 25
alloying effects on mechanical and physical properties, **3**(4), 21
annealing effects, **3**(4), 22
applications, **1**(3), 26; **2**(1), 23; **3**(3), 29
basal-plane research, **1**(3), 24–6
behavior in HNO_3-Pu solution of porous, **3**(3), 31
bibliographies, **3**(3), 29; **3**(" 23
bolt fabrication, **3**(3), 30
braze welding, **3**(1), 23
brazing, **3**(2), 13–14, 47; **3**(3), 30; **3**(4), 20, 55–6
brittleness, **1**(1), 19; **3**(3), 30; **3**(4), 19
casting, **2**(2), 20; **3**(4), 19
coating with Al, **3**(3), 29
compatibility with reactor materials, **2**(2), 22; **2**(4), 15
corrosion, **1**(1), 20–1; **1**(2), 22; **3**(2), 15; **3**(2), 24; **3**(4), 35
Cr addition effects on tensile properties, **1**(3), 24–5
crack propagation, **3**(2), 14
Cu addition effects on tensile properties, **1**(3), 24–5
density of centrifugally cast, **2**(2), 20
determination, **2**(2), 22
diffusion bonding, **3**(2), 14; **3**(3), 30; **3**(4), 20, 55–6
dislocations, **3**(4), 22
drawing, **3**(1), 23; **3**(3), 29–30
ductility, **1**(2), 20; **3**(2), 14; **3**(3), 31; **3**(4), 20
elastic constants, **2**(4), 15; **3**(4), 21
electron-beam melting, **3**(1), 22; **3**(4), 19–20
electron-beam welding, **3**(4), 20
electronic structure, **3**(3), 31
electroplated coating, **3**(4), 22
electrorefining, **3**(4), 19
evaporation, **3**(3), 31–2
explosion welding, **3**(4), 55
extrusion, **3**(2), 13; **3**(3), 29; **3**(4), 20
extrusion cladding, **3**(2), 14
fabrication, **1**(3), 26; **2**(1), 23; **2**(2), 22; **3**(1), 23; **3**(3), 29; **3**(4), 23
Fe addition effects on tensile properties, **1**(3), 24–5
fission-gas formation, **3**(1), 36–7; **3**(3), 32
fracture, **2**(2), 21; **3**(3), 31
fusion welding, **3**(1), 23; **3**(2), 14; **3**(4), 20
grain size, **1**(1), 19–20
hazards, **2**(1), 23; **2**(3), 23; **3**(2), 15; **3**(3), 32
heat capacity, **3**(2), 15
heat effects, **1**(4), 14; **3**(4), 22
high-temperature allotrope, **1**(3), 25
indentation hardness, **3**(4), 21
induction-heating effects, **1**(4), 14
joining, **1**(3), 26; **1**(4), 42; **2**(4), 15; **3**(4), 55–6
joint strength, **1**(1), 20
lattice parameters, **3**(4), 21
machining, **3**(1), 23
melting, **3**(1), 22; **3**(2), 41; **3**(4), 19–20
metallurgy, **3**(2), 14; **3**(4), 22–3
moderator applications, **1**(3), 26
Ni addition effects on tensile properties, **1**(3), 24–5
O_2 determination in, **2**(3), 23
O_2 source in, **3**(3), 31–2
oxide determination, **1**(3), 26
phase constitution, **1**(2), 22
phase transformation, **1**(2), 22; **3**(1), 22
plastic deformation, **3**(3), 32
plating with Au, **3**(3), 31
preparation, **2**(1), 23; **3**(2), 14
processing, **3**(3), 32
production, **1**(2), 20–1; **1**(3), 24–5; **2**(1), 23; **2**(2), 21; **2**(3), 22–3; **3**(4), 21
properties, **2**(1), 23; **3**(3), 29; **3**(4), 23
bend, **3**(2), 14
chemical, **3**(3), 32
high-temperature, **3**(4), 21
mechanical, **2**(2), 20; **2**(4), 15; **3**(3), 32
nuclear, **3**(3), 32
physical, **3**(3), 32
stress-rupture, **3**(4), 21–2
tensile, **1**(3), 25; **3**(2), 14; **3**(4), 21
thermal, **2**(3), 23
radiation effects, **1**(2), 22; **2**(1), 43
radiation-induced gas formation, **2**(2), 22; **3**(3), 23, 42

Beryllium (Continued)
radiation-induced swelling, **3**(3), 32
reaction with CO_2, **3**(3), 32; **3**(4), 22
reactions with elements, **3**(3), 29
roll cladding, **3**(2), 14
solid solubility of Fe and Ni in, **3**(3), 31
specific heat, **3**(2), 15
spectrographic analysis of air for, **3**(3), 31
strip and clad composites, **3**(1), 22
structural applications, **1**(3), 26; **2**(1), 23
structural development, **1**(3), 26
structural modification effects on mechanical and physical properties, **3**(4), 21
structure, **3**(2), 14; **3**(3), 31
substructure, **3**(4), 22
surface condition effects, **3**(2), 14
texture, **1**(2), 20–1; **2**(2), 21–2
thermal arrests, **3**(4), 22
thermal conductivity, **3**(2), 15; **3**(3), 32
thermal cycling, **3**(1), 22–3; **3**(4), 21
toxicity, **2**(1), 23
upset welding, **3**(4), 20
vacuum melting, **3**(4), 19–20
welding, **2**(3), 53; **3**(1), 23; **3**(2), 14; **3**(3), 30, 58; **3**(4), 20, 55
wire drawing, **3**(1), 23
zone refining, **3**(1), 22
Beryllium (cast), grain size, **3**(4), 19
He injection effects on expansion behavior, **2**(1), 23
ultrasonic grain refinement, **1**(3), 24–5
Beryllium (clad), fission-gas retention, **3**(3), 32
Beryllium (Cu-jacketed), working, **3**(1), 23
Beryllium (irradiated), annealing effects on density, **2**(2), 22
behavior of He injected into, **3**(3), 42
heating effects, **3**(1), 22; **3**(3), 42
Beryllium (QMV), work hardening, **3**(1), 23
Beryllium (stainless-steel-jacketed), working, **3**(1), 23
Beryllium (structural), applications, **1**(3), 26; **2**(1), 23
development, **1**(3), 26; **3**(4), 20
evaluation, **3**(4), 20–1
mechanical properties, **3**(4), 21
Beryllium (wrought), production plant description, **3**(3), 29
Beryllium alloys, development, **2**(3), 22
ductility, **3**(3), 30
intermetallic compound effects on high-temperature strength, **1**(1), 20
thermal arrests, **3**(4), 22
Beryllium alloys (wrought), development, **1**(2), 20
Beryllium amalgam, preparation, **1**(2), 21
Beryllium–beryllium carbide dispersions, stress-rupture properties, **3**(4), 22
Beryllium–beryllium carbide system, high-temperature properties, **1**(2), 22
Beryllium-beryllium couplings, tensile properties, **1**(4), 14
Beryllium–beryllium oxide dispersions, stress-rupture properties, **3**(4), 22
Beryllium–beryllium oxide system, thermal expansion, **1**(2), 22
Beryllium carbide dispersions, development, **1**(1), 24
Beryllium carbide–graphite bodies, ceramic coating, **2**(4), 44
Beryllium-copper alloys, mechanical properties, **2**(3), 22
Beryllium dispersed-phase alloys, corrosion in H_2O, **3**(4), 22
high-temperature mechanical properties, **3**(4), 22
Beryllium electroplates, production, **3**(2), 14
Beryllium extrusions, mechanical properties, **3**(2), 13
Beryllium films, preparation, **3**(4), 22
Beryllium fuel capsule end closures, fabrication, **2**(3), 22
Beryllium ingots, casting, electron bombardment, and melting, **2**(2), 20
Beryllium-iron alloys, solid solubility of Fe, **2**(2), 21
Beryllium–iron oxide systems, high-temperature properties, **1**(2), 22
Beryllium-magnesium alloys, preparation, **2**(1), 23
Beryllium monocrystals, plastic properties, **3**(3), 31
Beryllium-nickel alloys, high-temperature phase, **3**(3), 31
mechanical properties, **2**(3), 22
phase diagram, **3**(3), 31
phase transformation, **1**(2), 22
radiation effects on electrical resistivity, **3**(2), 26–7
solid solubility of Ni, **2**(2), 21
X-ray diffraction, **1**(3), 25
Beryllium-niobium alloys, preparation and properties, **3**(1), 23
Beryllium ores, review, **3**(4), 22–3
Beryllium oxide, bend strength of single-crystal whiskers, **1**(3), 26
compatibility with ceramic fuels, **1**(1), 21
corrosion, **1**(3), 37; **2**(1), 32; **3**(1), 23; **3**(3), 32
crystal-growth inhibition, **2**(1), 24
Beryllium oxide, fabrication, **2**(2), 22
mechanical properties, **3**(3), 32
nuclear properties, **3**(3), 32
radiation effects on thermal conductivity, **3**(2), 15
review, **3**(4), 22–3
self-diffusion coefficient, **1**(3), 26
tensile creep, **2**(3), 23
thermal conductivity, **1**(4), 15; **3**(2), 15
thermal expansion, **2**(1), 23–4
Beryllium oxide ceramics, corrosion in liquid Na, **1**(4), 15
grain growth, **2**(3), 23
Beryllium oxide–thorium dioxide–uranium dioxide system, fusion behavior and grain growth, **2**(3), 23

Beryllium oxide–uranium dioxide bodies (sintered), structural integrity, **3**(4), 12
Beryllium oxide–uranium dioxide pellets, radiation effects, **3**(4), 12
Beryllium oxide–uranium dioxide–zirconium dioxide dispersions, properties, **3**(1), 11–12
Beryllium oxide–Vycor dispersions, radiation effects, **1**(1), 23
Beryllium-plutonium alloys, preparation, **1**(4), 7; **3**(3), 31
Beryllium powders, hot pressing, **3**(4), 20
metallurgy review, **3**(4), 22–3
preparation, **1**(2), 21–2
sintering, **2**(2), 21
Beryllium rods, fabrication from Be powder, **3**(2), 13
Beryllium sheet, cracking, **2**(4), 14–15
ductility, **2**(3), 22; **2**(4), 14–15
mechanical properties, **3**(2), 14–15; **3**(3), 29
production, **3**(2), 13
texture, **3**(3), 30–1
true stress–plastic strain relation, **3**(3), 31
Beryllium–silicon dioxide system, high-temperature properties, **1**(2), 22
Beryllium-silver alloys, BeO addition effects on strength, **3**(1), 22
casting, **3**(4), 19–20
cold rolling, **3**(3), 30
ductility, **3**(1), 22
mechanical properties, **2**(3), 22
rolling, **3**(4), 20
Beryllium-sodium system, reactions, **2**(4), 15
Beryllium–stainless steel (type 316) couplings, tensile properties, **1**(4), 14
Beryllium–thorium beryllide dispersions, fabrication, **1**(3), 52
Beryllium-thorium-uranium fuel elements (Be-sheathed), fabrication, **1**(3), 26
Beryllium-tin alloys, mechanical properties, **2**(3), 22
Beryllium tubing, burst testing, **3**(4), 22
capsule material use, **3**(4), 20
inclusions, **3**(3), 30
Beryllium-uranium alloys, preparation, **3**(3), 31
Beryllium–uranium beryllide dispersions, fabrication, **1**(3), 52
Beryllium-yttrium alloys, constitution, **3**(1), 42
preparation, **3**(1), 23
properties, **3**(1), 23
Beryllium-Zircaloy-B alloys (molten), reaction with H_2O, **1**(1), 35
Beryllium-zirconium alloys, preparation and properties, **3**(1), 23
Binary alloys, constitutional diagrams, **3**(4), 2
Bismuth, reactions with metals and liquid metals, **2**(4), 22
Bismuth-lead alloys, specific heat, **3**(2), 15
Bismuth-lead-thorium alloys, constitution, **2**(1), 11
Bismuth-thorium breeder blanket, corrosion, **2**(1), 30
Bismuth-uranium alloys, constitution, **3**(1), 5
corrosion of Ta, **2**(4), 22
Bismuth-uranium alloys (molten), containment by Nb and Y, **1**(4), 25
corrosion of Cr-Mo steel, **2**(2), 31
Bismuth-uranium fuels (molten), corrosion, **2**(1), 30; **2**(3), 31–2
Bonding
See Diffusion, Pressure bonding, and specific metals and alloys
Boral
See Aluminum–boron carbide dispersions
Borides, compatibility with UO_2, **3**(4), 12
properties, **3**(3), 47
utilization as control materials, **3**(3), 35
Borides (refractory), thermodynamic properties, **2**(4), 28–9
Boron, chemistry, **2**(3), 25
corrosion in H_2O, **1**(2), 26
diffusion in Mo, Nb, Ta, Ti, W, and Zr, **2**(2), 37
neutron-absorbing properties, **3**(1), 30
physical properties, **2**(4), 17
purity of commercial, **2**(4), 17
radiation-induced gas formation in materials containing, **3**(3), 23
radiation-induced He release, **3**(3), 35
reactor-control applications, **3**(2), 19
Boron (dispersed), radiation effects, **1**(2), 26
Boron alloy–stainless steel dispersions, fabrication, **2**(2), 26
Boron carbide, bonding, **2**(4), 17
compatibility with stainless steel, **3**(2), 19
corrosion, **1**(2), 26; **1**(3), 32; **2**(1), 32; **2**(2), 25–6
irradiated specimen fabrication, **1**(3), 31
neutron absorption, **3**(1), 30
physical properties, **2**(4), 17
radiation effects, **1**(2), 26
radiation-induced He release, **3**(3), 35
solubility in H_2O, **1**(3), 32
Zircaloy-2 cladding by Cu diffusion bonding, **2**(2), 25
Boron carbide burnable-poison plates, development, **3**(3), 35
Boron carbide cermets, fabrication, **1**(3), 32
Boron carbide control rods (Zircaloy-clad), development, **1**(2), 25–6
Boron carbide–copper dispersions, neutron absorption, **3**(1), 30
roll bonding with stainless steel, **2**(4), 17
Boron carbide–copper dispersions (stainless-steel-clad), fabrication, **2**(4), 17; **3**(1), 29
Boron carbide–silver dispersions, compact production, **2**(1), 27
density, **2**(1), 27
roll cladding with stainless steel (304), **1**(4), 40
Boron carbide sintered pellets (Zircaloy-clad), preparation, **2**(3), 26
Boron carbide–stainless steel dispersions, fabrication, **2**(2), 26

Boron carbide–Zircaloy dispersions, development, **2**(4), 17
extrusion, **2**(3), 25
homogeneity, **2**(3), 25
radiation effects, **2**(3), 26–7
waterlogging effects, **3**(1), 29

Boron carbide–Zircaloy dispersions (clad), salt bath testing, **2**(3), 25–6

Boron carbide–Zircaloy dispersions (irradiated), annealing effects, **2**(3), 26; **2**(4), 17–18

Boron carbide–Zircaloy-2 cermet core strip, coextrusion with Zircaloy-2 cladding, **2**(2), 53

Boron carbide–Zircaloy-2 dispersions, applications, **1**(3), 31
coextrusion, **2**(3), 51–2
radiation effects on corrosion, **2**(2), 25; **2**(4), 17

Boron carbide–zirconium boride dispersions, radiation effects, **2**(3), 26

Boron-chromium compacts, B sintering losses, **3**(2), 19

Boron-chromium-nickel-silicon alloys, corrosion by Na, **3**(3), 40

Boron–chromium oxide compacts, B sintering losses, **3**(2), 19

Boron compounds, chemistry, **2**(3), 25
purity of commercial, **2**(4), 17
solubility in H_2O, **1**(3), 32

Boron control rods, development, **1**(2), 26

Boron-iron alloys, development, **2**(1), 26
phase diagram, **2**(4), 17
radiation effects on electrical resistance, **3**(1), 28

Boron-iron alloys (irradiated), annealing effects on electrical resistance, **3**(1), 28

Boron-iron compacts, B sintering losses, **3**(2), 19

Boron-iron dispersions, development, **2**(1), 26
fabrication specifications, **1**(1), 23

Boron-iron dispersions (austenitic stainless-steel-clad), design, fabrication, and radiation effects, **3**(1), 30

Boron-iron dispersions (Zircaloy-2-clad), fabrication, **2**(2), 25

Boron-nickel cermets, fabrication, **2**(4), 17

Boron-nickel compacts, B sintering losses, **3**(2), 19

Boron–nickel oxide compacts, B sintering losses, **3**(2), 19

Boron-nickel-silicon alloys, corrosion in Na, **3**(3), 40

Boron nitride, compatibility with stainless steel, **3**(2), 19
corrosion resistance to Li, Na, and Pb, **2**(1), 32

Boron nitride–stainless steel dispersions, fabrication, **2**(2), 26

Boron oxide glass–titanium dispersions, development for reactor poison, **2**(1), 27

Boron-silicon compacts, B sintering losses, **3**(2), 19

Boron–silicon dioxide compacts, B sintering losses, **3**(2), 19

Boron–stainless steel alloys, development, **2**(1), 26
radiation effects, **1**(2), 25; **2**(1), 26; **2**(3), 26; **3**(1), 28

Boron–stainless steel alloys (irradiated), annealing effects on electrical resistance, **3**(1), 28

Boron–stainless steel dispersions, development, **2**(1), 26
radiation effects, **1**(3), 31

Boron–stainless steel dispersions (stainless-steel-clad), development, **2**(4), 17

Boron–stainless steel dispersions (Zircaloy-2-clad), fabrication, **2**(2), 25

Boron–stainless steel powder dispersions, radiation effects, **1**(1), 23

Boron–stainless steel–uranium dioxide dispersion fuel plates, B loss control, **3**(2), 19

Boron-tantalum alloys, phase diagram, **3**(4), 29

Boron-titanium-base dispersions (Zircaloy-2-clad), properties and radiation effects, **3**(2), 19

Boron-titanium dispersions, description, **1**(4), 18
extrusion, **3**(2), 19
fabrication, **3**(2), 19
impact properties, **3**(2), 19
radiation effects, **2**(4), 17; **3**(2), 19
radiation-induced internal cracking, **3**(2), 19
tensile properties, **3**(2), 19

Boron-uranium-Zircaloy alloys, radiation effects on dimensions, **2**(3), 8

Boron–uranium–Zircaloy-3 alloys (irradiated), annealing effects on swelling and resistivity, **2**(3), 8

Boron-uranium-zirconium alloys, production, **1**(3), 9
radiation effects, **1**(3), 9; **2**(3), 8; **2**(4), 4–5

Boron-uranium-zirconium alloys (irradiated), annealing effects on swelling, **2**(4), 4

Boron-uranium-zirconium alloys (Zircaloy-3-clad), radiation effects, **1**(2), 7–8

Boron-Zircaloy dispersions, radiation effects, **2**(4), 17

Boron–Zircaloy-2 alloys, radiation effects, **1**(1), 23

Boron-zirconium alloys, phase diagram, **2**(4), 17
radiation effects, **2**(2), 15; **3**(1), 28

Boron-zirconium alloys (irradiated), annealing effects on electrical resistance, **3**(1), 28

Boron-zirconium dispersions, radiation effects, **1**(1), 23; **1**(3), 31

Boron-zirconium dispersions (irradiated), annealing effects, **2**(2), 26

Brass, metallographic effects of explosion shock, **3**(2), 49
radiation effects on electrical resistivity, **3**(4), 37
radiation-induced diffusion in, **2**(2), 32

Brazing
See also specific metals and alloys
alloys, **3**(3), 40, 58

Brazing (Continued)
bibliography, 3(4), 55
for high-temperature service, 3(3), 58
Burnable-poison dispersions, fabrication, 2(2), 25

C

Cadmium, neutron absorption, 3(1), 30
reactor-control applications, 3(2), 19
Cadmium fluoride, neutron absorption, 3(1), 30
Cadmium fluoride–nickel dispersions, neutron absorption, 3(1), 30
Cadmium-indium-silver alloy control rods, diffusion bonding to Ni electroplates, 3(2), 46–7
Cadmium-indium-silver alloys, corrosion, 1(2), 24; 1(3), 29; 1(4), 18; 2(3), 25; 3(4), 34
corrosion protection by plating, 2(1), 26
creep, 1(2), 24; 1(3), 29–31; 1(4), 18; 2(1), 26
development, 2(3), 25
joining to Ti and Zircaloy-2, 1(3), 31
properties, 3(2), 21
creep, 1(4), 18
mechanical, 1(2), 24–5
physical, 1(1), 23
tensile, 1(3), 30
radiation effects, 1(1), 23; 1(2), 24; 1(3), 31; 1(4), 18; 3(4), 34
wear factor against Zircaloy-2, 1(3), 31
welding to Zircaloy-2, 2(2), 25
yield strength, 1(3), 29–31; 2(1), 26
Cadmium-indium-silver alloys (Ni-plated), corrosion in H_2O, 3(4), 34
Cadmium-indium-silver-tin alloys, corrosion in H_2O, 1(3), 29
solid-solution hardening, 1(3), 30
tensile properties, 1(3), 30
yield strength, 1(2), 25
Cadmium-iridium-silver alloys, yield strength, 1(2), 25
Cadmium-iridium-silver-tin alloys, yield strength, 1(2), 25
Calcium boride, radiation effects, 1(2), 26
Calcium fluoride, radiation damage, 2(4), 11
Calcium fluoride–calcium uranate ceramic, radiation effects, 3(1), 19
Calcium fluoride ceramics, radiation effects, 3(1), 19
Calcium fluoride–strontium fluoride ceramic, radiation effects, 3(1), 19
Calcium fluoride–strontium fluoride system, radiation damage, 2(4), 11
Calcium hydride, compatibility with metallic cladding materials, 1(1), 21
thermal conductivity, 1(1), 21
Calcium oxide, radiation effects on crystal properties, 3(3), 22
Calcium oxide–uranium dioxide ceramics, radiation effects, 3(1), 19
Calcium oxide–uranium dioxide–zirconium dioxide ceramics, properties, 3(1), 11
Calcium oxide–uranium dioxide–zirconium dioxide system, fabrication, 3(1), 12
Calcium oxide–zirconium oxide mixtures, radiation-induced amorphism, 3(3), 22
Calcium uranate, preparation and properties, 2(4), 9
Carbides, compatibility with UO_2, 3(4), 12
properties, 3(3), 47
Carbon, diffusion in Mo, Nb, Ta, Ti, W, and Zr, 2(2), 37
solubility in Na, 1(2), 30
Carbon-chromium-uranium system, structure of $UCrC_2$, 3(2), 6
Carbon films, deposition, 3(2), 47
radiation effects, 3(4), 39
Carbon-hydrogen-thorium system, ternary compounds, 3(4), 9
Carbon-molybdenum-titanium-zirconium alloys, recrystallization and rupture stress, 2(4), 41
Carbon-molybdenum-uranium system, compound formation, 1(3), 19
$UMoC_2$ structure, 3(2), 6
Carbon-niobium-uranium alloys, carbide formation, 1(4), 3
Carbon-nitrogen-uranium system, compound formation, 1(3), 19
constitution, 2(1), 14
structure, 1(3), 19
thermal stability, 1(2), 16
Carbon-plutonium system, phase diagrams, 3(3), 8, 11, 21
Carbon-tantalum-uranium system, $UTa_{10}C_4$, 3(3), 20
Carbon-thorium system, constitution, 2(1), 11
Carbon-thorium-uranium system, stability and structure, 2(1), 14–15
Carbon-tungsten-uranium system, compound formation, 1(3), 19
UWC_2 structure, 3(2), 6
Carbon-uranium system, bibliography, 3(3), 20
chemical reactions, 3(3), 20
compounds, 3(3), 20
constitution, 2(4), 2
diffusion, 2(3), 17
H_2 behavior in, 2(4), 2
literature reviews, 3(2), 6; 3(3), 20
phase diagrams, 3(3), 20
physical properties, 3(4), 13–14
Carpenter-20, development for cladding, 3(3), 38
Carpenter-20 Cb, corrosion, 1(3), 34
Carpenter-20 Nb, oxidation, 2(4), 23
Ceramic coatings
See also Coatings
state of the art, 2(1), 50
Ceramics
See also specific ceramics
cladding by pressure bonding, 2(4), 42; 3(1), 50; 3(2), 44
coextrusion with stainless-steel cladding, 2(3), 51
corrosion, 1(3), 37; 2(1), 32; 3(4), 35–6

Ceramics (Continued)
densification, 2(4), 42; 3(1), 50; 3(2), 44
electrophoretic coating with, 1(1), 29
fission-gas release, 1(1), 13
radiation effects, 3(4), 40
Ceramics (irradiated), microstructure studies, 2(2), 14
X-ray diffraction techniques, 2(2), 14–15
Cerium, hydridation, 2(2), 23
Cerium alloy hydrides, mechanical properties, 2(4), 15
Cerium alloys, hydridation, 2(4), 15
Cerium-cobalt-plutonium alloys, eutectic, 3(2), 5
properties, 3(3), 7
Cerium-copper-plutonium alloys, corrosiveness, 3(3), 7
Cerium dioxide–plutonium dioxide system, X-ray diffraction studies, 2(3), 15
Cerium dioxide–uranium dioxide ceramics, sintering, 1(4), 10
Cerium dioxide–uranium dioxide pellets, reaction with Zircaloy-2, 1(3), 19
Cerium hydrides, properties, 3(1), 26
Cerium-magnesium-zinc-zirconium alloys, tensile properties, 3(3), 46
Cerium-nickel-plutonium alloys, corrosiveness, 3(3), 7
Cerium oxide–dysprosium oxide system, constitution, 3(4), 28
Cerium-thorium alloys, constitution, 1(3), 11
Cermets, cladding by pressure bonding, 2(4), 42; 3(1), 50; 3(2), 44
coextrusion with stainless-steel cladding, 2(3), 51
corrosion, 1(3), 37; 3(4), 35–6
densification, 2(4), 42; 3(1), 50; 3(2), 44
electrophoretic coating with, 1(1), 29
Cesium, properties, 3(3), 40
Chromel, corrosion by Bi, Bi-Pb alloys, and Sn, 1(2), 30
Chromium, corrosion, 1(2), 33; 1(3), 35
diffusion with Nb, 3(4), 44
ductile-brittle transition, 2(4), 37
oxidation, 1(1), 33; 2(4), 23–4; 3(4), 34
radiation effects on crystal structure, 3(3), 41
rare-earth addition effects on N_2 absorption, 3(2), 34
scaling in O_2 and air, 2(4), 24
Y addition effects on oxidation, 3(1), 34
Chromium alloys, oxidation, 3(4), 34
Chromium-base alloys, corrosion resistance, 1(3), 35
Chromium-base binary alloys, corrosion resistance, 1(3), 35–6
Chromium boride, properties, 3(4), 34
Chromium carbide, corrosion resistance, 2(1), 32
properties, 3(4), 34
Chromium-cermet dispersions, development, 2(3), 12
Chromium-cobalt-nickel alloys, oxidation resistance, 1(4), 22
Chromium-cobalt-niobium alloys, oxidation, 3(3), 37
Chromium–europium oxide–iron–nickel dispersions (clad with type 304L stainless steel), fabrication, 3(1), 29–30
Chromium fluoride, activity coefficients in $NaF-ZrF_4$, 1(4), 24
Chromium-germanium-nickel-silicon alloys, corrosion in Na, 3(3), 40
Chromium-iron alloys, oxidation, 3(4), 32
radiation effects on crystal structure, 3(3), 41
rare-earth addition effects, 3(2), 34
solid solubility of Y in, 3(2), 32
transition temperatures, 3(2), 31
Chromium-iron base alloys, oxidation, 3(4), 32
Chromium-iron, manganese-nickel quadrupole system, phase diagrams and properties, 3(2), 31
Chromium-iron-molybdenum-nickel alloys
See Hastelloys and INOR-8
Chromium-iron-nickel alloys
See also Inconel and Stainless steel
corrosion, 1(2), 29; 3(3), 38
Chromium-iron-nickel-silicon alloys, oxidation, 3(2), 23
Chromium-iron-yttrium alloys, constitution, 3(2), 32, 34
corrosion in H_2O, 3(3), 39
grain size, 3(2), 34
oxidation, 3(2), 34
welding, 3(2), 48
Chromium-iron-zirconium alloys, corrosion in steam, 3(4), 31
Chromium-molybdenum alloys, corrosion, 1(2), 33; 2(3), 30
Chromium-molybdenum-nickel alloys, oxidation, 3(1), 33
Chromium-molybdenum-uranium alloys, rolling, 3(4), 5
Chromium-molybdenum-vanadium alloys, corrosion, 1(2), 33
Chromium-nickel alloys, corrosion, 3(4), 32
oxidation, 1(1), 33; 1(3), 34; 2(2), 29
reactions with UN and U_3Si_2 in dispersions, 1(4), 9
Chromium-nickel-niobium alloys, oxidation resistance, 2(2), 29–30
Chromium-nickel-phosphorus alloys, corrosion in Na, 3(3), 40
Chromium-nickel-silicon alloys, corrosion in Na, 3(3), 40
Chromium-nickel-zirconium alloys, corrosion in steam, 3(4), 31
Chromium-niobium alloys, strength, 3(3), 46
Chromium-niobium-titanium alloys, corrosion, 2(4), 21; 3(4), 30
oxidation, 1(3), 34; 3(3), 37
tensile ductility, 3(2), 30
Chromium-niobium-uranium-vanadium-zirconium alloys, corrosion in H_2O, 1(4), 2–3
Chromium nitride, properties, 3(4), 34

Chromium oxide, properties, **3**(4), 34
Chromium-thorium alloys, constitution, **1**(2), 11
Chromium-titanium ternary alloys, oxidation resistance, **1**(3), 35
Chromium-tungsten alloys, oxidation, **2**(3), 30
Chromium-tungsten-vanadium alloys, corrosion, **1**(2), 33
Chromium-uranium alloys, casting, **2**(1), 45
containment by Y, **2**(4), 22
heat-treatment effects on structure, **3**(4), 3
pin-cushion irradiation tests, **2**(1), 3–4
radiation-induced intergranular cracks, **3**(2), 7
rolling, **3**(4), 5
Chromium-uranium alloys (irradiated), alpha-beta cycling, **3**(2), 7
Chromium–uranium dioxide cermets, pressure bonding, **3**(4), 50
Chromium-uranium eutectic alloy (molten), containment, **1**(3), 48; **1**(4), 25
Chromium-uranium-zirconium alloys, corrosion in H_2O, **1**(4), 2–3
Chromium-vanadium alloys, constitution, **3**(2), 32
corrosion, **1**(2), 33; **1**(3), 36
hardness, **3**(2), 32
Chromium-yttrium alloys, phase diagram, **3**(2), 32
Chromium-zirconium alloys, oxidation, **1**(3), 34
Cladding
See also specific materials clad
coextrusion with fuel elements, **1**(1), 27–8
defects in coextrusion, **1**(1), 28
eddy-current thickness measurement, **1**(3), 54
summary, **3**(4), 2
Coatings
See also specific coatings
ceramic, **2**(1), 50
electrodeposited, **1**(1), 28–9
electrophoretic, **1**(1), 29
Cobalt, content control in stainless steel, **2**(3), 39
Cobalt-base alloy–stainless steel (type 410) (Cr-plated) couple, galvanic corrosion, **3**(2), 23
Cobalt-base alloys, chromizing effects on oxidation, **3**(3), 39
explosion forming, **3**(2), 49
Cobalt-niobium alloys, recrystallization, **2**(2), 35, 37
Cobalt-plutonium alloys, phase diagram, **3**(3), 7, 9
Coextrusion
See also specific materials coextruded
cladding defects, **1**(1), 28; **2**(3), 52
fuel elements with cladding, **1**(1), 27–8
tandem process, **1**(3), 51–2
Compaction, by explosion, **3**(1), 52
Compounds, radiation-induced displacement cascade, **3**(3), 42
Control materials, radiation effects, **3**(3), 1
summary, **3**(4), 2
Control rods
See also specific materials used in control rods
liquid metal, **3**(2), 24
Coolant materials, summary, **3**(4), 2
Coolants, properties, **3**(3), 40
Copper, Al gas plating on, **3**(2), 47
coextrusion with Zr cladding, **2**(3), 50
defect production by cold working, **2**(1), 40
defect production by radiation, **2**(1), 40
diffusion bonding in liquid salts, **2**(4), 43
diffusion of Fe in, **3**(2), 36
diffusion in Zircaloy-2, **3**(2), 34–5
explosion forming, **3**(4), 54
gas-bubble formation, **1**(3), 43
growth in corrosive gas, **3**(4), 16
metallographic effects of explosion shock, **3**(2), 49–50
pressure bonding with Zr, **2**(3), 50
radiation effects, **1**(1), 39; **1**(2), 33; **1**(3), 42–3; **3**(1), 37
crystal structure, **1**(3), 42–3; **2**(4), 25; **3**(3), 41
electrical resistivity, **2**(2), 33; **3**(3), 42; **3**(4), 37
internal friction, **3**(1), 37; **3**(3), 42; **3**(4), 37
mechanical properties, **2**(2), 33–4
stored energy release, **3**(1), 35
X-ray scattering, **3**(1), 36
Young's modulus, **3**(3), 42; **3**(4), 37
radiation-induced gas formation, **2**(1), 17; **3**(3), 23, 42
reaction with H_2O, **2**(1), 33
small-angle X-ray scattering studies in deformed, **3**(2), 26
Copper (Al-coated), radiation effects, **3**(4), 38–9
Copper (irradiated), annealing, **2**(1), 40; **3**(1), 36; **3**(2), 26; **3**(3), 41; **3**(4), 37
behavior of He injected into, **3**(3), 42
dislocation loops and reactions, **3**(4), 38
elastic-modulus measurements on annealing, **3**(1), 36
flow-stress, temperature dependence, **3**(1), 36
heating effects, **3**(3), 42
recovery, **3**(1), 35–6; **3**(2), 26; **3**(4), 41
small-angle X-ray scattering studies, **3**(2), 25–6
stored energy, **3**(2), 26; **3**(4), 37
vacancy formation, **2**(3), 32
Copper (OFHC), gas-pressure self-bonding, **3**(1), 49
solid-phase pressure bonding, **3**(2), 44
Copper eutectic fuel elements, diffusion bonding, **2**(3), 50
Copper films (irradiated), stored energy release, **3**(4), 39
Copper-iron alloys, radiation effects, **1**(1), 39
Copper-molybdenum-zirconium alloys, heat-treatment effects, **3**(4), 43
Copper-nickel alloys, corrosion resistance to NaOH, **1**(3), 36
radiation effects, **3**(2), 26–7; **3**(4), 38
Copper plating, measurement by eddy-current technique, **1**(4), 43
Copper-plutonium alloys, phase diagram, **3**(3), 8, 10
Copper tubing, coextrusion with Ti cladding, **2**(3), 50
Copper-uranium alloys, ignition in air and O_2, **2**(4), 9
Copper-yttrium alloys, structure, **3**(1), 41

Copper–Zircaloy-2 alloys, corrosion in H_2O and steam, **3**(1), 32–3
Corrosion
See also specific metals and alloys
experiment equipment, **3**(3), 40
Croloys
See also Steel
coating with Mo, **2**(1), 50; **2**(2), 55
coating with MoO_2, **2**(2), 55
corrosion, **2**(3), 29, 31–2; **3**(3), 39; **3**(4), 35
radiation effects, **1**(1), 39; **1**(2), 34; **2**(1), 43; **2**(2), 35–6
Crucibles, air cooling, **1**(1), 25
coating, **2**(3), 48; **2**(4), 41
Crystals, collisions in displacement spike, **3**(2), 27
defect effects, **3**(2), 35
dislocation sources, **3**(2), 27
radiation surface effects, **2**(4), 10
radiation-induced dimensional instability, **2**(4), 25
radiation-induced lattice displacement, **3**(4), 40
radiation lattice damage detection, **2**(4), 25
small-angle X-ray scattering studies, **3**(2), 25–6
Cutting, by explosion, **3**(2), 49
Cylinders, nondestructive testing, **1**(2), 42

D

Deuterium oxide, separation from H_2O, **3**(4), 1
Diamond, radiation effects, **2**(2), 33; **3**(2), 27
Diffusion
See also specific metals and alloys
bonding, **2**(3), 16
kinetics, **1**(2), 40–1
review, **2**(4), 33
tracer technique studies, **3**(2), 35
Dispersion-control materials, production, **3**(1), 29
summary, **1**(4), 18
Dispersion fuels
See also specific materials
cladding by pressure bonding, **2**(4), 42; **3**(1), 50; **3**(2), 44
densification, **2**(4), 42; **3**(1), 50; **3**(2), 44
radiation effects, **1**(3), 14
Duranickel
See also Nickel alloys
corrosion, **3**(4), 32
Dysprosium oxide ceramics, corrosion in H_2O, **3**(4), 28–9
thermal expansion, **3**(4), 28
Dysprosium oxide–niobium oxide system, constitution, **3**(4), 28
Dysprosium oxide–uranium dioxide system, constitution, **3**(4), 28
Dysprosium oxide–zirconium dioxide system, constitution, **3**(4), 28
Dysprosium-zirconium alloys, corrosion in H_2O, **2**(2), 25; **3**(1), 28–9
fabrication, **2**(2), 25
phase diagram, **3**(1), 28

E

Eddy-current testing
See also Nondestructive testing
applications, **2**(3), 53; **2**(4), 44
calibration, **1**(2), 42
development, **2**(1), 51; **2**(2), 56
electrical-conductivity measurement in metals, **3**(1), 54
jacket-to-core gap, **3**(3), 59
jacket thickness, **3**(3), 59
techniques, **3**(1), 54
Zr-cladding thickness, **3**(3), 59
Enamel, electrophoretic coating on U, **1**(1), 29
Erbium-zirconium alloys, corrosion in H_2O, **2**(2), 25
fabrication, **2**(2), 25
phase diagram, **3**(1), 28–9
Europium alloys, development, **1**(1), 23
Europium boride, radiation effects, **1**(2), 26
Europium oxide, neutron absorption, **3**(1), 30
Europium oxide–iron dispersions, development, **1**(2), 26
Europium oxide–iron–gadolinium oxide dispersions, neutron absorption, **3**(1), 30
Europium oxide–stainless steel dispersions, chemical reactions, **1**(2), 27
radiation effects, **1**(1), 24
Europium–stainless steel alloys, Eu vaporization, **1**(4), 19
Europium-titanium alloys, Eu vaporization, **1**(4), 19
Explosions, applications, **3**(1), 52–3; **3**(2), 49; **3**(4), 53–5
compaction, **3**(1), 52; **3**(2), 49
cutting, **3**(2), 49
extrusion, **3**(1), 52
forging, **3**(2), 49
forming, **3**(1), 52–3
pressure pulse, **3**(4), 54
sheet-metal critical impact velocities and strain rates, **3**(1), 52–3
surface hardening, **3**(2), 49
swaging, **3**(1), 52
tank stress insulation, **3**(3), 58
time-pressure profiles, **3**(4), 54
transfer media, **3**(3), 56; **3**(4), 54
welding, **3**(1), 52; **3**(2), 49; **3**(4), 55
Extrusion, by explosion, **3**(1), 52
Extrusion cladding
See specific materials

F

Fecral, oxidation resistance, **1**(3), 35
Ferrous materials
See also Metals
radiation effects, **3**(1), 37
Fiberglas fuel elements, development, **3**(4), 11
roll cladding with Al, **3**(4), 49

Fibers, applications of glass-clad U glass, **3**(3), 19
fabrication of Al containing Al-coated fueled, **3**(3), 19–20
Films
See also specific films
radiation effects on electron scattering and absorption, **2**(4), 11
Fission-gas bubbles
See also specific metals and alloys
electron microscopy study, **3**(1), 18
Fissium, diffusion, **2**(3), 17
Fissium-molybdenum-uranium alloys, radiation effects, **1**(3), 4
Fissium-plutonium-uranium alloys, compatibility with metals and alloys, **3**(4), 8–9
composition, **1**(1), 9
density, **3**(4), 8
development, **1**(3), 10
fabrication, **1**(2), 9–10
hardness, **3**(4), 8
radiation effects, **1**(1), 9; **3**(4), 9
solidus temperature, **3**(4), 8
thermal conductivity, **3**(1), 5–7
thermal expansion, **1**(1), 9; **3**(1), 5–7
Fissium-plutonium-uranium fuel pins, injection casting, **1**(3), 10
Fissium-uranium alloys, density, **3**(3), 3
hardness, **3**(3), 3
injection casting, **1**(3), 48
radiation effects, **1**(3), 4; **2**(2), 6
thermal expansion, **3**(3), 3
Fluorides, radiation damage, **2**(4), 11
Fluorides (molten), containment materials, **2**(1), 31
corrosion by, **1**(4), 24; **2**(1), 30; **2**(3), 31
Forging, by explosion, **3**(2), 49
Frost test
See also Nondestructive testing
characteristics, **1**(2), 42
Fuel, radiation effects, **2**(4), 9–10
summary, **3**(4), 2
Fuel billets (hollow), radiographic testing, **1**(3), 54
Fuel elements, bibliography on fabrication and properties, **1**(4), 1
cladding, **3**(1), 50
coextrusion with cladding, **1**(1), 27–8
fabrication, **1**(4), 1
gamma scanning, **3**(2), 51–2
hot swaging with Zircaloy cladding, **2**(4), 42
lead dip canning, **2**(4), 44
leak detection, **3**(1), 54
properties, **1**(4), 1
rare-gas concentration, **2**(1), 16–17
roll cladding, **1**(1), 26; **1**(4), 40
symposium, **3**(3), 1
technology, **3**(2), 1
Fuel elements (AlSi-bonded), U diffusion, **3**(3), 44
Fuel elements (AlSi-canned), bond testing by Lamb wave method, **3**(1), 54
Fuel elements (clad), bond testing, **1**(3), 54
Fuel elements (diffusion-bonded), examination, **2**(1), 46–7
fuel-cladding interaction, **2**(1), 46–7
Fuel elements (fused oxide), swaging with stainless-steel cladding, **3**(3), 53
Fuel elements (irradiated), gas-bubble effects, **3**(3), 23
ultrasonic bond testing, **2**(1), 51
Fuel elements (molten), reaction with steam, **1**(1), 35
Fuel elements (Ni-plated), blistering, **3**(4), 53
Fuel elements (oxide), bonding and swaging with cladding, **3**(3), 52–3
Fuel elements (pellet type), vacuum loading in canning, **2**(3), 52
Fuel elements (ribbed tubular), nondestructive testing, **1**(2), 42
Fuel elements (segmented), hot pressing with Al cladding, **3**(2), 46
Fuel materials, radiation effects, **1**(1), 37; **3**(1), 17–18; **3**(3), 1
vapor-phase plating, **3**(4), 52
Fuel materials (irradiated), fission-product effects on properties, **3**(1), 18
Fuel pins (Zr-clad), end capping, **2**(4), 44
Fuel plates, nondestructive testing, **1**(2), 42
resistance seam welding, **1**(3), 53
roll cladding, **1**(2), 40
X-ray photometry testing, **1**(3), 54
Fuel rods (Mg-clad), H_2 absorption in monoisopropylbiphenyl, **2**(2), 28
Fuel-slug jackets, eddy-current detection of Al-Si spikes, **1**(3), 54
Fuel slugs (cored), extrusion, **1**(1), 26
Fuel tubes, swaging with internal and external cladding, **3**(3), 52
Fused-salt systems, phase diagrams, **3**(2), 24–5
Fused salts, corrosion by, **1**(4), 23–4; **2**(1), 30

G

Gadolinium alloys, production, **1**(1), 23
Gadolinium oxide, neutron absorption, **3**(1), 30
Gadolinium oxide–nickel dispersions, neutron absorption, **3**(1), 30
Gadolinium oxide–nickel–samarium oxide dispersions, fabrication, **1**(2), 26
mechanical properties, **1**(2), 26
Gadolinium–stainless steel alloys, corrosion in H_2O and steam, **1**(4), 18–19
fabrication, **1**(1), 23; **1**(4), 18–19
segregation, **1**(4), 18
Gadolinium-titanium alloys, constitution, **3**(1), 28
corrosion in H_2O and steam, **1**(4), 18–19
fabrication data, **1**(4), 19
phase diagram, **3**(2), 20–1
segregation, **1**(4), 18

Gadolinium-zirconium alloys, constitution, **3**(1), 28
corrosion in H_2O, **3**(1), 29
phase diagram, **3**(2), 20–1
Gallium-plutonium alloys, preparation, **1**(4), 7
Gamma testing, applications, **2**(4), 44–5; **3**(3), 58
development, **2**(1), 51
Germanium, radiation effects, **2**(2), 33; **3**(1), 36; **3**(4), 39
Germanium (irradiated), damage annealing, **3**(4), 39
Germanium-uranium alloys, phase diagram, **3**(4), 4
Gold, pressure effects, **3**(2), 36
radiation effects on electrical resistivity, **2**(2), 33; **3**(3), 42; **3**(4), 37
vacuum deposition, **3**(3), 54
Graphite, annealing, **1**(1), 19
Bi penetration, **1**(3), 24; **2**(1), 22
brazing to Nilo-K, **3**(2), 47
canning, **2**(1), 49; **2**(2), 54–5
coating with carbides, **2**(1), 50; **2**(2), 55
compatibility with alloys, **1**(2), 20
compatibility with liquid Na, **2**(2), 20
creep properties, **2**(4), 14; **3**(3), 28–9
diffusion into Alnico, **1**(3), 24
Inconel X, **1**(3), 24
stainless steel (type 316), **1**(3), 24
diffusion of gases through, **1**(1), 19
electrophoretic coatings for, **1**(1), 29
imperviousness to H_2O, **1**(2), 20
molten-salt penetration into, **3**(1), 35
Na exposure effects, **1**(3), 37–8
permeability, **2**(1), 22–3; **3**(2), 24
properties, **3**(3), 47
purity, **1**(1), 19
radiation effects on, density, **3**(3), 28
dimensions, **2**(1), 22; **2**(4), 25; **3**(2), 12; **3**(3), 28
electrical resistivity, **2**(1), 22
oxidation, **2**(1), 22; **3**(1), 22
reaction with H_2, **2**(1), 22
thermal conductivity, **2**(1), 22
weight, **3**(3), 28
SiC coating, **2**(4), 44
thermal conductivity, **2**(3), 22
total capture cross section, **2**(1), 22
U absorption, **1**(3), 24
UO_2-containing, **1**(3), 24
vapor deposition of carbide coatings, **2**(3), 52
Graphite (annealed), radiation-induced dimensional changes, **3**(2), 12
Graphite (CO), oxidation, **3**(2), 12
Graphite (fueled), fabrication, **1**(1), 12
fission-product release, **2**(2), 15
Graphite (irradiated), thermal annealing, **2**(4), 14
total stored energy, **2**(4), 14
Graphite (pyrolytic), linear thermal-expansion coefficient, **3**(2), 12
oxidation, **3**(2), 12
Graphite (Si-coated), canning with type 316 stainless steel, **2**(1), 49
Graphite (SiC-coated), Bi absorption, **2**(3), 52
Graphite (SiC-Si-coated), heat effects, **3**(2), 12
internal pressure effects, **3**(2), 12–13
radiation effects on density, **3**(2), 13
Graphite (SiC-Si-coated) (irradiated), leakage and oxidation, **3**(2), 13
Graphite fibers, utilization in fuel elements, **3**(3), 52
Graphite fuels, coating, **3**(3), 55
radiation effects, **2**(2), 20
Graphite plates, vinyl coating, **2**(1), 51
Graphite tubes, vapor deposition of carbide coatings, **1**(1), 28
Graphite–uranium dicarbide dispersions, irradiation, **3**(1), 22
Graphite–uranium dioxide fuel elements, radiation effects, **2**(3), 22; **2**(4), 14
Graphite–uranium dioxide mixtures, physical properties, **2**(1), 23
Graphite–uranium monocarbide dispersions, irradiation, **3**(1), 22
Graphite–uranium monocarbide mixtures, physical properties, **2**(1), 23

H

Hafnium, corrosion, **3**(4), 30
ductility, **1**(3), 29
oxidation, **3**(4), 34
physical properties, **1**(2), 24
production, **1**(2), 24
properties, **1**(2), 24; **1**(4), 18; **3**(4), 30
radiation effects on corrosion, **3**(4), 33
radiation-induced transmutation, **3**(4), 33
radiographic testing, **1**(1), 30
reactor-control applications, **3**(2), 19
separation from Zr, **3**(4), 1
tensile properties, **1**(4), 18
wear factors, **1**(3), 31
welding, **3**(1), 53
Hafnium (crystal-bar), corrosion in steam, **1**(3), 29
tensile properties, **1**(3), 29
Hafnium (sponge), corrosion in steam, **1**(3), 29
tensile properties, **1**(3), 29
Hafnium alloys, oxidation, **3**(4), 34
Hafnium boride, properties, **3**(4), 34
radiation effects, **1**(2), 26
solubility in H_2O, **1**(3), 32
Hafnium carbide, properties, **3**(4), 34
Hafnium nitride, properties, **3**(4), 34
Hafnium oxide, arc spraying, **3**(2), 47
properties, **3**(4), 34
Hafnium strip, corrosion, fabricability, and tensile properties, **2**(3), 25
Hafnium-thorium alloys, constitution, **1**(2), 11
Hafnium-uranium alloys, equilibrium diagram, **3**(1), 2
Hafnium-yttrium alloys, constitution, **2**(3), 35

Hastelloys
See also INOR-8
B, carburization effects, **2**(4), 36
corrosion, **1**(2), 29; **1**(3), 37
high-temperature strength, **2**(4), 35–6; **3**(1), 45
mechanical properties, **2**(1), 37–8; **2**(2), 42, 44–5; **2**(3), 39–45
weldment properties, **3**(1), 53
corrosion in H_2O, **3**(3), 39
explosion forming, **3**(2), 49
R-235, corrosion, **3**(3), 39; **3**(4), 32
development for cladding, **3**(3), 38
oxidation, **1**(2), 32; **2**(2), 29; **2**(4), 23
thermal stability, **3**(3), 39
specifications, **2**(2), 40
W, corrosion, **1**(2), 29
mechanical properties, **2**(2), 42, 45; **2**(3), 39, 45
oxidation, **1**(2), 32; **2**(2), 29
weldment properties, **3**(1), 53
X, corrosion, **3**(3), 39; **3**(4), 32
oxidation, **2**(4), 23; **3**(2), 23
radiation effects, **1**(1), 39; **1**(2), 34; **2**(1), 43; **2**(2), 35–6
thermal stability, **3**(3), 39
Haynes 25, radiation effects on springs, **1**(3), 44; **3**(4), 41
Health and safety, summary, **3**(4), 1
Helium, properties, **3**(3), 40
Hydrogen, properties, **3**(3), 40
Hydrogen-niobium system, constitution, **1**(4), 16
equilibria, **1**(4), 15–16; **3**(1), 26
heats of solution, **1**(4), 16
phase diagram, **3**(1), 26
X-ray diffraction patterns, **2**(2), 23
Hydrogen–noble metal systems, electrochemical mechanisms, **3**(1), 15–16
Hydrogen-titanium-zirconium system, transformations, **3**(1), 25
Hydrogen-uranium-zirconium system, constitution, **3**(2), 17
corrosion in H_2O, **2**(1), 9
cracking, **2**(1), 9
dissociation pressure, **1**(2), 23
electrical resistivity, **2**(1), 9; **2**(2), 23
fabrication, **3**(1), 24
H_2 solubility, **1**(2), 23
mechanical properties, **2**(2), 23
phase boundaries, **2**(2), 23
phase diagram, **2**(3), 23–4
preparation, **2**(1), 9; **2**(2), 23
properties, **1**(1), 21; **3**(1), 24
radiation effects, **2**(2), 23; **2**(4), 16; **3**(2), 17
thermal conductivity, **2**(1), 9; **2**(2), 23
ultimate strength, **2**(1), 9
Hydrogen-zirconium system
See also Zirconium hydride
dilatometric study, **3**(2), 16
hydride precipitation habit plane, **3**(4), 23
phase boundaries, **3**(1), 24
phase diagram, **3**(1), 24–5; **3**(4), 23
pressure-composition isotherms, **3**(4), 23
transformation, **3**(1), 25–6

I

Inco 702, oxidation, **2**(4), 23
Inconel
See also Chromium-iron-nickel alloys and Stainless steel
arc spraying with Ca coating, **3**(1), 51
carburization, **1**(4), 24; **2**(3), 39, 44–5; **2**(4), 36
compatibility with UC, **3**(4), 13
corrosion in, fused salts, **1**(4), 24; **2**(3), 31; **3**(2), 24
H_2O, **1**(2), 32; **2**(2), 28–9; **2**(3), 30; **3**(3), 39
molten fluorides, **1**(3), 37; **2**(1), 31–2; **2**(2), 31–2; **3**(1), 35
N_2, **3**(3), 39
NaOH, **1**(3), 36–7
ductility, **2**(1), 37–8
high-temperature oxidation kinetics, **1**(3), 35
high-temperature strength, **2**(4), 35–6; **3**(1), 45
oxidation, **2**(2), 29; **2**(4), 23; **3**(4), 32
plastic-strain cycle effect in Ar, **1**(3), 41
properties, creep, **1**(2), 36–7; **1**(3), 41–2; **2**(3), 39
fatigue, **3**(1), 45
mechanical, **1**(3), 40–1
rupture, **1**(2), 37; **2**(3), 39
radiation effects, **2**(4), 22; **3**(3), 42–3
recrystallization, **2**(2), 37
specifications, **2**(2), 40
thermal fatigue, **2**(4), 36
thermal stability, **3**(3), 39
welding to Nb, **1**(3), 54
Inconel 550, thermal-fatigue effects, **2**(3), 39, 45
Inconel 600, corrosion, **3**(4), 32
Inconel 702, corrosion, **3**(3), 39; **3**(4), 32
development for cladding, **3**(3), 38
oxidation, **1**(1), 33
radiation effects, **1**(1), 39; **1**(2), 34; **2**(1), 43; **2**(2), 35–6
thermal stability, **3**(3), 39
Inconel X, corrosion, **1**(3), 35, 37; **3**(3), 39; **3**(4), 32
development for cladding, **3**(3), 38
ductility, **2**(1), 37–8
graphite diffusion, **1**(3), 24
oxidation, **1**(3), 35; **2**(4), 23
radiation effects, **2**(1), 43
impact properties, **2**(2), 36
mechanical properties, **1**(2), 34; **3**(3), 42–3
springs, **1**(3), 44; **3**(4), 41
tensile properties, **2**(2), 35
thermal stability, **3**(3), 39
Inconel–fluoride salt systems, corrosion, **1**(2), 28
Inconel-Inconel couples, galling, **3**(3), 39
Inconel-NaK loops, corrosion, **1**(2), 28
Inconel-sodium loops, corrosion, **1**(2), 28–9
Inconel-sodium system, corrosion inhibition, **1**(2), 28

Inconel–stainless steel couples, corrosion in H_2O, **2**(3), 30
Inconel tubing, radiation effects, **2**(4), 25–7
Indium-silver-tin alloys, mechanical properties, **1**(3), 30
Indium-thorium alloys, constitution, **3**(2), 5
Indium-thorium intermetallic compounds, crystal structure, **2**(3), 10
Ingots, ultrasonic testing, **1**(4), 43
INOR-8
See also Hastelloys
carburization effects, **2**(3), 39, 44–5; **2**(4), 36
corrosion in, molten fluorides, **2**(1), 31; 2(2), 31–2; **3**(1), 35
molten fluorides and graphite, **3**(2), 24
Na and graphite, **3**(2), 24
creep strength, **2**(3), 38, 42–3
fatigue studies, **2**(3), 38–9
heating effects, **2**(2), 43–5
high-temperature strength, **2**(4), 35–6; **3**(1), 45
notch effects, **2**(3), 38, 43
oxidation, **2**(4), 23; **3**(1), 33
physical properties, **1**(3), 40
welding, **1**(3), 53–4; **2**(3), 39, 45, 53; **3**(1), 53
Intermetallic compounds, properties, **3**(3), 47
Interstitials, diffusion, **2**(4), 33
Iridium-thorium system, compound formation, **1**(4), 8
Iron, corrosion in Li, **2**(1), 30–1
diffusion, **3**(2), 36; **3**(4), 44
explosion shock metallographic effects, **3**(2), 49–50
H absorption, **3**(4), 32
oxidation, **3**(2), 36
radiation effects, **2**(3), 33; **3**(1), 37; **3**(3), 41
self-diffusivity, **3**(2), 35
solid solubility in Be, **3**(3), 31
solution mass-transfer inhibition, **1**(4), 25
Iron (irradiated), damage recovery, **3**(3), 41; **3**(4), 41
Iron alloys, corrosion in liquid metals, **2**(2), 31–2
glass-bonded refractory coatings, **2**(4), 44
melting, **3**(2), 40
radiation effects, **2**(2), 35; **3**(1), 37–8, 41
rare-earth addition effects, **3**(2), 34
Iron–iron boride dispersions, corrosion in H_2O, **2**(2), 25
fabrication, **2**(2), 25
preparation, **2**(3), 26
Iron-manganese alloys, radiation effects, **3**(3), 41
Iron-molybdenum-nickel alloys, corrosion in NaOH, **1**(3), 36
Iron-molybdenum-nickel-niobium-tin-zirconium alloys, corrosion and strength, **3**(3), 45
Iron-molybdenum-nickel-tin-zirconium alloys, corrosion, **3**(3), 45
strength, **3**(3), 45
Iron-nickel alloys, corrosion in H_2O, **3**(3), 39
oxidation, **2**(1), 29; **3**(2), 35; **3**(3), 38
radiation effects, **3**(3), 41
Iron-nickel alloys (Zircaloy-2-clad), diffusion heat-treatment effects, **3**(2), 45
Iron-nickel-niobium-tin-zirconium alloys, corrosion and strength, **3**(3), 45
Iron-nickel-oxygen system, equilibria, **3**(2), 35
Iron-nickel-tin-zirconium alloys, corrosion and strength, **3**(3), 45
Iron-nickel-zirconium alloys, corrosion in steam, **3**(4), 31
Iron-niobium alloys, recrystallization, **2**(2), 35, 37
Iron oxide, H_2 reduction, **3**(2), 36
Iron-plutonium alloys, constitution, **1**(3), 10
cubic expansion, **3**(3), 12–13
hardness, **3**(3), 14
oxidation in air and CO_2, **3**(3), 14
properties, **3**(3), 14
thermal conductivity, **2**(3), 9
viscosity, **3**(3), 12
Iron-plutonium alloys (molten), corrosion of Ta, **2**(4), 22
density, **3**(2), 5
Iron-tin-zirconium alloys, constitution, **2**(3), 33–4; **2**(4), 30–1
Sn solubility in $ZrFe_2$, **2**(3), 33
Iron-tungsten alloys, radiation effects, **3**(3), 41
Iron-uranium alloys, equilibrium diagram, **3**(1), 4–5
properties, **3**(1), 2
Iron-uranium sandwich, diffusion, **2**(3), 17
Iron-yttrium alloys, constitution, **2**(3), 35; **3**(2), 32
effects of melting methods and impurities, **3**(2), 40–1
phase diagram, **3**(2), 32–3
Iron–Zircaloy-2 alloys, H_2 absorption in H_2O and steam, **2**(3), 28
Iron-zirconium alloys, oxidation, **1**(3), 34
Isotopes, gauging and nondestructive testing applications, **2**(1), 51

K

K-Monel, corrosion by He under irradiation, **3**(3), 40
radiation effects, **1**(1), 39; **1**(2), 34; **2**(1), 43; **2**(2), 35–6
Krypton, properties, **3**(3), 40

L

Lamb wave inspection, applications, **3**(4), 56
Lanthanum oxide–uranium dioxide compacts, CaO substitution effects on stability, **2**(4), 7
Lanthanum oxide–uranium dioxide solutions, structure, **1**(3), 17, 19
Lanthanum-plutonium alloys, phase diagram, **3**(3), 7, 9
Lanthanum-yttrium alloys, structure, **3**(1), 41
Lead–lead sulfide system, sulfide equilibria, **3**(2), 35

Lead-plutonium alloys, constitution, 1(3), 10
Lead-thorium alloys, constitution, 2(1), 11
solubility studies, 2(2), 10
Lead-thorium intermetallic compounds, crystal structure, 2(3), 10
Lead-uranium system, liquid immiscibility, 1(1), 3
Liquids, diffusion, 2(4), 33
Lithium, corrosion, 1(2), 30; 2(1), 30–1
radiation effects on stainless-steel corrosion, 2(4), 22
Lithium (molten), properties, 3(3), 40
Lithium fluoride, dislocation sources, 3(2), 27
radiation-damage etching, 2(1), 18–19
radiation effects, 1(2), 33; 2(2), 33; 2(4), 10; 3(4), 39
radiation-induced defects, 2(1), 40; 3(3), 41
gas formation, 3(3), 23
hardening, 3(3), 40–1; 3(4), 39
Lithium fluoride (irradiated), annealing, 2(1), 40, 42; 3(4), 39
Lithium-magnesium alloys, effects of He^4 and H^3 production, 2(2), 15–16
Lithium-magnesium mixtures, radiation-induced gas formation, 3(3), 23
Lithium uranate, preparation and properties, 2(4), 9
Lucite, radiation-induced gas formation, 3(3), 23

M

Magnesium, corrosion in, air, 1(3), 36
CO_2, 1(3), 36
H_2O, 1(3), 36; 2(2), 28; 3(1), 34
N_2, 2(4), 23
O_2, 1(3), 36
organic coolant, 3(1), 35
polyphenyl, 3(2), 23
SO_2, 1(3), 36
corrosion inhibition, 2(2), 28; 3(1), 34
H_2 absorption in monoisopropylbiphenyl, 2(2), 28
mechanical properties, 3(3), 32
nuclear properties, 3(3), 32
oxidation, 1(3), 36; 2(1), 30; 2(4), 23
pyrophoricity, 1(3), 36
radiation effects, 3(1), 37–8
reaction with H_2O vapor, 1(1), 35
Magnesium (sintered), radiation effects, 3(1), 38–9, 42
Magnesium (Zircaloy-2-clad), spontaneous ignition in steam, 3(2), 23–4
Magnesium alloy AZ 61
See Aluminum-magnesium-manganese-zirconium alloys
Magnesium alloys, Be addition effects on oxidation, 1(3), 36; 2(3), 30–1; 2(4), 23
Ca addition effects on oxidation, 2(4), 23
cladding applications, 1(3), 36
corrosion in H_2O, 1(3), 36; 3(1), 34
ignition temperatures, 2(4), 23
oxidation in CO_2, 1(3), 36; 2(1), 30
oxidation in SO_2, 1(3), 36
pyrophoricity, 1(3), 36
radiation effects, 1(2), 34–5; 3(1), 38, 42
Magnesium aluminate, corrosion resistance, 2(1), 32
Magnesium-base dispersions, radiation effects, 1(1), 15–16
Magnesium oxide, corrosion resistance to Li, Na, and Pb, 2(1), 32
reaction with PuO_2, 3(4), 15
Magnesium oxide ceramics (fueled), fission-product release, 2(2), 15
Magnesium oxide–plutonium dioxide mixture, reactions and sintering, 3(3), 21
Magnesium oxide–uranium dioxide system, fabrication, 3(1), 12
ultrahigh-pressure studies, 3(3), 18
Magnesium oxide–uranium dioxide–zirconium dioxide system, fabrication, 3(1), 12
Magnesium-plutonium alloys, preparation, 1(4), 7–8
Magnesium rods (Zircaloy-2-clad), corrosion in steam, 3(2), 23
Magnesium-thorium alloys, liquid immiscibility, 2(4), 6
Magnesium-thorium eutectic, corrosion of Nb and Ta, 2(4), 22
Magnesium-thorium-uranium alloys, constitution, 1(2), 11; 1(3), 11
Magnesium uranate, preparation and properties, 2(4), 9
Magnesium-uranium dispersions (Zircaloy-2-clad), radiation effects, 1(2), 12
Magnesium-zirconium alloys, radiation effects, 3(1), 38
Manganese, H_2 effect in oxide film on corrosion, 3(3), 21–2
Manganese-nickel alloys, radiation effects, 3(4), 38
Materials
See also Fuel materials, Metals, Refractory materials, and Shielding materials
radiation effects, 3(4), 40
Mercury, properties, 3(3), 40
solubility in Th, 2(2), 10
Metal coatings, scaleup and process improvement, 3(3), 55
Metal films, preparation, 3(4), 22
Metal fuels, preirradiation property effects on radiation-induced swelling, 3(3), 23
Metal hydrides, bibliography, 2(2), 22
fabrication, properties, reactions, and uses, 2(4), 15
Metal-hydrogen system, transformations, 3(1), 25
Metal hydroxide system, phase diagrams, 3(2), 24
Metallic fuels, fission damage, 3(2), 7
fission-gas bubble formation, 2(1), 18
radiation effects, 2(2), 15
Metallic fuels (irradiated), X-ray diffraction analysis, 2(2), 16

Metals
See also Alloys, Ferrous materials, Materials, Reactor materials, Refractory metals, Sheet metal, Solids, Structural materials, Transition metals, and specific metals and alloys
ceramic coating, **3**(4), 53
cladding, **3**(4), 52
coextrusion with cladding, **2**(3), 50
corrosion resistance to Li, **2**(1), 30–1
corrosion resistance to NaK, **1**(3), 37
diffusion, **2**(4), 33
diffusion bonding, **3**(4), 50
diffusion coating, **3**(4), 52
eddy-current measurement of electrical conductivity, **3**(1), 54
explosion forming, **3**(1), 51–2; **3**(3), 55–6; **3**(4), 54
explosion welding, **3**(3), 56
flame plating, **3**(4), 52
gas-bubble formation, **1**(3), 43
hard surfacing, **3**(4), 52
hot dipping, **3**(4), 52
inert-gas atom solution, **1**(3), 43
interdiffusion, **3**(4), 44
metallizing, **3**(4), 52
neutron-flux level effects on radiation damage accumulation, **3**(4), 41
oxidation, **3**(2), 35
pressure bonding, **1**(4), 41
pressure effects on diffusion kinetics, **1**(2), 40
radiation effects, **1**(3), 42–3; **2**(2), 35; **3**(1), 18, 37; **3**(2), 27; **3**(3), 1, 23, 42
critical shear stress, **2**(1), 40
defect production, **3**(4), 40
hardening, **3**(1), 37
heating, **3**(1), 18
lattices, **3**(3), 42
mechanical properties, **2**(3), 33
vacancy concentration, **3**(4), 38
radiation-induced changes, **3**(1), 37
reactions with H_2O, **1**(4), 25; **3**(4), 35–7
self-diffusion, **3**(2), 35
small-angle X-ray scattering studies, **3**(2), 25–6
surfacing, **3**(4), 52
temperature measurement by eddy-current methods, **3**(1), 54
thermal properties, **2**(3), 23
ultrasound attenuation, **2**(3), 53–4
volume measurement, **1**(4), 43
Metals (ceramic-coated), behavior under stress, **2**(3), 52
Metals (molten), corrosion, **1**(4), 23–4
reactions in Bi and Na, **2**(4), 22
reactions with H_2O vapor, **3**(2), 9
technology, **1**(3), 38; **3**(3), 40
Metals (noble), radiation effects, **2**(2), 33; **3**(4), 40
Metals (precious), resistance to corrosion by Li, **2**(1), 30–1
Metals (refractory), bibliography, **2**(3), 45
compatibility with UO_2, **3**(4), 12
corrosion resistance to Li, **2**(1), 30–1
ductile-brittle transition, **2**(4), 37
explosion forming, **3**(4), 54
melting method effects, **3**(2), 41
properties, **3**(3), 47
Metals (transition), radiation effects, **3**(4), 38
Moderator materials, radiation effects, **3**(3), 1
summary, **3**(4), 2
Molds, coating, **2**(2), 55; **3**(2), 39
Molybdenum, brazing, **2**(3), 53
casting, **3**(3), 51
cladding, **1**(3), 35; **2**(1), 46
coatings, **1**(2), 41; **2**(1), 29, 49; **2**(2), 30–1; **2**(3), 29–30; **2**(4), 21; **3**(4), 53
coextrusion with stainless-steel cladding, **2**(3), 50
compatibility with fissium-Pu-U alloys, **3**(4), 8–9
corrosion resistance to NaK, **1**(3), 37
creep-rupture properties, **3**(3), 46
diffusion bonding, **3**(3), 53
diffusion with, B, **2**(2), 37
C, **2**(2), 37
Nb, **3**(4), 44
Si, **3**(2), 36
U, **2**(2), 38
explosion welding, **3**(4), 55
fatigue properties, **3**(1), 45
forging, **2**(4), 41
oxidation, **1**(1), 33; **1**(3), 35; **2**(1), 29; **3**(4), 34
oxidation protection, **1**(2), 32; **1**(4), 22
pressure bonding, **2**(1), 46; **3**(2), 44; **3**(4), 50
pressure cladding, **2**(1), 46
pressure self-bonding, **2**(2), 49; **3**(1), 50
radiation effects, **1**(2), 33; **1**(4), 37; **2**(1), 40; **2**(2), 33; **3**(1), 37; **3**(2), 26
self-bonding by gas pressure, **2**(2), 49; **3**(1), 50
SiN deposition on, **3**(2), 47
solid-phase pressure bonding, **3**(2), 44; **3**(4), 50
tensile behavior, **3**(1), 45
welding, **1**(3), 54; **2**(3), 53; **3**(4), 55
Molybdenum (irradiated), annealing and damage recovery, **1**(2), 33; **2**(1), 40; **2**(2), 33–4; **2**(3), 32; **3**(3), 41; **3**(4), 38, 41
Molybdenum (type 310 stainless-steel-clad), welding, **3**(3), 53
Molybdenum alloys, compatibility with process equipment, **2**(4), 41
electroplated coatings, **3**(4), 53
fabrication, **2**(4), 41
oxidation, **3**(4), 34
properties, **2**(4), 41
recrystallization temperatures, **2**(4), 41
strength, **2**(4), 41
Molybdenum boride, properties, **3**(4), 34
Molybdenum carbide, properties, **3**(4), 34
Molybdenum-cermet dispersions, development, **2**(3), 12
Molybdenum fibers, utilization in fuel elements, **3**(3), 52
Molybdenum fuel systems, pressure bonding, **2**(4), 42

Molybdenum-nickel alloys, carburization, 1(4), 24
creep properties, 2(1), 36, 38
mechanical properties, 1(4), 32–5
oxidation, 1(4), 23
relaxation curves, 2(1), 36–7
tensile properties, 2(1), 36–8
weld cracking effects, 2(2), 55
Young's modulus temperature dependence, 2(1), 36–7
Molybdenum-nickel-titanium carbide cermets, electrodeposited Ni coating, 1(1), 28–9
Molybdenum-niobium alloys, tensile properties, 3(3), 46–7
Molybdenum-niobium-thorium alloys, oxidation weight gain, 1(3), 34
Molybdenum-niobium-thorium-titanium alloys, oxidation resistance, 1(3), 34
Molybdenum-niobium-titanium alloys, corrosion, 3(4), 32
tensile properties, 2(4), 38
Molybdenum-niobium-titanium-tungsten-zirconium alloys, composition, oxidation, and strength, 2(4), 21
Molybdenum-niobium-tungsten-zirconium alloys, composition, oxidation, and strength, 2(4), 21
Molybdenum-niobium-uranium alloys, corrosion, 3(2), 3–4; 3(4), 6
radiation effects, 3(4), 6
Molybdenum-niobium-uranium alloys (clad), corrosion, 3(4), 6
radiation effects, 3(4), 6
Molybdenum-niobium-uranium-zirconium alloys, corrosion in H_2O, 1(4), 2–3
Molybdenum-niobium-zirconium alloys, tensile properties, 3(3), 46–7
Molybdenum nitride, properties, 3(4), 34
Molybdenum oxide, properties, 3(4), 34
Molybdenum-plutonium-uranium alloys, compatibility with stainless steel, 3(3), 14
constitution, 3(3), 10–11
ductility, 3(3), 11
fabrication, 1(2), 10; 3(3), 10–11
hot hardness, 3(3), 14
metallurgical properties, 1(1), 9
oxidation in air and CO_2, 3(3), 14
phase-transformation kinetics, 3(3), 11
properties, 3(3), 14
radiation effects, 1(1), 9
reaction with stainless steels, 3(3), 12
thermal expansion, 1(2), 10
Molybdenum powder, vacuum evaporated, coatings, 2(3), 52
Molybdenum-ruthenium-uranium alloys, corrosion, 1(4), 5
Molybdenum silicide, corrosion resistance to Na, 2(1), 32
Molybdenum-silicon-uranium alloys, properties, as-cast, 2(4), 2
mechanical, 3(1), 2; 3(3), 3
metallurgical, 3(3), 3
Molybdenum-silicon-uranium alloys (Al-clad), radiation effects, 3(3), 3
Molybdenum-silicon-uranium-vanadium alloys, corrosion in H_2O, 1(4), 2–3
Molybdenum-silicon-uranium-vanadium-zirconium alloys, corrosion in H_2O, 1(4), 2–3
Molybdenum-thorium alloys, constitution, 1(2), 11
Molybdenum-tin-zirconium alloys, corrosion, 3(3), 45
strength, 3(3), 45
tensile properties, 2(2), 40
Molybdenum-uranium alloy fuel elements (Ta-clad), coextrusion and swaging, 2(1), 47
Molybdenum-uranium alloy fuel pellets, development, 3(4), 6
Molybdenum-uranium alloy fuel pins (Zr-clad), diffusion-layer growth, 2(1), 5
preparation, 2(2), 5–6
Molybdenum-uranium alloy fuel rods (Zircaloy-2-clad), coextrusion, 3(2), 3
Molybdenum-uranium alloy fuel rods (Zr-clad), specification conformance, 1(4), 5
Molybdenum-uranium alloy fuel slugs, coating with Cr and Mo, 3(3), 55
Molybdenum–uranium alloy–uranium dioxide dispersion, development, fabrication, and radiation effects, 2(3), 12
Molybdenum-uranium alloys, alpha-beta cycling, 1(3), 2–3
annealing effects, 3(4), 6
behavior summary, 2(4), 3
bibliography, 1(2), 5
burnup effects, 2(2), 5
casting, 1(1), 8; 1(2), 5
coextrusion with cladding, 2(2), 51; 2(3), 54; 3(2), 45
compatibility with stainless steel, 3(4), 6–7
constitution, 2(3), 4–5
corrosion, 1(2), 4–5; 1(3), 20; 1(4), 5; 3(4), 5–6
crystal structure, 3(4), 4
deformation effects, 3(4), 5
diffusion, 3(1), 3; 3(3), 44
elasticity modulus, 2(2), 5
electrical resistivity, 3(3), 3–4
enrichment effects, 2(1), 4–5
fabrication, 1(3), 5; 2(1), 5
fuel for CO_2-pressurized reactor, 2(2), 5
Hall effect, 3(3), 3
hardness, 1(4), 5
heating, 1(3), 5; 2(2), 5; 2(3), 4–5
interlamellar spacing effects, 2(1), 4–5
lattice parameters, 1(1), 6
magnetic susceptibility, 2(1), 5
melting, 1(3), 5
metallurgy, 1(3), 5
order-disorder reaction, 2(2), 5
oxidation, 2(4), 3; 3(1), 3
oxide orientation, 3(4), 6
phase transformation, 2(3), 2; 2(4), 3; 3(4), 4, 6
plastic reductions, 3(4), 4–5

Molybdenum-uranium alloys (Continued)
processing, 1(3), 5
properties, addition effects, 1(4), 5; 2(1), 6; 2(3), 6
as-cast, 2(4), 2
creep-rupture, 1(1), 5
mechanical, 1(3), 3; 1(4), 5; 2(1), 5; 2(3), 2; 3(2), 4–5; 3(3), 3
metallurgical, 3(3), 3
physical, 2(1), 5
summary, 2(3), 4–6
thermal, 1(1), 5; 1(3), 5; 1(4), 5
radiation effects, 1(1), 38; 1(2), 4–5; 1(3), 3, 5; 1(4), 4–5; 2(1), 4–5, 16–17; 2(2), 5; 3(1), 2–4; 3(2), 7; 3(4), 5–7
stability, 1(4), 5; 2(2), 5; 2(3), 6; 3(3), 3–5; 3(4), 6
strength, 2(3), 2
thermal-cycling effects, 3(3), 3
true stress–true strain curves, 2(2), 5
U_2Mo phase, 3(3), 4
vacancy agglomeration inhibition, 2(1), 16
Molybdenum-uranium alloys (Al-clad), radiation effects, 3(3), 3
Molybdenum-uranium alloys (clad), corrosion, 3(4), 6
Molybdenum-uranium alloys (irradiated), reversion, 2(4), 9
Molybdenum-uranium alloys (Zircaloy-2-clad), corrosion, 1(3), 4–5
Molybdenum-uranium alloys (Zr-clad), interdiffusion, 2(2), 39
Molybdenum-uranium compacts, radiation-induced dimensional changes, 3(2), 3
Molybdenum–uranium dioxide cermets, pressure bonding, 3(4), 50
Molybdenum–uranium dioxide dispersions, fabrication, 2(2), 11; 2(3), 11
properties, 2(2), 11
Molybdenum–uranium nitride dispersions, chemical reactions, 1(4), 9
fabrication, 2(2), 11
properties, 2(2), 11
Molybdenum-uranium powder compacts, radiation stability, 3(1), 3; 3(4), 5
Molybdenum–uranium silicide dispersions, chemical reactions, 1(4), 9
Molybdenum-uranium-zirconium alloys, alpha-beta thermal cycling, 1(1), 3
corrosion in H_2O, 1(4), 2–3
Monel, corrosion, 3(4), 32

N

NaK
See Potassium-sodium alloys (molten)
Neptenium-plutonium alloys, phase diagram, 3(3), 7–8
Nichrome cylinders, explosion forming, 3(2), 50–1
Nichrome-uranium eutectic alloy (molten), containment in oxidized Nb-U alloy crucible, 1(3), 48
Nichrome V
See Chromium-nickel alloys
Nickel, arc spraying with Ca coating, 3(1), 51
corrosion, 1(1), 34; 2(1), 30–1; 3(3), 40
creep-rupture properties, 1(4), 33, 35
defect production, 2(1), 40
diffusion with, Al, 3(2), 36
Mg, 3(2), 36
Nb, 3(4), 44
Si, 3(2), 36
U, 3(3), 44
Zr, 3(2), 36
eddy-current cold-work measurement, 1(3), 54
electrodeposited coating on cermet, 1(1), 28–9
H absorption, 3(4), 32
oxidation, 1(1), 33
radiation effects on, crystal structure, 3(3), 41
K absorption, 3(4), 38
magnetic properties, 3(4), 38
mechanical properties, 2(2), 33–4; 3(1), 39
vacancy clusters, 3(2), 27
reactions with Ni, 1(2), 32–3
solid solubility in Be, 3(3), 31
stress-rupture properties, 1(3), 35
Nickel (A), corrosion, 3(4), 32
properties, 2(3), 35
Nickel (A-286), 2(3), 35–6
Nickel (irradiated), annealing and damage recovery, 2(1), 40; 3(3), 41; 3(4), 41
electrical resistivity recovery, 3(2), 26
Nickel alloys, corrosion, 1(3), 36; 1(4), 23; 2(1), 30–1; 3(4), 32
electroless coatings, 2(3), 52; 3(4), 52
heat-treatment effects on microstructure and high-temperature properties, 2(3), 35
melting, 3(2), 40
oxidation, 1(2), 32; 3(3), 39
radiation effects, 2(2), 35; 3(1), 37–8
refractory coatings, 2(4), 44
Nickel films, radiation effects, 3(4), 39
Nickel-niobium alloys, recrystallization, 2(2), 35, 37
Nickel oxide, radiation effects, 2(2), 33
Nickel-plutonium alloys, crystal structure, 1(2), 9; 3(3), 7
Nickel-plutonium intermetallic compounds, crystal structure, 2(3), 9
Nickel–sodium hydroxide system, Ni mass transfer, 1(3), 35
stress corrosion, 1(3), 35
Nickel-uranium alloys, diffusion, 3(2), 3; 3(4), 43
Nickel–uranium dioxide dispersions, explosion compaction, 3(2), 51
Nickel-uranium-zirconium alloys, corrosion in H_2O, 1(4), 2–3
Nickel-yttrium alloys, constitution, 2(3), 35
phase diagram, 3(2), 32–3
Nickel-yttrium ternary alloys, eutectic, 2(1), 34
Nickel-zirconium alloy hydrides, structure, 3(1), 24

Nickel-zirconium alloys, constitution, **2**(4), 31
crystal structure, **2**(4), 31
hydriding, **1**(3), 27
lattice parameters, **2**(4), 31
Nicral D, oxidation, **3**(2), 23
Niobium, annealing, **1**(2), 37
cage zone melting, **2**(3), 48–9
coatings, Cr-Ni, **3**(3), 37
electroplated, **3**(4), 53
LM-5, **3**(3), 37
ZN, **3**(3), 37; **3**(4), 52
coextrusion with stainless-steel cladding, **2**(3), 50
compatibility with fissium-Pu-U alloys, **3**(4), 8–9
corrosion, **1**(2), 29; **2**(3), 29; **2**(4), 22, 33; **3**(1), 32; **3**(2), 22; **3**(3), 37; **3**(4), 30
creep rupture, **2**(3), 43, 45
development for cladding, **3**(3), 38
diffusion bonding, **2**(3), 17; **3**(3), 53
diffusion with, B, **2**(2), 37
C, **2**(2), 37
Cr, **3**(4), 44
Fe, **3**(4), 44
Mo, **3**(4), 44
Ni, **3**(4), 44
stainless steel, **3**(4), 44
U, **2**(2), 28
ductile-brittle transition, **2**(4), 37
ductility, **2**(3), 45
elastic modulus, **1**(3), 42; **2**(3), 43
electrical resistivity, **2**(4), 31–2
fabrication, **2**(3), 49; **3**(1), 48
H_2 diffusion coefficient, **1**(3), 35
H_2 solubility in, **2**(3), 24
ignition temperature, **3**(4), 30
ingot production, **2**(3), 49
mechanical properties, **2**(3), 43; **3**(2), 20; **3**(3), 47
melting, **2**(3), 48–9
N_2 diffusion, **2**(4), 33
N_2 solubility, **2**(4), 33; **3**(1), 32
oxidation, **1**(1), 33; **1**(2), 31–2; **1**(3), 34; **1**(4), 22; **2**(2), 30; **2**(3), 29; **3**(1), 32; **3**(3), 37; **3**(4), 30, 34
physical properties, **2**(3), 43; **3**(3), 47
preparation, **2**(3), 48–9; **3**(3), 54–5
pressure bonding, **3**(2), 44; **3**(4), 50
pressure self-bonding, **2**(2), 49; **3**(1), 50
protective coatings, **2**(1), 29; **2**(2), 55; **3**(3), 37
radiation effects, **2**(2), 33–4; **3**(2), 27; **3**(4), 38
reactions with CO and CO_2, **3**(4), 30
reaction with H_2, **1**(3), 35
reaction with N_2, **2**(4), 33; **3**(1), 32; **3**(2), 22
reaction with UC in Ar, **3**(3), 20
recrystallization, **2**(2), 35, 37; **2**(3), 43
rupture strength of annealed, **2**(1), 39
self-diffusion, **2**(1), 34; **3**(2), 35–6
tensile properties, **2**(3), 43, 46; **3**(2), 30
thermal conductivity, **2**(4), 31–2
thermal-expansion coefficient, **2**(4), 31
thermal properties, **3**(2), 32
utilization in fuel elements, **3**(3), 52
vacuum deposition, **3**(3), 54
vapor-deposited coating on stainless steel, **1**(1), 28
welding, **1**(3), 54
yield strength, **2**(3), 43
Zn coating, **3**(3), 37

Niobium (type 310 stainless-steel-clad), welding, **3**(3), 53

Niobium alloys, compatibility with UC, **3**(4), 13
corrosion, **2**(2), 30; **2**(4), 21; **3**(2), 22; **3**(3), 37
electroplated coatings, **3**(4), 53
fabrication, **3**(3), 51
mechanical properties, **1**(2), 37; **3**(3), 47
Nb oxide production, **3**(2), 22
oxidation, **1**(1), 33; **1**(2), 31–2; **1**(3), 34; **2**(1), 28–9; **3**(1), 32; **3**(4), 34
physical properties, **3**(3), 47
protective coatings, **3**(3), 37
recrystallization, **2**(2), 35, 37
strength, **3**(2), 30
tensile properties of annealed, **2**(1), 39
welding, **2**(3), 53; **3**(3), 58

Niobium alloys–Zircaloy-2 couples, diffusion, **2**(3), 17

Niobium boride, properties, **3**(4), 34
Niobium boride–stainless steel dispersions, preparation and properties, **2**(3), 26–7
Niobium carbide, properties, **3**(4), 34
vapor-deposited coating on graphite, **1**(1), 28
Niobium-carbon system, constitution, **3**(1), 39
Niobium-cermet dispersions, development, **2**(3), 12
Niobium crystals, cleavage and twinning, **3**(2), 32
Niobium fuel systems, pressure bonding and cladding, **2**(1), 46
pressure self-bonding, **2**(4), 42
Niobium hydride, activation energy, **1**(3), 27
H_2 diffusion coefficient, **1**(3), 27
phase studies, **1**(1), 21
properties, **1**(4), 15
Niobium hydride (annealed), martensitic phase transformation, **3**(2), 17
metallographic studies, **3**(2), 16–17
Niobium nitride, properties, **3**(4), 34
Niobium oxide, properties, **3**(4), 34
transformation, **2**(3), 29
Niobium-oxygen system, constitution, **3**(1), 39
Niobium pentoxide, transformation, **3**(3), 37
Niobium-rhenium alloys, recrystallization, **2**(2), 35, 37
Niobium-tantalum alloys, solid solutions, **2**(1), 34
Niobium-tin-uranium alloys, radiation effects on corrosion, **1**(3), 3; **3**(4), 5
Niobium-tin-zirconium alloys, corrosion in H_2O and steam, **3**(4), 31
mechanical properties, **3**(3), 45
tensile properties, **3**(4), 42
Niobium-titanium alloy–uranium nitride dispersions, chemical reactions, **1**(4), 9
Niobium-titanium alloy–uranium silicide dispersions, chemical reactions, **1**(4), 9

Niobium-titanium alloys, oxidation resistance, **2**(1), 28–9
strength, **3**(3), 46
Niobium-titanium-uranium alloys, corrosion in H_2O, **2**(3), 3
Niobium-titanium-uranium diffusion couples, bonding effects on interaction, **2**(4), 33–4
Niobium-titanium-vanadium alloys, oxidation, **1**(3), 34
Niobium-titanium-zirconium alloys, oxidation resistance, **2**(1), 29
tensile properties, **2**(4), 38
Niobium-tungsten alloys, oxidation, **1**(3), 34
recrystallization, **2**(2), 35, 37
strength, **3**(3), 46
Niobium-uranium alloy diffusion couples, phase study, **3**(3), 4
Niobium-uranium alloy sheet, oxide orientation, **3**(4), 6
Niobium-uranium alloys, age hardening, **2**(3), 4
C removal, **1**(1), 5
cast structure breakdown, **2**(2), 8
constitution, **1**(2), 4; **1**(4), 3; **2**(3), 16–17; **2**(4), 3
corrosion, **1**(1), 8, 25, 35; **1**(4), 4; **2**(1), 6, 9; **2**(3), 4; **2**(4), 5; **3**(1), 3–4; **3**(4), 5–8
diffusion, **2**(3), 16–17; **3**(3), 44
electrical resistivity, **3**(3), 3–4; **3**(4), 8
fabricability, mechanical and physical properties, **2**(1), 9
fabrication, **1**(1), 8; **1**(2), 39–40; **1**(4), 3; **2**(3), 8
Hall effect, **3**(3), 3
hardness, **1**(4), 4; **2**(2), 8
homogenization, **1**(4), 3
melting, **1**(4), 3
miscibility gap, **3**(3), 4
oxidation, **1**(4), 4; **2**(3), 8
physical properties, **3**(1), 3
preparation, **1**(2), 4
processing, **1**(3), 4
production, **1**(1), 25
properties, **1**(3), 4; **2**(1), 6; **2**(3), 6
radiation effects, **1**(1), 3, 38; **2**(1), 9; **3**(1), 3; **3**(4), 5–6
radiation-induced phase changes, **1**(4), 4; **2**(1), 4; **2**(2), 5; **2**(3), 3; **2**(4), 3; **3**(1), 3; **3**(2), 7
radiation-induced swelling, **2**(4), 10; **3**(4), 5–6
segregation, **1**(4), 3–4; **2**(2), 47
stability, **1**(3), 5; **2**(3), 6
tensile properties, **2**(4), 5; **3**(3), 6; **3**(4), 7–8
thermal cycling, **1**(1), 3
thermal stability, **1**(3), 5
U diffusion, **3**(3), 44
X-ray diffraction studies, **2**(2), 5
Niobium-uranium alloys (clad), corrosion and radiation effects, **3**(4), 6
Niobium-uranium alloys (irradiated), electrical resistivity, **2**(4), 3
transformation, **2**(3), 3
X-ray diffraction studies, **2**(4), 3
Niobium-uranium alloys (Mo-clad), fabrication, **1**(4), 4
Niobium-uranium alloys (molten), effects of C and O_2 content, **1**(3), 47–8
Niobium-uranium alloys (stainless-steel-clad), rolling, **1**(4), 4
Niobium-uranium alloys (Zircaloy-2-clad), corrosion in H_2O, **2**(1), 6
Niobium-uranium couples, concentration-penetration curves for diffusion, **2**(4), 3
Niobium–uranium dioxide cermets, pressure bonding, **3**(4), 50
Niobium–uranium dioxide dispersions, development, **2**(3), 12
fabrication, **2**(2), 11; **2**(3), 11
properties, **2**(2), 11
Niobium–uranium nitride dispersions, chemical reactions, **1**(4), 9
fabrication, **2**(2), 11
properties, **2**(2), 11
Niobium–uranium silicide dispersions, chemical reactions, **1**(4), 9
Niobium-uranium ternary alloys, corrosion in H_2O, **2**(1), 6
transformation kinetics, **1**(1), 5
Niobium-uranium ternary alloys (Zircaloy-2-clad), corrosion in H_2O, **2**(1), 6
Niobium-uranium-vanadium diffusion couples, bonding effects on interaction, **2**(4), 33–4
Niobium-uranium-vanadium sandwiches, bonding and diffusion, **2**(3), 17
Niobium-uranium-zirconium alloy cores, roll cladding with Zircaloy-2, **1**(3), 49–50
Niobium-uranium-zirconium alloy platelets (clad), corrosion in H_2O, **2**(3), 4
Niobium-uranium-zirconium alloys, constitution, **1**(2), 4
corrosion, **1**(1), 35; **1**(2), 5; **1**(3), 3–4, 6; **1**(4), 2–3; **2**(3), 3–4; **3**(1), 3
hot hardness, **1**(3), 6
miscibility gap, **3**(3), 4
physical properties, **3**(1), 3
radiation effects, **1**(3), 3; **2**(2), 5; **2**(3), 4–5; **3**(1), 3
tensile properties, **2**(2), 7–8
transformation, **2**(2), 5; **2**(3), 3–4; **3**(1), 3
Niobium-uranium-zirconium alloys (irradiated), transformation, **2**(3), 3
Niobium-uranium-zirconium alloys (Zircaloy-2-clad), corrosion in H_2O, **2**(3), 4
Niobium-vanadium alloys, corrosion, **3**(2), 22; **3**(3), 37; **3**(4), 30
properties, **3**(2), 22, 30; **3**(3), 46–7
UO_2 dispersion matrix properties, **3**(1), 9
Niobium-vanadium-zirconium alloys, tensile properties, **3**(2), 30; **3**(3), 46–7
Niobium-zirconium alloy–uranium dioxide dispersions, development, **2**(3), 12
Niobium-zirconium alloys, aging transformation, **3**(2), 35
cold-rolling effects, **3**(4), 43
corrosion, **2**(4), 21; **3**(3), 40; **3**(4), 31

Niobium-zirconium alloys (Continued)
creep properties, **3**(3), 45
heat-treatment effects, **1**(4), 26; **3**(4), 43
mechanical properties, **2**(3), 39, 42
oxidation, **3**(1), 32; **3**(2), 22
radiation effects, **3**(1), 37
tensile properties, **2**(2), 40; **2**(4), 37–8; **3**(3), 46–7; **3**(4), 42
transformation, **3**(1), 39; **3**(2), 35
UO_2 dispersion matrix properties, **3**(1), 9
weldability, **2**(3), 53
Nitrides, compatibility with UO_2, **3**(4), 12
properties, **3**(3), 47
Nitrogen-thorium alloys, preparation, **3**(4), 9
Noble metals
See also Metals
radiation effects, **2**(2), 33; **3**(4), 40
Nondestructive testing
See also specific materials and methods
applications, **1**(2), 42; **3**(3), 58
bibliographies, **1**(2), 41
development, **3**(2), 51
equipment calibration, **1**(3), 54–5
limitations, **1**(2), 42
methods, **1**(3), 54–5
techniques, **1**(2), 42
Nonferrous alloys, rare-earth applications, **3**(2), 34

O

Organic materials, radiation effects, **3**(3), 1
Osmium-thorium system, compound formation, **1**(4), 8
Oxide fuel elements, bonding and swaging with cladding, **3**(3), 52–3
Oxides, compatibility with UO_2, **3**(4), 12
properties, **3**(3), 47
radiation damage, **2**(4), 11
Oxygen-plutonium system, heats of formation of oxides, **1**(3), 19
Oxygen-thorium system, Young's modulus, **2**(3), 10
Oxygen–uranium dioxide system, structure, **1**(3), 14
Oxygen-uranium system, diffusion, **3**(4), 43
electrical properties, **2**(2), 12
emissivity, **2**(2), 12
literature review, **3**(3), 17
melting points, **2**(2), 12
structure, **2**(2), 12
Oxygen-uranium-zirconium system, constitution, **1**(3), 9
Oxygen-vanadium system, stress relaxation, **3**(2), 36
Oxygen-zirconium alloys, deformation modes, **1**(3), 38

P

Palladium, solid solubility of U in, **1**(1), 7
Palladium-uranium alloys, phase diagrams, **2**(3), 9
Perspex, gas-bubble formation, **1**(2), 17
Phosphorus (liquid), properties, **3**(3), 40
Phosphorus-bearing materials, corrosion by Na, **3**(3), 40
Plastics, radiation effects, **2**(3), 33
radiation-induced gas formation, **3**(2), 7; **3**(3), 23
Plating, nonelectrolytic chemical techniques, **2**(3), 52
Platinum, defect production, **2**(1), 40
radiation effects, **2**(2), 33; **3**(4), 37
U solubility in, **2**(2), 8
vacuum deposition, **3**(3), 54
Platinum (irradiated), annealing, **2**(1), 40; **3**(2), 26
Platinum-uranium alloys, eutectics, **2**(2), 8
intermetallic compound formation, **2**(2), 8
Platinum-uranium-zirconium alloys, corrosion in H_2O, **1**(4), 2–3
Plutonium, alloying behavior, **3**(3), 8, 10
casting, **3**(3), 14–15
cathodic vacuum etching, **3**(3), 11
coatings, **1**(3), 10
conversion from Pu nitrate, **3**(3), 14
coreduction, **1**(4), 7
corrosion, **2**(2), 9
crystal properties, **2**(3), 9
cubic expansion, **3**(3), 12
data manual, **3**(2), 4
deformation during fracturing, **2**(2), 14
density, **2**(3), 9
distortion during cooling, **3**(3), 15
elastic constants, **3**(3), 13–14
electrical resistivity, **2**(2), 8
film production, **1**(1), 10
formability, **3**(3), 14
impurity removal, **3**(3), 14
mechanical properties, **3**(3), 14
melting, **3**(3), 14–15
oxidation, **3**(3), 12
phase transformation, **2**(1), 9–10; **2**(2), 8–9; **3**(3), 11
preparation of high-purity, **3**(3), 15
production, **3**(1), 5; **3**(3), 14
pyrophoricity, **1**(3), 20
radiation effects, **3**(1), 17
research, **3**(4), 8
rolling, **3**(3), 15
structure of alpha, **1**(3), 9
tensile properties, **3**(3), 15
thermal conductivity, **2**(2), 8–9
thermal-cycling effects, **3**(3), 6
X-ray mass-absorption coefficients, **1**(3), 9
zone refining, **1**(2), 8; **2**(1), 9
Plutonium (as-cast), tensile properties, **2**(2), 8
Plutonium (delta-annealed), tensile properties, **2**(2), 8
Plutonium (electrolytic), analyses, **3**(1), 5
Plutonium (molten), density, **3**(2), 5
Plutonium alloys, corrosion, **2**(2), 9
delta-phase retention, **3**(3), 11
radiation effects, **3**(1), 17

Plutonium alloys (Continued)
research, 1(1), 9
thermal-cycling effects in Na, 3(1), 5–6
thermal expansion, 3(3), 12, 14
Plutonium carbide–silicon carbide system, oxidation resistance, 2(3), 15
Plutonium carbides
See also Plutonium monocarbide
formation, 3(3), 21
hydrolyzation, 2(1), 15
melting point, 3(3), 21
preparation, 2(1), 15
published data, 3(4), 13
Plutonium carbides (diluted), physical and chemical stabilities, 2(3), 15
Plutonium dioxide, free energy of formation, 3(3), 16
melting, 3(4), 15
microstructure, 3(1), 12
reactions with, Al_2O_3, 3(4), 15
C, 3(3), 21; 3(4), 15
MgO, 3(4), 15
Ta, 3(3), 12
ZrO_2, 3(4), 15
stability in H_2, 3(4), 15
thermal expansion, 1(3), 19; 3(2), 7; 3(3), 12, 21
Plutonium dioxide (molten), lattice parameter, 3(3), 19
Plutonium dioxide ceramics, sintering in H_2, 3(1), 11
Plutonium dioxide–thorium dioxide system, X-ray diffraction studies, 2(3), 15
Plutonium dioxide–uranium dioxide ceramics, fabrication, 1(3), 14
Plutonium dioxide–uranium dioxide mixtures, radiation effects, 1(2), 15
sintering, 3(3), 16; 3(4), 13
Plutonium dioxide–uranium dioxide pellets, radiation effects, 1(3), 17
Plutonium dioxide–uranium dioxide powder (canned), radiation effects, 3(3), 19
Plutonium dioxide–uranium dioxide system, diffraction studies, 3(3), 19
phase studies, 3(3), 19
solid solubility, 2(3), 15
Plutonium dioxide–uranium dioxide system (Zircaloy-2 canned), radiation effects, 2(3), 14
Plutonium dioxide–zirconium dioxide mixture, reactions and sintering, 3(3), 21
Plutonium disks, canning in Ni, 3(3), 15
fabrication, 3(3), 14
Plutonium fission alloys, coefficient of expansion and phase transformation, 2(3), 9
Plutonium monocarbide
See also Plutonium carbides
crystal structure, 2(1), 15
fabrication, 3(4), 15
preparation, 3(4), 15
Plutonium monocarbide–uranium monocarbide mixed fuels, fabrication, 3(3), 21
Plutonium nitrate, conversion to Pu metal, 3(3), 14
Plutonium nitride, crystal structure and density, 3(1), 5
Plutonium oxides, crystal structures, 2(1), 15
formation, 1(3), 19
preparation, 2(1), 15
solubility in acids, 2(1), 15
volatility, 3(3), 12
Plutonium oxides (diluted), chemical and physical stabilities, 2(3), 15
Plutonium-ruthenium alloys, phase diagram, 3(3), 8
Plutonium salts, microscopic study, 3(1), 12
Plutonium-silicon alloys, preparation, 1(4), 7
Plutonium slugs, canning with type 304 stainless steel, 3(4), 52
Plutonium solid-solution alloys, thermal expansion, 3(3), 12, 14
Plutonium suboxide, preparation, 3(2), 7
Plutonium-thorium alloys, constitution, 1(2), 9, 11; 1(3), 10; 2(1), 10–11
hardness, 1(1), 10; 3(3), 14
oxidation, 3(3), 14
physical properties, 1(1), 9–10
preparation, 1(4), 7
properties, 3(3), 14
radiation effects, 1(1), 10
Plutonium-titanium alloys, constitution, 1(2), 9
phase diagram, 3(3), 7–8
Plutonium-uranium alloys, constitution, 2(1), 10
development, 1(3), 10
hardness, 3(3), 14
oxidation, 3(3), 14
preparation, 1(4), 7
properties, 3(3), 14
radiation effects, 2(1), 10
Plutonium-uranium alloys (Ni-plated), radiation dimensional stability, 2(2), 9
Plutonium-zinc alloys, constitution, 1(2), 9; 1(4), 8
phase diagram, 2(4), 5
Plutonium-zirconium alloys, corrosion, 2(2), 9
fabrication, 1(2), 9
hardness, 3(3), 14
oxidation, 1(3), 34; 3(3), 14
phase diagram, 3(3), 6–8
properties, 3(3), 14
radiation effects, 3(4), 9
Poison-containing materials, neutron absorption, 3(1), 29–30
Polymethyl methacrylate, gas-bubble formation, 1(2), 17
Potassium (liquid), properties, 3(3), 40
Potassium-sodium alloys (molten), corrosion of stainless steels, 2(3), 31
reaction with H_2O, 1(1), 35
UO_2 powder slurry behavior in, 2(3), 31
Potassium uranate, preparation and properties, 2(4), 9
Powder, explosion compaction, 3(2), 49
Precious metal alloys, corrosion by Na, 3(3), 40

Precious metals
See also Metals
corrosion resistance to Li, **2**(1), 30–1
Pressure bonding
See also Diffusion and specific materials bonded
applications, **2**(3), 49
description, **2**(3), 49
development, **1**(3), 50–1; **2**(1), 46
gold contacts, **1**(1), 27; **1**(2), 41; **1**(3), 51
interface formation, **2**(3), 50
kinetics, **2**(4), 42–3
Ni-plated U with Al, **1**(1), 26
Ni-plated U with Zr, **1**(1), 26–7
solid state, **2**(4), 42–3
stainless steel–UO_2 assemblies with stainless steel, **1**(1), 27
studies, **1**(2), 40; **1**(3), 51; **2**(1), 46
technique, **3**(2), 43–4
U fuel elements, **1**(1), 26
UO_2 with Zircaloy, **1**(1), 27
U-U-Zircaloy subassemblies, **1**(1), 27
Zircaloy methods, **1**(3), 50
Pulse type inspection units, applications, **3**(4), 56

Q

Quartz, radiation effects, **1**(3), 43; **2**(2), 33

R

Radiation-detection testing
See also Nondestructive testing
techniques, **3**(1), 54
Radiation effects, colloquium, **3**(3), 1
discussion, **1**(1), 37
production by imperfections in solids, **3**(1), 36
review, **3**(1), 36
theory, **1**(1), 38–9
Radiographic testing
See also Nondestructive testing
applications, **2**(3), 53; **2**(4), 44
development, **2**(2), 56
metals, **1**(1), 30
techniques, **3**(1), 54
Rare-earth borides, structure, **3**(3), 35
Rare-earth oxide dispersions, physical properties, **1**(1), 24
roll-cladding preparation, **1**(1), 24
sinterability, **1**(1), 24
Rare-earth oxide plates, pressing and sintering, **3**(3), 35
Rare-earth oxides, coating stainless-steel tubes with, **3**(3), 35
corrosion resistance to Na, **2**(1), 32
Rare-earth oxides–stainless steel dispersions, description, **1**(4), 18
extrusion, **1**(1), 24
Rare earth–uranium–Zircaloy-2 alloys, corrosion in H_2O, **3**(1), 29
Rare earth–yttrium alloys, delta-phase stabilization, **3**(3), 7
Rare earth–Zircaloy-2 alloys, corrosion in H_2O, **3**(1), 29
Rare earths, additions to ferrous and nonferrous alloys, **3**(2), 34
reactor-control applications, **3**(2), 19
Reactor-control materials, physics, metallurgy, and engineering aspects, **3**(2), 19
Reactor coolants, corrosion by, **3**(1), 34
Reactor materials
See also Metals
bibliography of properties, **2**(2), 39–40
diffusion, **2**(3), 17; **2**(4), 33
phase diagrams, **3**(2), 24–5
radiation effects, **3**(3), 1, 23
specifications, **2**(2), 40
technology, **3**(4), 1–2
Refractory materials, fabrication, **3**(3), 51
melting, **3**(2), 41; **3**(3), 51
properties, **3**(3), 46–7
Refractory metal alloys, bibliography, **2**(3), 45
Refractory metals
See Metals (refractory)
René 41, explosion forming, **3**(2), 49
Rhenium, vacuum deposition, **3**(3), 54
Rhenium-uranium alloys, constitution, **3**(4), 8
Rhodium–rhodium sulfide system, sulfide equilibria, **3**(2), 35
Rhodium-uranium alloys, constitution, **1**(3), 8
phase diagrams, **2**(3), 9
Rods
See also Control rods and Fuel rods (Mg-clad)
coextrusion-produced defects, **2**(3), 52
Roll cladding, development and evaluation, **1**(1), 26
Roto-arc welding, Al-clad fuel elements, **1**(1), 29
Rubidium (molten), properties, **3**(3), 40
Ruthenium-uranium alloys, composition, **1**(1), 7
constitution, **1**(2), 4
liquidus, **1**(3), 8
phase diagrams, **2**(3), 9
Ruthenium-uranium-zirconium alloys, corrosion in H_2O, **1**(4), 2–3

S

Safety and health, summary, **3**(4), 1
Samarium alloys, development, **1**(1), 23
Samarium oxide, corrosion resistance to Na, **2**(1), 32
Samarium oxide–stainless steel dispersions, coextrusion with stainless-steel cladding, **2**(3), 50–1
Sapphire (synthetic), radiation-induced expansion, **2**(3), 32
Segmented fuel elements, hot pressing with Al cladding, **3**(2), 46

Semiconductors, radiation effects, **3**(3), 1, 23; **3**(4), 38
Sheet metal
See also Metals
explosion forming, **3**(1), 52–3
Shielding materials, radiation effects, **3**(3), 1
summary, **3**(4), 2
Silica, radiation effects, **2**(2), 33
Silicides, properties, **3**(3), 47
Silicon, diffusion in metals, **3**(2), 36
Silicon carbide, corrosion resistance, **2**(1), 32
vapor deposition, **1**(3), 52–3
Silicon crystals, radiation-induced defects, **3**(3), 41
Silicon dioxide–thorium dioxide system, dissociation, **1**(2), 16
solid-state reaction study, **2**(4), 9
Silicon dioxide–uranium dioxide mixtures, radiation effects, **1**(2), 15
Silicon nitride, corrosion resistance, **2**(1), 32
Silicon-thorium alloys, corrosion in H_2O, **2**(3), 10
Silicon-uranium alloy rods, coextrusion with Cu cladding, **3**(2), 45
Silicon-uranium alloy tubes, coextrusion with Zircaloy cladding, **3**(2), 45
Silicon-uranium alloys, C content effects, **2**(1), 7
coextrusion with cladding, **2**(3), 51
corrosion, **1**(1), 6; **1**(3), 6; **2**(1), 7; **2**(2), 6; **3**(4), 7
development for power-reactor use, **3**(1), 4
electrical resistivity, **2**(1), 7
extrusion, **1**(3), 7
physical properties, **1**(3), 6; **2**(1), 7
processing, **1**(3), 6
radiation effects, **1**(1), 3, 6; **1**(2), 6; **2**(2), 6; **3**(1), 4; **3**(4), 5, 7
radiation stability, **2**(2), 6
strength, **1**(1), 5
Silicon-uranium alloys (irradiated), corrosion in H_2O, **2**(3), 6
Silicon-uranium alloys (Zircaloy-2-clad), corrosion in H_2O, **1**(3), 6
radiation dimensional stability, **2**(2), 6
Silicon-uranium alloys (Zircaloy-2-clad) (irradiated), corrosion in H_2O, **2**(3), 6; **3**(1), 4
Silicon-uranium-zirconium alloys, thermal stability, **1**(2), 16
Silver, diffusion of Fe in, **3**(2), 36
radiation effects on electrical resistivity, **2**(2), 33; **3**(3), 42; **3**(4), 37
reaction with H_2O, **2**(1), 33
reactor-control applications, **3**(2), 19
vacuum deposition, **3**(3), 54
Silver (irradiated), annealing kinetics, **3**(2), 26
Silver alloys, tensile properties, **1**(3), 30
Silver-zinc alloys, plastic deformation effects on diffusion, **3**(2), 36
Sodium, corrosion by, **2**(4), 22; **3**(1), 35
O_2 determination, **2**(1), 32–3
properties, **3**(3), 40
specific heat, **3**(2), 15
Sodium chloride, radiation effects, **3**(4), 39–40
Sodium hydroxide, corrosion of Ni, **1**(1), 34
Sodium uranate, preparation and properties, **2**(4), 9
Sodium-uranium-oxygen system, radiation effects, **3**(3), 21
Solids
See also Materials and Metals
radiation-damage studies, **2**(4), 10
radiation effects, **2**(2), 32; **2**(3), 45–6; **3**(4), 40
small-angle X-ray scattering studies, **3**(2), 25–6
Stainless steel
See also Chromium-iron-nickel alloys and Inconel
Co content control, **2**(3), 39
compatibility with B compounds, **3**(2), 19
compatibility with Mo-Pu-U alloys, **3**(3), 14
corrosion, **1**(2), 31; **1**(3), 34, 37; **1**(4), 22; **2**(1), 28; **2**(3), 29; **3**(1), 33; **3**(3), 38–9
creep-rupture strength, **3**(3), 45
diffusion with Nb, **3**(4), 44
fabricability, **3**(3), 45–6
pressure bonding to stainless steel–UO_2 assemblies, **1**(1), 27
radiation effects, **2**(1), 43; **3**(1), 37, 39
reaction with Mo-Pu-U alloys, **3**(3), 12
reaction with Th-U alloy, **2**(3), 10
specifications, **2**(2), 40
stress-corrosion cracking, **1**(3), 34; **1**(4), 22; **2**(1), 28; **3**(1), 33
tensile properties, **3**(3), 45–6
welding to Mo, **1**(3), 54
Stainless steel (17-7 PH), bonding with thermite type compositions, **3**(1), 51
Stainless steel (18-8–B^{10}), radiation effects, **2**(4), 26–7
Stainless steel (type 304), compatibility with UC, **3**(4), 13
corrosion, **1**(2), 29; **2**(3), 31; **2**(4), 21; **3**(1), 33–5; **3**(2), 23
creep properties, **3**(4), 42
diffusion, **2**(3), 17
ductility, **3**(2), 2
gaseous environment effects on properties, **3**(1), 45
radiation effects, **2**(3), 33; **3**(3), 43
stress-corrosion cracking, **2**(4), 21
tube burst testing, **2**(3), 43, 45; **3**(4), 42
tube creep buckling, **2**(3), 43
vapor deposition of Mo and Nb on, **1**(3), 53
welding, **2**(3), 39, 43
Stainless steel (type 304L), tensile properties, **2**(3), 39
Stainless steel (type 310), nitriding and oxidation, **1**(3), 34
Stainless steel (type 316), corrosion, **2**(3), 31; **2**(4), 22; **3**(1), 35; **3**(4), 35
diffusion with graphite, **1**(3), 24
nitriding, **1**(3), 34
oxidation, **1**(3), 34; **2**(2), 29
radiation effects on corrosion by Li, **2**(4), 22
welding, **2**(3), 39, 43

Stainless steel (type 318), oxidation, **2**(4), 23
Stainless steel (type 347), compatibility with fissium-Pu-U alloys, **3**(4), 8–9
corrosion, **1**(2), 29; **2**(3), 29
mechanical properties of nitrided, **2**(1), 38–9
strain-fatigue testing, **1**(2), 36
stress-corrosion cracking, **2**(3), 29
thermal fatigue properties, **3**(3), 45
Stainless steel (type 347) (irradiated), damage recovery, **3**(4), 41
Stainless steel (type 410), corrosion, **2**(3), 29; **2**(4), 21; **3**(1), 35; **3**(2), 23; **3**(3), 38; **3**(4), 34
radiation effects, **1**(1), 39; **1**(2), 34; **2**(2), 35–6
stress-corrosion cracking, **2**(3), 29; **2**(4), 21; **3**(3), 38
Stainless steel (type 410) (Cr-plated), stress corrosion, **3**(2), 23
Stainless steel (type 414), radiation effects, **2**(2), 35–6
Stainless steel (type 420), coating with ceramics, **2**(1), 50
Stainless steel (type 430), compatibility with fissium-Pu-U alloys, **3**(4), 8–9
stress-corrosion cracking, **2**(3), 29
Stainless steel (type 430T), aging temperature effects, **3**(4), 42
Stainless steel (type 446), Mo vapor deposition, **1**(3), 53
oxidation, **3**(2), 34
Stainless steel (type 4340), explosion welding, **3**(4), 55
Stainless steel (Alloy A286), nitriding and oxidation, **1**(3), 34
Stainless steel (AM-350), radiation effects, **2**(2), 35–6
Stainless steel (austenitic), brazing, **3**(4), 55
corrosion resistance to Li, **2**(1), 30–1
mechanical, **2**(4), 36–7; **3**(1), 45
physical properties, **2**(4), 36–7; **3**(1), 45
Y addition effects, **3**(2), 34
Stainless steel (Carpenter-20 Cb), nitriding and oxidation, **1**(3), 34
Stainless steel (ferritic), corrosion resistance to Li, **2**(1), 30–1
Stainless steel (martensitic), mechanical and physical properties, **2**(4), 36–7; **3**(1), 45
Stainless steel (molten), reaction with H_2O, **1**(1), 35
Stainless steel (semiaustenitic), mechanical and physical properties, **2**(4), 36–7; **3**(1), 45
Stainless-steel (type 316) powder, sintering, slip casting, and testing, **2**(3), 49
Stainless-steel tubing, bonded joints, **3**(3), 54
coating with rare-earth oxides, **3**(3), 35
injection casting in canning, **2**(3), 52
Nb vapor deposition, **1**(1), 28
Ni-P brazing alloy effects on ductility, **3**(2), 31
Stainless-steel (type 304) tubing, yield strength, **3**(2), 30–1
Stainless-steel (type 316) tubing, yield strength, **3**(2), 30–1
Stainless-steel (type 347) tubing, yield strength, **3**(2), 30–1
Stainless steel–uranium carbide dispersions, hot-cell evaluation, **2**(2), 11
physical properties, **1**(1), 15
radiation effects, **2**(3), 12–13
Stainless steel–uranium carbide dispersions (type 347 stainless-steel-clad), tensile properties, **1**(3), 13
Stainless steel (type 304)–uranium (molten) diffusion couples, interaction, **2**(4), 33
Stainless steel–uranium dioxide assemblies, annealing and pressure bonding with stainless steel, **1**(1), 27
Stainless steel–uranium dioxide cermets, electrical resistivity, **1**(3), 13
pressure bonding, **3**(4), 50
tensile strength, **1**(3), 13
Stainless steel–uranium dioxide dispersions, development, **2**(2), 11; **3**(4), 11
fabrication, **1**(1), 14; **1**(3), 14; **2**(2), 11; **2**(3), 11–14
mechanical properties, **2**(2), 11; **3**(1), 8; **3**(4), 10
physical properties, **1**(1), 14; **2**(2), 11
production, **1**(3), 13
properties, **1**(3), 14
radiation effects, **1**(1), 14–15; **1**(4), 9; **2**(1), 12
slip casting, **1**(4), 9
U variation determination, **1**(4), 8
Stainless steel (type 347)–uranium dioxide dispersions, explosion compaction, **3**(2), 51
radiation effects, **3**(4), 11
Stainless steel (ferritic)–uranium dioxide dispersions, operating temperature, **2**(1), 12
Stainless steel–uranium dioxide dispersions (stainless-steel-clad), preparation, **1**(2), 11–12
radiation effects, **2**(3), 12
slip casting, **3**(2), 5
tensile properties of annealed, **3**(2), 5
Stainless steel (type 304B)–uranium dioxide dispersions (type 304 stainless-steel-clad), development, **1**(3), 12–13
Stainless steel–uranium dioxide–zirconium boride dispersions, B sintering losses, **3**(2), 19, 21
Stainless steel–uranium nitride dispersions, chemical reactions, **1**(4), 9
fabrication, **2**(2), 11
hot-cell evaluation, **2**(2), 11
mechanical properties, **2**(2), 11
physical properties, **1**(1), 15; **2**(2), 11
radiation effects, **2**(3), 12–13
Stainless steel–uranium nitride dispersions (stainless-steel-clad), fabrication and properties, **3**(1), 8
Stainless steel–uranium nitride dispersions (type 347 stainless-steel-clad), tensile properties, **1**(3), 13
Stainless steel–uranium oxide dispersions, batch blending, **1**(4), 8–9

Stainless steel (type 304)–Zircaloy-2 couples, fretting corrosion, **2**(3), 28; **3**(2), 22
Stainless steel (austenitic)–Zircaloy-2 joints, brazing with Ag, **2**(1), 50
Stainless steel–zirconium boride dispersions, preparation and properties, **2**(3), 26–7
Stainless steel–zirconium joints, welding and brazing, **2**(3), 53
Steel
See also Croloys
chromizing effects on oxidation, **3**(3), 39
corrosion, **1**(4), 25; **3**(4), 32
explosion forming, **3**(3), 56–7
grain-size effects, **2**(1), 42–3
Na containment, **1**(4), 24
radiation effects, **1**(2), 35; **3**(1), 37, 40; **3**(2), 28
Steel (ASTM A201), radiation effects, **1**(1), 39
Steel (ASTM A302B), radiation effects, **1**(1), 39
Steel (AISI 310), corrosion, **3**(4), 32
Steel (AISI 1020), corrosion in polyphenyl, **3**(2), 23
explosion forming, **3**(3), 56–7
Steel (type 1020 carbon), corrosion in organic coolant, **3**(1), 35
Steel (AI 3301), corrosion in liquid Na, **3**(1), 34
Steel (AISI 4130), corrosion, **3**(1), 35; **3**(2), 23
explosion forming, **3**(3), 56–8
Steel (austenitic), radiation effects, **2**(3), 33
Steel (boron), neutron absorption, **3**(1), 30
Steel (carbon), corrosion in CO_2, **3**(3), 39
H absorption, **3**(4), 32
radiation effects, **2**(1), 43
Steel (construction), radiation effects, **1**(3), 43–4
Steel (Cr-Mo), corrosion in molten Bi-U alloys, **2**(2), 31
Steel (Ducol W.30), radiation effects, **2**(1), 42
Steel (En 2), radiation effects, **1**(4), 37
Steel (ferritic), corrosion, **2**(2), 31; **3**(4), 34
radiation effects, **2**(3), 33; **3**(1), 37–39, 41
Steel (high C), corrosion in molten Bi-U alloys, **3**(4), 34
Steel (high Cr), corrosion in molten Bi-U alloys, **3**(4), 34
Steel (HY-65), radiation effects, **2**(1), 42
Steel (low alloy), corrosion, **2**(1), 30–1; **3**(3), 39
Steel (low C), corrosion in molten Bi-U alloys, **3**(4), 34
radiation effects, **3**(1), 39
Steel (low Cr), corrosion in molten Bi-U alloys, **3**(4), 34
Steel (MBMC No. 1), explosion forming, **3**(3), 56–7
Steel (mild), compatibility with UC, **3**(4), 13
radiation effects, **1**(2), 35; **1**(4), 36–7; **2**(4), 25
Steel (Vascojet 1000), explosion forming, **3**(3), 56–7
Steel tubing, extrusion with Al cladding, **3**(3), 54
Strontium boride, compatibility with stainless steel, **3**(2), 19
Strontium uranate, preparation and properties, **2**(4), 9
Structural materials
See also Metals
corrosion in polyphenyl type coolant, **3**(1), 35
radiation effects, **3**(3), 1
summary, **3**(4), 2
Subassemblies, nondestructive testing, **2**(1), 51; **3**(2), 51
Sulfides, properties, **3**(3), 47
Sulfur, explosion compaction, **3**(2), 49
Sulfur (molten), properties, **3**(3), 40
Surfaces, diffusion, **2**(4), 33
explosion hardening, **3**(2), 49
Swaging, by explosion, **3**(1), 52

T

Tantalum, compatibility with Pu-U-fissium alloys, **3**(4), 8–9
corrosion, **1**(2), 29–30; **2**(4), 22; **3**(2), 24
creep properties of degassed sintered, **2**(1), 39
diffusion with, B, **2**(2), 37
C, **2**(2), 37
Si, **3**(2), 36
dissolution in molten Dy and Tm, **3**(1), 39, 41
ductile-brittle transition, **2**(4), 37
electrical resistivity, **2**(4), 31–2
electroplated coatings, **3**(4), 53
hardening, **2**(2), 30
mechanical properties, **2**(4), 31; **3**(1), 45
oxidation, **1**(4), 23; **2**(2), 30; **3**(4), 34
physical properties, **2**(4), 31; **3**(1), 45
Seebeck coefficient, **2**(4), 31, 33
thermal conductivity, **2**(4), 31, 33
thermal diffusivity, **2**(4), 31, 33
vapor-deposited coatings, **1**(2), 41
Tantalum (rare-earth oxide coated), high-temperature stability, **2**(4), 21–2
Tantalum (ZrO_2-coated), high-temperature stability, **2**(4), 21
Tantalum alloys, electroplated coatings, **3**(4), 53
oxidation, **3**(4), 34
Tantalum boride, properties, **3**(4), 34
Tantalum carbide, properties, **3**(4), 34
vapor-deposited coating on graphite, **1**(1), 28
Tantalum nitride, properties, **3**(4), 34
Tantalum oxide, properties, **3**(4), 34
Tantalum systems, corrosion, **2**(4), 22
Tantalum-thorium alloys, constitution, **2**(2), 10
eutectic, **2**(4), 6
Tantalum-tin-zirconium alloys, aging studies, **1**(3), 38
tensile properties, **1**(3), 38
Tantalum–uranium dioxide dispersion foils, fabrication, **2**(3), 11
Tantalum-uranium-zirconium alloys, corrosion in H_2O, **1**(2), 3–4
Tantalum-vanadium alloys, constitution, **2**(4), 31–2
Tantalum-zirconium alloys, constitution, **2**(2), 37; **2**(4), 31
radiation effects, **3**(1), 37, 39

Television, development of X-ray-sensitive Vidicon, **2**(2), 56
Thallium nitride, corrosion resistance, **2**(1), 32
Thallium-thorium intermetallic compounds, crystal structure, **2**(3), 10
Thermal-shock experiments, equipment, **3**(3), 40
Thermographic testing
See also Nondestructive testing
core-to-cladding bonds, **3**(3), 59
Thorium, anisotropy, **2**(3), 10
C solubility in, **3**(4), 9–10
chemical properties, **2**(4), 5–6
cladding, **1**(1), 10; **2**(2), 9
corrosion, **1**(2), 10; **1**(3), 3, 37; **1**(4), 8; **2**(2), 9; **2**(3), 10; **2**(4), 7; **3**(4), 10
data manual, **2**(3), 9–10; **2**(4), 5–6
decontamination, **1**(2), 10
diffusion, **1**(2), 10; **1**(3), 11–12
ductility, **2**(4), 6
dynamic modulus, **3**(4), 10
elastic constants, **2**(3), 10
entropy of sublimation, **3**(1), 7
fabrication, **2**(2), 9
H_2 diffusivity in, **3**(4), 9
H_2 solubility in, **1**(2), 11; **1**(3), 11; **2**(2), 10
heat of sublimation, **3**(1), 7
inclusions, **1**(2), 10; **2**(2), 9
lattice spacing, **3**(3), 16
mechanical properties, **2**(2), 9; **2**(4), 5–6; **3**(2), 4–5; **3**(3), 17
metallography, **2**(2), 9, 10
physical properties, **1**(2), 10; **2**(2), 9; **2**(4), 5–6
production technology, **2**(2), 9
pyrophoricity, **1**(3), 20
radiation effects, **1**(2), 11; **2**(2), 9; **2**(4), 5–6; **3**(4), 10
reactions with O_2 and ThO_2, **3**(1), 7
recrystallization, **2**(2), 9
solubility in Hg, **2**(2), 10
solubility in molten Zn, **3**(4), 9
specific heat, **3**(2), 15
strength, **2**(4), 6
technology, **2**(1), 11; **2**(2), 9
thermal-cycling properties, **2**(4), 5–6
vapor pressure, **3**(1), 7
Thorium (cold-reduced), preferred orientations, **3**(2), 5
Thorium (crystal-bar), electrical resistivity, **3**(3), 16
magnetic susceptibility, **2**(4), 6
specific heat, **3**(1), 7; **3**(3), 16
Thorium (iodide), grain-boundary relaxation, **1**(3), 11
shear modulus, **1**(3), 11
Thorium (irradiated), mechanical properties, **3**(3), 17
tensile properties, **2**(4), 7
Thorium (sintered), C, N_2, and O_2 effects on properties, **3**(4), 9
Thorium (Zircaloy-clad), corrosion in H_2O, **3**(4), 10
Thorium alloys, constitution, **2**(1), 11; **2**(2), 9
corrosion, **2**(2), 9; **2**(4), 6–7; **3**(4), 10
fabrication-technique effects, **2**(4), 6
heat-treating effects, **2**(4), 6
mechanical properties, **2**(2), 9
metallography, **2**(2), 10
oxidation, **1**(3), 12
precipitation hardening, **3**(1), 8
radiation effects, **1**(3), 12
technology, **2**(2), 9
Thorium beryllide, solubility studies, **2**(2), 10
Thorium carbide, fabrication, **2**(1), 14
published data, **3**(4), 13
Thorium carbide–uranium carbide mixtures, fabrication, **2**(1), 14
Thorium carbide–uranium carbide powder, coating with C, **3**(4), 53
Thorium compacts, preparation from Th powder, **2**(2), 10
properties, **2**(4), 6
Thorium dioxide, compressive strength, **3**(1), 10
corrosion, **2**(1), 32; **3**(1), 10
density, **1**(2), 16
elastic modulus, **3**(1), 10
radiation effects, **3**(4), 16
sintering, **2**(3), 15–16
structure, **3**(2), 7
surface chemistry, **3**(2), 7
thermal-shock resistance, **1**(2), 16; **2**(3), 16
Thorium dioxide ceramics, metal fiber reinforcement, **1**(1), 13
properties, **2**(2), 14
thermal-stress failure, **1**(1), 13
Thorium dioxide cermets, fabrication, **1**(1), 13
Thorium dioxide films, radiation effects, **3**(3), 22
Thorium dioxide–urania ceramics, fabrication and volatilization, **1**(1), 13
Thorium dioxide–uranium dioxide ceramic pellets, fabrication, **3**(1), 11
Thorium dioxide–uranium dioxide compacts, radiation effects, **1**(3), 17
Thorium dioxide–uranium dioxide mixtures, physical properties, **1**(2), 14
Thorium dioxide–uranium dioxide pellets, radiation effects, **1**(3), 16–17; **1**(4), 11
Thorium dioxide–uranium dioxide system, compressive strength, **3**(1), 10–11
corrosion in steam, **3**(1), 10–11
elastic modulus, **3**(1), 10–11
fission-gas release, **3**(2), 7
thermal expansion, **3**(1), 10–11
Thorium dioxide–uranium dioxide–yttrium oxide system, compressive strength, **3**(1), 10–11
corrosion in steam, **3**(1), 10–11
elastic modulus, **3**(1), 10–11
thermal expansion, **3**(1), 10–11
Thorium dioxide–zirconium dioxide system, physical properties, **1**(2), 16
Thorium monocarbide, reactions, **2**(2), 10

Thorium monocarbide ceramic fuels, properties, **2**(2), 14
Thorium monocarbide–zirconium monocarbide system, constitution, **2**(2), 10
Thorium-tin alloys, solubility studies, **2**(2), 10
Thorium-tin intermetallic compounds, crystal structure, **2**(3), 10
Thorium-uranium alloys, alloying effects, **3**(3), 16
annealing effects on hardness, **2**(1), 11
coextrusion with cladding, **2**(3), 51
constitution, **1**(3), 11; **2**(1), 11
corrosion in Na, NaK, and organics, **1**(4), 8
creep, **1**(4), 8; **3**(1), 18
creep strength, **3**(1), 7
density, **2**(4), 6
electrical resistivity, **1**(3), 11
fabrication effects, **3**(3), 16–17
fission-gas release, **2**(3), 10–11
grain-growth restriction, **2**(4), 6
hardness, **1**(1), 10; **2**(1), 11; **2**(4), 6
heat-treatment effects, **3**(3), 16
hot hardness, **2**(4), 6
mechanical properties, **3**(3), 16–17
metallurgy, **2**(4), 6
physical properties, **1**(3), 11; **3**(3), 16–17
radiation effects, **1**(1), 10; **1**(2), 11; **1**(3), 12; **1**(4), 8; **2**(1), 12; **2**(2), 10–11; **3**(1), 2–3, 8; **3**(4), 5
reaction with stainless steel, **2**(3), 10
segregation, **2**(2), 47
tensile properties, **1**(3), 11
thermal conductivities, **1**(3), 11
thermal-expansion coefficients, **2**(3), 10
U particle coarsening, **2**(4), 6
Thorium-uranium alloys (irradiated), thermal-expansion coefficients, **2**(3), 10
Thorium–uranium monocarbide–zirconium system, constitution, **2**(2), 10
Thorium-uranium-zirconium alloys, constitution, **2**(1), 11; **2**(2), 10
corrosion in H_2O, **2**(3), 10; **2**(4), 6, 7
Th detection, **2**(4), 6
Thorium-yttrium alloys, constitution, **1**(3), 11; **2**(2), 10; **3**(1), 5, 7
eutectic, **2**(4), 6
solidus, **2**(2), 10
Thorium-zinc alloys, constitution, **2**(4), 6
Thorium-zirconium alloys, corrosion in H_2O, **2**(3), 10; **2**(4), 7; **3**(1), 8; **3**(4), 10
cubic-phase stability, **3**(3), 16
hot hardness, **2**(4), 6
metallography, **2**(4), 6
miscibility gap, **3**(3), 16
Thorium-zirconium alloys (Zircaloy-clad), corrosion in H_2O, **3**(4), 10
Through-transmission testing
See also Nondestructive testing
applications, **3**(4), 56
plates and tubes, **3**(3), 58
Tin, reaction with H_2O, **2**(1), 33
solubility in $ZrFe_2$, **2**(3), 33
Tin-zirconium alloys, oxidation, **1**(3), 34
Titanium, compatibility with fissium-Pu-U alloys, **3**(4), 8–9
diffusion, **2**(3), 17
diffusion with, B, **2**(2), 37
C, **2**(2), 37
Si, **3**(2), 36
U, **2**(2), 38
electroplated coatings, **3**(4), 53
forging, **2**(4), 41
joining to Ag-Cd-In alloys, **1**(3), 31
lattice stability, **3**(2), 35
oxidation, **2**(3), 28; **3**(4), 34
radiation effects, **3**(1), 37
spontaneous ignition in O_2, **2**(3), 28
Titanium (B-120VCA), explosion welding, **3**(4), 55
Titanium (irradiated), damage recovery, **3**(4), 41
Titanium alloys, electroplated coatings, **3**(4), 53
explosion forming, **3**(2), 49
lattice stability, **3**(2), 35
oxidation, **3**(4), 34
radiation effects, **2**(2), 33–4
Titanium borides, corrosion in H_2O, **1**(2), 26
properties, **3**(4), 34
solubility in H_2O, **1**(3), 32
Titanium carbide, corrosion resistance, **1**(3), 37; **2**(1), 32
melting effects, **3**(2), 41
properties, **3**(4), 34
Titanium carbide cermets, corrosion resistance to NaK, **1**(3), 37
Titanium dispersions, roll cladding with Hf, Ti, and Zircaloy-2, **2**(2), 48
Titanium nitride, properties, **3**(4), 34
Titanium oxide, properties, **3**(4), 34
Titanium–titanium diboride dispersions (Zircaloy-2-clad), radiation effects, **3**(2), 19
Titanium-uranium alloys, corrosion, **1**(1), 3–4
diffusion, **3**(3), 44; **3**(4), 43
Titanium-uranium alloys, corrosion in H_2O, **2**(3), 2–3
diffusion, **3**(3), 4
phase diagrams, **2**(3), 3
quenching-induced decomposition, **2**(4), 3
transformation, **2**(3), 2
Titanium-uranium-zirconium alloys, constitution, **1**(2), 6
corrosion in H_2O, **1**(4), 2–3; **2**(3), 3
phase diagrams, **2**(3), 3
Titanium-uranium-zirconium diffusion couples, bonding effects on interaction, **2**(4), 33–4
Titanium-vanadium alloys, oxidation resistance, **1**(3), 35
Titanium-yttrium alloys, eutectic, **3**(1), 42
Titanium-zirconium alloys, lattice stability, **3**(2), 35
Transition metals
See also Metals
radiation effects, **3**(4), 38

Tubing
See also specific tubing
coextrusion-produced defects, **2**(3), 52
development, **1**(3), 1
radiation effects, **1**(3), 1
Tungsten, creep-rupture properties, **3**(3), 46
diffusion of B and C in, **2**(2), 37
ductile-brittle transition, **2**(4), 37
ductility, **3**(4), 49
electroplated coatings, **3**(1), 51; **3**(4), 53
extrusion, **3**(4), 48–9
oxidation, **3**(4), 33–4
radiation effects, **1**(4), 37
self-bonding by roll cladding, **3**(4), 49
tensile properties, **3**(2), 31; **3**(4), 49
vacuum arc melting, **3**(4), 48–9
vapor-deposited coatings, **1**(2), 41
Tungsten (irradiated), annealing, **2**(1), 40
damage recovery, **3**(4), 37–8
electrical resistivity of annealed, **2**(1), 40
stored energy of annealed, **2**(1), 40
Tungsten alloys, electroplated coatings, **3**(4), 53
oxidation, **3**(4), 34
Tungsten binary alloys, oxidation resistance, **1**(3), 35
Tungsten boride, properties, **3**(4), 34
Tungsten carbide, corrosion resistance to NaK, **1**(3), 37
electroplating with Ni, **3**(2), 47
properties, **3**(4), 34
Tungsten carbide cermets, corrosion resistance to NaK, **1**(3), 37
Tungsten nitride, properties, **3**(4), 34
Tungsten oxide, properties, **3**(4), 34
Tungsten powder, explosion compaction, **3**(2), 51
Tungsten–tungsten sulfide system, sulfide equilibria, **3**(2), 35
Tungsten–uranium dioxide dispersion foils, fabrication, **2**(3), 11

U

Ultrasonic testing
See also Nondestructive testing
applications, **1**(1), 30; **1**(2), 42; **2**(3), 53; **2**(4), 44
calibration, **1**(2), 42
development, **1**(1), 30; **1**(2), 42; **1**(4), 43; **2**(1), 51; **2**(2), 56
energy losses in metals, **2**(3), 53–4
fluoroscope development, **2**(2), 56
plates, **3**(3), 58–9
techniques, **3**(1), 54
tubing, **3**(3), 58; **3**(4), 56
Ultrasonic welding
See also Welding
development, **1**(3), 54
Uranium, anodic treatment, **3**(2), 47
bulk modulus, **2**(2), 1
burnup determination, **2**(1), 4
canning, **3**(2), 46
casting, **1**(1), 25; **1**(2), 39; **1**(3), 47, 54; **2**(2), 47, 54; **3**(1), 48
chemistry, **2**(4), 2
cladding, **2**(1), 4
bonding with, **1**(2), 40; **3**(3), 54
coextrusion with, **2**(2), 51; **2**(3), 51; **3**(2), 45; **3**(4), 51
extrusion, **2**(2), 40; **3**(1), 50–1
coatings, **1**(1), 29; **2**(2), 5; **3**(1), 51; **3**(3), 55; **3**(4), 53
corrosion, **1**(3), 3; **1**(4), 2–3; **2**(1), 4; **2**(3), 17; **3**(3), 21–2
corrosion in, H_2O, **1**(1), 34; **1**(4), 11–12; **2**(1), 15; **2**(3), 1; **3**(4), 4
Na, **1**(3), 37
organics, **1**(3), 37
steam, **1**(4), 11–12; **2**(4), 2
creep, **1**(1), 1; **2**(2), 16; **2**(3), 19; **3**(2), 3; **3**(4), 3
crucible mold coating, **2**(3), 48
crystal growth, **2**(2), 1
data manual, **3**(2), 3
deformation, **2**(2), 14; **2**(4), 1–2; **3**(3), 2; **3**(4), 3
density, **1**(1), 1–3
determination, **2**(3), 54
diffusion, **1**(1), 37; **2**(2), 1, 16, 38; **2**(3), 1–2, 17; **2**(4), 2; **3**(1), 3, 13–14; **3**(2), 1; **3**(3), 1; **3**(4), 13
diffusion bonding, **2**(1), 46; **3**(4), 51
diffusion welding, **3**(4), 50
grain-size effects, **3**(1), 2
elastic moduli, **2**(4), 2
elastic parameters, **2**(2), 1–2
electric conductivity, **1**(1), 1–2
electronic microdiffraction, **3**(1), 2
electroplating on, **3**(2), 47
elongation, **1**(1), 1
enamel coating, **1**(1), 29
end-quench tests, **2**(2), 1
expansion, **2**(2), 1–2
extrusion, **1**(1), 26; **2**(2), 48
fabrication, **2**(1), 4; **2**(3), 1, 48; **3**(1), 48
forging, **1**(1), 26
forming, **2**(2), 47
grain size, **1**(1), 1–3; **1**(2), 1–2; **2**(3), 1, 48; **2**(4), 2; **3**(4), 4, 48
growth in corrosive gas, **3**(4), 16
H_2, content of dingot, **1**(2), 39
effects, **1**(1), 1; **2**(2), 47; **3**(3), 21–2
reduction, **2**(4), 41
solubility, **2**(4), 2
vacuum outgassing, **2**(3), 43
heat-treatment, **1**(2), 1; **1**(4), 1; **2**(3), 1, 18; **3**(4), 3
heating history determination, **3**(2), 42
ignition, **1**(3), 20; **2**(4), 9; **3**(1), 17
impurities, **1**(4), 39; **2**(3), 48
lattice constants, **1**(1), 1–3, 8
literature, **3**(2), 3
melting, **1**(1), 25; **1**(2), 39; **3**(1), 48; **3**(2), 39
metallography, **2**(1), 3–4
metallurgy, **2**(1), 4; **2**(2), 1; **2**(4), 2; **3**(3), 3

Uranium (Continued)
micrography, **3**(1), 2
nonelectrolytic chemical plating, **3**(4), 52
oxidation, **1**(1), 34–5; **1**(2), 16; **2**(1), 15; **3**(2), 1; **3**(3), 2
pin-cushion irradiation, **2**(1), 3–4
plating, **3**(2), 47; **3**(4), 52
preferred orientation, **2**(4), 1; **3**(4), 3–4
production, **2**(1), 4; **3**(1), 2
properties, **3**(3), 1
fatigue, **3**(2), 3
mechanical, **2**(1), 4; **3**(2), 4–5; **3**(3), 3
physical, **2**(1), 4
tensile, **1**(1), 1; **3**(1), 2
pyrophoricity, **1**(3), 20
quenching media, **3**(2), 42
radiation effects, **1**(1), 37; **1**(2), 2–3; **2**(3), 18; **2**(4), 10; **3**(1), 2–3, 17–18; **3**(2), 3; **3**(4), 3–4
radiation effects on, chemical properties, **2**(2), 3, 5
creep strength, **2**(4), 10
density, **3**(1), 2–3, 19
dimensions, **2**(1), 1, 3–4, 16; **2**(2), 16; **2**(4), 1; **3**(1), 2–3
gas diffusion, **2**(2), 15
hardness, **3**(1), 18–19
mechanical properties, **1**(4), 1; **2**(2), 3, 5; **2**(4), 10
physical properties, **2**(1), 2–3; **2**(2), 3, 5
surfaces, **2**(1), 3–4
tensile properties, **1**(4), 1; **3**(1), 18
radiation-induced, cracking, **3**(2), 2, 7
displacement spikes, **3**(1), 17
Frenkel pairs, **3**(1), 17
gas-bubble formation, **1**(2), 17; **2**(1), 17; **3**(1), 18
lattice defects, **3**(1), 18
microstress recovery, **3**(1), 18–19
swelling, **2**(1), 16; **2**(2), 15; **2**(3), 18; **2**(4), 10; **3**(1), 17; **3**(2), 2; **3**(3), 23; **3**(4), 15–16
twinning, **2**(3), 18–19
radiographic testing, **1**(1), 30
reactions with, air, **3**(1), 17
alkanes, **3**(2), 6
CO_2, **1**(4), 12; **3**(1), 17
H_2O, **2**(1), 33; **3**(2), 8–9; **3**(4), 37
H_2O vapor, **3**(2), 8–9
N_2, **1**(2), 16
O_2, **3**(1), 16–17
steam, **1**(1), 35; **1**(2), 3
recrystallization, **2**(4), 1
reduction of area, **1**(1), 1
rolling, **2**(2), 48; **3**(3), 51
scrap recovery, **2**(1), 45
self-diffusion, **1**(1), 37; **2**(2), 1; **2**(3), 1–2; **3**(1), 3, 13–14; **3**(2), 1; **3**(3), 1
shot preparation, **1**(1), 25
soldering, **1**(4), 42
solubility in, Pd, **1**(1), 7
Pt, **2**(2), 8
UAl_3, **3**(1), 15
Zn, **2**(2), 8
specific heat, **3**(2), 15
stability, **1**(3), 1
strain-rate sensitivity, **3**(1), 1–2
stress relaxation, **2**(4), 10
stress-strain curves, **1**(1), 1
structure, **2**(4), 2
technology, **2**(2), 1, 3; **3**(1), 2
tensile properties, **1**(1), 1
thermal conductivity, **1**(1), 1
thermal cycling, **1**(3), 2, 38; **2**(2), 3, 5, 16; **2**(4), 10; **3**(2), 3; **3**(3), 2–3
thermal expansion, **3**(2), 3
transformations, **1**(1), 1, 3; **1**(2), 1; **3**(2), 41–2; **3**(4), 3–4
tube fabrication, **2**(3), 48
twinning, **2**(4), 1–2
ultrasonic soldering, **1**(4), 42
vacuum deposition, **3**(3), 54
vacuum melting, **1**(2), 39; **3**(2), 39
vacuum outgassing of H_2, **2**(3), 48
volumes, **1**(1), 1–3
welding, **1**(2), 41; **1**(4), 42; **3**(4), 50
yield strength, **1**(1), 1
Young's modulus, **1**(1), 1
Uranium (depleted), nonnuclear uses, **3**(3), 1
radiation effects, **1**(3), 1–2
Uranium (irradiated), annealing, **1**(1), 3–4; **1**(3), 2; **2**(2), 1, 3; **2**(3), 2, 19; **2**(4), 10; **3**(1), 18–19; **3**(3), 1–2
creep testing, **2**(2), 1; **2**(3), 19
damage recovery, **3**(1), 18
dimensional instability, **2**(3), 18
electropolishing, **2**(3), 18
filamentary growth, **2**(2), 16
fracture surfaces, **3**(3), 23
gases, bubble formation, **1**(4), 2
mobility, **2**(3), 18; **3**(2), 7
release, **2**(3), 18; **3**(3), 2; **3**(4), 4
voids, **2**(3), 18
hardness, **2**(3), 19
inclusions, **3**(2), 3
metallography, **2**(1), 3; **2**(3), 18
preferred orientation, **2**(3), 18
quench cracking, **3**(2), 2
swelling, **1**(4), 2; **2**(1), 17
tensile properties, **2**(1), 1–2; **2**(3), 19; **3**(4), 4
thermal conductivity, **3**(2), 2
thermal-cycling effects, **3**(4), 4
twinning, **2**(4), 10
Xe^{133} diffusion, **1**(4), 2; **2**(1), 17
X-ray diffraction studies, **2**(2), 16
Uranium (molten), C pickup, **2**(4), 41
reactions with, ceramics, **1**(3), 48
H_2O, **1**(1), 35
O_2, **1**(3), 47
Uranium (Mo-Sn-Zr-clad), bonding, **2**(2), 40
thermal-cycling effects, **1**(3), 38
Uranium (Nb-Sn-Zr-clad), thermal-cycling effects, **1**(3), 38

Uranium (Ni-plated), pressure bonding with Al and Zr, 1(1), 26–27
Uranium (nontextured), radiation effects, 2(3), 18
Uranium (sponge), evaluation for fuel usage, 3(3), 2
Uranium (textured), radiation effects, 2(3), 18
Uranium (Zircaloy-2-clad), corrosion in H_2O, 3(3), 3
Uranium (Zr-clad), cladding-thickness determination, 3(2), 52
thermal-cycling effects, 1(3), 38
Uranium-235, radiation effects, 2(1), 2–3
Uranium alloy fuels, coextrusion with cladding, 1(3), 52; 3(2), 45–6
pressure bonding with Al cladding, 3(2), 44
radiation effects, 2(2), 5
Uranium alloy powder compacts, thermal cycling, 1(3), 3
Uranium alloy–zirconium hydride system, phase boundaries, 2(1), 24
Uranium alloys, casting, 3(1), 48
cladding, 2(1), 4
coating, 3(4), 53
constitution diagrams, 2(1), 11
corrosion, 1(3), 3, 6, 19–20, 37; 1(4), 2–3; 2(1), 4; 2(2), 5; 2(3), 1, 6; 3(4), 4
creep, 3(1), 18
fabrication, 2(1), 4; 2(3), 6; 3(1), 48
failure, 1(3), 20
hydride formation, 1(3), 20
ignition, 3(1), 17
mechanical properties, 2(1), 4
melting, 3(1), 48
metallography, 2(1), 4
phase studies, 2(3), 6
physical metallurgy, 2(1), 4
physical properties, 2(1), 4
powder metallurgy, 2(1), 4; 2(2), 5
production, 2(1), 4; 3(1), 2
properties, 3(2), 3
radiation effects, 1(1), 5; 1(3), 3; 2(1), 4, 17–18; 2(2), 3, 5; 3(1), 17; 3(4), 5
radiation-induced, gas-bubble formation, 3(1), 18
phase changes, 2(1), 4, 17
swelling, 2(1), 16; 2(3), 18
reactions with air and O_2, 3(1), 17
stability, 1(3), 6; 1(4), 3, 5
stress relaxation, 2(4), 10
thermal cycling, 1(1), 5; 2(2), 3, 5; 3(2), 3
transformation, 2(3), 2, 6; 2(4), 3
Uranium alloys (molten), quality, 1(3), 48
Uranium aluminide, development, 3(1), 13
growth kinetics, 3(1), 15
oxidation, 1(1), 14; 1(2), 16
physical properties, 1(3), 18
properties, 3(4), 13–15
reaction with N_2, 1(1), 14; 1(2), 16
thermal expansion, 1(2), 16
U solubility in, 3(1), 15
Uranium aluminide–uranium silicide system, constitution, 3(1), 12
Uranium beryllide, heat of formation, 3(2), 7
oxidation, 1(1), 14; 1(2), 16
physical properties, 1(3), 18
preparation, 3(2), 7
radiation effects, 1(1), 14
reactions with H_2O vapor, 1(2), 16
solubility, 2(2), 10
Uranium beryllide compacts, preparation, 2(3), 16
Uranium binary alloys, high-temperature properties, 2(1), 4
phase diagrams, 3(2), 3
strength, 1(3), 3
transformation, 2(1), 4
Uranium boride compacts, preparation, 2(3), 16
Uranium borides, oxidation, 1(2), 16
physical properties, 1(3), 18
properties, 3(4), 13–15
reactions with N_2 and H_2O vapor, 1(2), 16
Uranium carbide ceramics, fabrication, 1(1), 13
Uranium carbide cermets, thermal cycling, 1(3), 2
Uranium carbide compacts, fabrication, 2(2), 13
preparation, 2(3), 16
Uranium carbide fuels, technology, 3(4), 13
Uranium carbide–metal dispersions, development, 2(3), 11–12
Uranium carbide–metallic monocarbide mixtures, hot pressing, 2(1), 14
Uranium carbide powders, sintering, 2(4), 9
Uranium carbide–Zircaloy-2 cermets, corrosion and fabrication, 1(1), 13
Uranium carbide–zirconium alloy dispersions, radiation effects, 1(2), 12
Uranium carbide–zirconium carbide system, solid solubility, 1(3), 19
Uranium carbides
See also Uranium dicarbide and Uranium monocarbide
casting, 2(2), 13
chemical reactions, 1(1), 14; 1(2), 16; 3(4), 13
compatibility with Al, 3(2), 6
compatibility with Nb-base alloys, 3(4), 13
corrosion, 1(3), 19; 3(2), 6
density, 3(1), 13
fabrication, 1(2), 15; 2(1), 14; 3(1), 13
literature reviews, 3(4), 13
microstructure, 3(1), 13
oxidation, 1(1), 14; 1(2), 16
phase diagrams, 3(2), 6
physical properties, 1(3), 18
preparation, 2(2), 13; 3(2), 5–6
structural properties, 3(2), 6
thermal expansion, 1(1), 14
U_2C_3 formation, 2(3), 15
Uranium ceramic fuels, properties, 3(4), 6
Uranium cermets, cladding and densification by pressure bonding, 2(2), 49
properties, 3(4), 6
Uranium composite billets, coextrusion with Zircaloy cladding, 2(1), 48

Uranium compounds, properties, 1(3), 18–19; 3(4), 13–15
radiation-induced gas formation, 3(3), 23
review, 3(4), 13–15
sintering, 1(1), 13–14
Uranium cores, Ni plating before cladding, 2(1), 49
Uranium crystals, plastic slip, 3(1), 1
preparation, 3(2), 2
recrystallization of deformed, 3(1), 1
self-diffusion, 3(1), 13
thermal expansion, 3(1), 1
Uranium diboride, development, 3(1), 13
Uranium dicarbide
See also Uranium carbides and Uranium monocarbide
C coating, 3(4), 53
hot pressing, 2(4), 8
metallography, 2(4), 8
reactions with heat-transfer liquids, 3(4), 13
structure transformation, 3(4), 13
Uranium dicarbide–uranium monocarbide system, interdiffusion, 2(4), 8
Uranium dingots, H_2 reduction, 2(4), 41
Uranium dioxide
See also Uranium oxide
bibliography, 2(4), 7
coating with Al_2O_3, 2(3), 15
coextrusion with cladding, 2(4), 43; 3(4), 51
compaction, 2(4), 42; 3(2), 43
compatibility with, Al_2O_3, 1(3), 15
borides, 3(3), 17; 3(4), 12
carbides, 3(3), 17; 3(4), 12
Nb, 1(3), 15
nitrides, 3(3), 17; 3(4), 12
oxides, 3(3), 17; 3(4), 12
refractory metals, 3(3), 17; 3(4), 12
ZrC, 1(3), 15
ZrO_2, 1(3), 15
corrosion in steam, 3(3), 19
deformation, 2(2), 12
density, 1(2), 13
detection in fuel elements, 1(4), 43
diffusion with, He, 1(3), 15
I, 3(4), 16
O_2, 1(1), 12
rare gases, 2(1), 13
U(IV), 1(1), 12
electrical conductivity, 1(1), 11
electrical properties, 1(2), 14
etching, 3(1), 11
extrusion, 1(3), 14
fabrication, 1(1), 10–11; 1(3), 14
failure, 1(2), 14
fracture, 1(3), 15
He density, 1(3), 15
He diffusion, 1(3), 15
He release, 1(1), 38
impact failure, 1(2), 14
melting, 1(1), 11; 1(4), 11; 3(1), 9, 12
nonstoichiometry, 2(2), 12
NRX fuel studies, 1(3), 15
O/U ratio determination, 3(1), 9
oxidation, 1(1), 11–12; 1(2), 14
physical properties, 1(3), 18; 3(3), 17
polishing, 3(1), 11
preparation, 1(2), 13; 1(4), 11
properties, 1(2), 14; 1(3), 14
radiation effects, 1(1), 11–12; 1(2), 14; 1(3), 14, 17; 3(1), 19
radiation effects on structure, 2(4), 11; 3(4), 16
radiation effects on thermal conductivity, 1(3), 15; 3(4), 12
radiation-induced gas, bubble formation, 2(1), 18
diffusion, 1(1), 38; 1(2), 16–17
release, 1(1), 12, 37; 1(2), 14; 1(3), 14–15; 2(4), 11; 3(2), 8
retention, 1(3), 15
radiation-induced sublimation, 3(3), 22
radiation-induced void formation, 2(4), 11
reactions at high temperatures and pressures, 2(4), 7
reactions with Zircaloy-2 and Zr, 1(1), 11
reduction by C, 3(2), 6
sintering, 1(1), 10–11; 1(2), 13; 3(4), 13
stabilization, 2(4), 7; 3(1), 11
strength, 1(2), 14
structure, 3(3), 17
swaging, 1(1), 11; 1(3), 14
technology, 2(2), 12
thermal properties, conductivity, 1(1), 11; 1(2), 14; 1(4), 10–11; 2(1), 12–13; 2(3), 14–15; 3(3), 18–19; 3(4), 12
expansion, 1(1), 11; 2(1), 13
fracture, 1(1), 11
shock, 1(2), 14
stability, 1(4), 11
UF_6 conversion to, 3(1), 51
volatility, 1(4), 11

Uranium dioxide (Al_2O_3-coated) (irradiated), fission-product retention, 1(3), 15; 2(3), 15; 3(4), 52
Uranium dioxide (irradiated), diffusion with, fission gas, 2(1), 18
Kr^{85}, 3(3), 18
U, 3(3), 18
Xe, 2(4), 11; 3(4), 16
electron diffraction patterns, 3(4), 16
fission-gas, diffusion coefficients, 2(1), 18
reentry, 3(4), 16
release, 2(2), 12–13; 3(3), 22; 3(4), 16
Mo^{99} chemical behavior, 3(1), 19

Uranium dioxide (Ni-plated), brazing and pressure bonding, 1(2), 40
Uranium dioxide (pressure-bonded), He permeability, 3(4), 50

Uranium dioxide (sintered), coating with Be, 3(4), 52
radiation effects, 2(4), 11
radiation-induced melting and grain growth, 2(4), 11

Uranium dioxide (sintered) (Continued)
reaction with CO_2, **2**(4), 7
thermal conductivity, **2**(4), 7, 11
Uranium dioxide (type 304 stainless-steel-clad), swaged density, **3**(2), 42
Uranium dioxide (swaged), processing effects on density, **2**(1), 12
Uranium dioxide blanket rods, failure in PWR and thermal performance, **1**(3), 17
Uranium dioxide blanket rods (Zircaloy-2-clad), radiation effects, **3**(4), 11–12
Uranium dioxide ceramic dispersions, fuel loss, **3**(4), 12
Uranium dioxide ceramic fuels (irradiated), annealing effects, **2**(2), 15
Uranium dioxide ceramic fuels (Zircaloy-canned), vibratory packing, **3**(1), 11
Uranium dioxide ceramics, burnable-poison additives, **3**(1), 11
C addition effects, **1**(4), 9–10
chemical properties, **2**(2), 14
extrusion, **1**(3), 14
fabrication, **1**(3), 14; **3**(1), 11; **3**(2), 7
hot isostatic pressing, **2**(2), 12
Kr^{85} release, **2**(2), 15
mechanical properties, **2**(2), 14
physical properties, **2**(2), 14
pressure bonding with stainless-steel cladding, **2**(4), 42
properties, **3**(1), 11
radiation effects, **3**(1), 19
swaging, **3**(1), 11
thoron release, **2**(2), 15
Uranium dioxide cermets, thermal conductivity, **3**(3), 17
Uranium dioxide compacts (Al-clad), fabrication and irradiation testing, **2**(4), 7
Uranium dioxide crystals, growth from vapor, **3**(3), 20
high-temperature growth, **3**(1), 11
preparation by hydrolysis of UF_4, **3**(3), 55
Uranium dioxide dispersions, radiation effects, **1**(3), 13–14
ultrasonic welding, **3**(3), 53
Uranium dioxide films, radiation effects, **3**(3), 22
Uranium dioxide fuel elements (stainless-steel-clad), annulus filling with Pb, **3**(4), 51–2
fabrication, **2**(4), 8
mechanical twisting, **3**(3), 53
Uranium dioxide (ceramic and fused powder) fuel elements, densification and cladding by pressure bonding, **3**(2), 44
Uranium dioxide (fused) fuel elements, swaging with cladding, **3**(2), 43
Uranium dioxide fuel particles, cladding with Al_2O_3, **3**(1), 51; **3**(4), 52–3
cladding with graphite, **3**(4), 53
electroless Ni coating, **3**(1), 51
sintered cladding, **3**(3), 55
Zr vapor deposition, **3**(1), 51
Uranium dioxide fuel rods (mild-steel-clad), explosion forming, **3**(3), 20
Uranium dioxide fuel rods (sintered), stretch forming and swaging with cladding, **3**(2), 43
Uranium dioxide fuel rods (stainless-steel-clad), explosion compaction, **3**(4), 55
explosion forming, **3**(3), 20
Uranium dioxide fuel rods (Zircaloy-clad), explosion forming, **3**(3), 20
Uranium dioxide fuel rods (Zircaloy-2-clad), explosion compaction, **3**(4), 55
Uranium dioxide fuels, Canadian program, **1**(3), 15; **3**(1), 9
coating with C and Cr, **2**(4), 44
coextrusion with cladding, **3**(1), 50; **3**(2), 45; **3**(4), 51
compressive strength, **3**(1), 10–11
corrosion in steam, **3**(1), 10–11
densification, **3**(4), 50
development, **2**(3), 14
diffusion bonding with cladding, **2**(1), 46–7; **2**(2), 49–53; **2**(4), 43; **3**(2), 45
elastic modulus, **3**(1), 10–11
fabrication, **3**(4), 12–13
NRX, **1**(3), 15
performance, **3**(3), 17
pressure bonding with cladding, **1**(1), 27; **1**(2), 40; **1**(3), 51; **1**(4), 41; **2**(1), 46; **2**(2), 49; **2**(3), 49–50; **2**(4), 42; **3**(1), 49–50; **3**(2), 44; **3**(4), 50
properties, **3**(1), 10–11
radiation effects, **2**(1), 12; **3**(1), 9
rolling with cladding, **3**(3), 53
summary, **2**(4), 7
swaging with cladding, **3**(1), 49; **3**(2), 42–3; **3**(3), 52–3; **3**(4), 49
technology, **3**(1), 9
thermal conductivity, **3**(1), 10–11
thermal expansion, **3**(1), 10–11
Uranium dioxide–metal dispersions, development, **2**(3), 11–12
Uranium dioxide–metal fiber fuel elements, swaging with cladding, **3**(3), 52
Uranium dioxide–metal fiber fuel elements (swaged), mechanical and thermal properties, **3**(2), 43
Uranium dioxide pellets, cladding with Al_2O_3, **2**(3), 52–3
compatibility with Al, **3**(3), 17
densification, **3**(1), 49–50
development, **1**(4), 9
fabrication, **1**(3), 14; **2**(3), 14–15
pressure bonding with cladding, **3**(1), 49–50
thermal conductivity, **1**(3), 15; **3**(1), 11
Uranium dioxide pellets (irradiated), solid fission-product mobility, **3**(3), 17–18
Uranium dioxide pellets (stainless-steel-clad), thermal conductivity, **3**(1), 11
Uranium dioxide pellets (Zircaloy-2-clad), in-pile loop experiment, **1**(3), 15, 17
Uranium dioxide powder, annealing effects, **3**(3), 17
coating with metallic films, **2**(1), 49–50

Uranium dioxide powder (Continued)
comminution effects, **3**(3), 17
densification, **3**(1), 50
fluidized-bed coating, **3**(4), 53
metallurgy, **2**(1), 12
oxidation, **2**(2), 12; **3**(3), 17
physical properties, **2**(4), 7
preparation, **1**(3), 14; **2**(4), 7
sintering, **1**(4), 9; **3**(3), 20
vibratory compaction in Zircaloy tubes, **2**(4), 44
X-ray diffraction, **1**(3), 17
Uranium dioxide powder (canned), radiation effects, **2**(2), 12–13
Uranium dioxide powder (Zircaloy-2-canned), radiation effects and sintering, **3**(3), 19
Uranium dioxide powder (Zircaloy-3-canned), radiation effects, **2**(3), 14
Uranium dioxide powder slurries, behavior in NaK, **2**(3), 31
Uranium dioxide slugs (sintered), thermal conductivity, **2**(2), 12
Uranium dioxide spheres, metallic coatings, **3**(4), 52
Uranium dioxide system, phase diagrams with oxide additives, **2**(2), 12
Uranium dioxide–yttrium oxide mixtures, constitution, **1**(2), 14–15
Uranium dioxide–yttrium oxide system, phase studies, **2**(3), 14
Uranium dioxide–zirconium alloy dispersions, radiation effects, **1**(2), 12
Uranium dioxide–zirconium boride dispersions, development, **2**(4), 19
fabrication, **2**(3), 26
Uranium dioxide–zirconium dioxide ceramics, properties, **3**(1), 11–12
Uranium dioxide–zirconium dioxide system, constitution, **1**(3), 19
fabrication, **3**(1), 12
phase studies, **2**(3), 14
Uranium dioxide–zirconium oxide solid solution, radiation effects, **3**(3), 22
Uranium dioxide–zirconium silicate dispersion ceramic, radiation effects, **3**(1), 19
Uranium eutectic alloys (molten), containment in oxidized crucibles, **1**(3), 48
Uranium fuel cylinders, internal canning with Zircaloy-2, **2**(1), 49
Uranium fuel elements, coextrusion with cladding, **1**(3), 51–2; **1**(4), 14, 41; **3**(1), 50; **3**(3), 54
drawing with Zircaloy-2 cladding, **2**(4), 49
extrusion with Al cladding, **1**(3), 52
pressure-bonding production, **1**(1), 26
radiation effects, **2**(2), 1; **3**(4), 4
technology, **2**(2), 1, 3
Uranium fuel elements (Al-clad), radiation effects and thermal transmission, **1**(3), 52
Uranium fuel elements (Al-clad, Ni-bonded), corrosion in H_2O, **1**(4), 11
Uranium fuel elements (AlSi-coated), canning with X-8001, **2**(2), 54
Uranium fuel elements (Ni-plated), extrusion with Al cladding, **2**(2), 53–4
Uranium fuel elements (Ni-plated, Al-clad), radiation effects and thermal transmission, **1**(3), 52
Uranium fuel elements (stainless-steel-clad), radiation effects, **3**(2), 2
Uranium fuel elements (Zircaloy-2-clad), corrosion in H_2O, end capping, and H_2 release, **3**(2), 8
Uranium fuel plates, canning with Al, **3**(4), 51
extrusion with Al cladding, **2**(1), 48–9; **3**(4), 51
machining, **2**(1), 48–9
preferred orientation, **1**(4), 1–2
rolling with Zircaloy cladding, **1**(4), 39–40
Uranium fuel plates (Ni-coated), pressure bonding with Al cladding, **1**(3), 50–1
Uranium fuel plates (Ni-plated, Al-clad), interdiffusion, **1**(1), 28
Uranium fuel rods, coextrusion with cladding, **1**(4), 41–2; **2**(1), 48; **2**(2), 53; **2**(3), 51; **3**(2), 46; **3**(3), 54
radiation effects, **1**(4), 2
Uranium fuel rods (Zircaloy-2-clad), etching, swaging, and testing, **2**(1), 48
Uranium fuel slugs, ceramic coating, **1**(3), 53
evaluation, **3**(2), 39
Mo jacketing, **3**(4), 51
nondestructive testing, **1**(2), 42
pressure bonding with Zircaloy-2 cladding, **3**(2), 44
Uranium fuel slugs (AlSi-bonded, X-8001-clad), diffusion, **2**(3), 16
Uranium fuel slugs (AlSi-coated), canning with Al, **2**(2), 54
Uranium fuel slugs (Ni-plated), pressure bonding with Al cladding, **1**(4), 40–1
Uranium fuel slugs (Zircaloy-clad), fabrication, **3**(2), 39–40
Uranium glass fibers (glass-clad), applications, **3**(3), 19
Uranium hexafluoride, conversion to UO_2, **3**(1), 51
Uranium hydride, effects on tensile properties of U, **1**(1), 1
Uranium ingots, alpha extrusion, **2**(2), 48
furnace pressure effects, **3**(4), 48
mold heating effects, **3**(2), 39
solidification, **2**(4), 41
soundness, **3**(2), 39
Uranium monocarbide
See also Uranium carbides and Uranium dicarbide
annealing effects, **3**(1), 12
casting, **2**(3), 15; **3**(3), 21
chemical reactivities, **3**(3), 20
compatibility with, Be, **2**(2), 13
container materials, **3**(1), 12
Inconel, **3**(4), 13
mild steel, **3**(4), 13
Na, **2**(2), 13
NaK, **2**(1), 14
type 304 stainless steel, **3**(4), 13
Zr, **2**(2), 13; **3**(4), 13

Uranium monocarbide (Continued)
evaluation as fuel material, **3**(3), 20
fabrication, **3**(1), 13; **3**(4), 15
fission-gas release, **2**(2), 13–14; **2**(4), 8
green density, **2**(1), 14
handling, **3**(4), 15
hot pressing, **3**(3), 21
Kr^{85} release, **2**(2), 14
lattice parameter, **3**(4), 13
melting, **2**(1), 14; **3**(1), 12; **3**(3), 21
physical properties, **2**(4), 8
preparation, **2**(1), 14; **3**(1), 12–13; **3**(2), 5–6; **3**(3), 55; **3**(4), 15
production by C reduction of U oxides or ammonium diuranate, **3**(3), 21
properties of sintered bodies, **2**(2), 13
radiation effects, **2**(1), 14; **2**(3), 15; **2**(4), 8; **3**(1), 19; **3**(2), 6; **3**(3), 20; **3**(4), 13
reaction with, CO_2, **2**(2), 13; **2**(4), 8
H_2, **2**(2), 13
Nb in Ar, **3**(3), 20
sintering, **2**(3), 15; **3**(3), 21; **3**(4), 15
storage, **3**(4), 15
strength, **3**(3), 20
thermal conductivity, **2**(4), 8
thermal expansion, **2**(4), 8
U diffusion into, **3**(3), 20; **3**(4), 13
Xe^{133} release, **2**(2), 14
Uranium monocarbide (cast), irradiation behavior, **2**(3), 15
physical properties, **2**(3), 15
Uranium monocarbide (sintered), properties, **2**(2), 13; **3**(3), 21
Uranium monocarbide fuels, C diffusion, **3**(1), 12
C effects on density and electrical resistivity, **3**(1), 12
corrosion in H_2O, **3**(1), 12
development, **3**(1), 12
fabrication, **2**(4), 9
hot pressing, **2**(4), 8
mechanical properties, **3**(1), 12
metallography, **2**(4), 8
physical properties, **3**(1), 12
properties, **2**(2), 14; **3**(4), 13–15
thermal conductivity, **3**(1), 12
U diffusion, **3**(1), 12
Uranium monocarbide–graphite fuel elements, preparation, **2**(2), 13
Uranium monocarbide powder, production, **3**(3), 21
Uranium monocarbide–uranium mononitride system, cold pressing and melting, **2**(2), 13
Uranium monocarbide–uranium nitride system, constitution, **3**(1), 12
Uranium mononitride, compatibility with metallic matrices, **2**(2), 11
fabrication, **3**(4), 15
preparation, **2**(2), 11
properties, **3**(4), 13–15
Uranium nitride, crystal structure, **3**(1), 12
density, **2**(4), 8–9; **3**(1), 13
development, **3**(1), 13
fabrication effects, **3**(1), 13
melting point, **3**(1), 12
physical properties, **1**(3), 18
preparation, **2**(4), 8; **3**(1), 8; **3**(3), 21
sintering, **2**(3), 15
structure, **2**(4), 8; **3**(1), 13
Uranium nitride compacts, preparation, **2**(3), 16
Uranium nitride–metal dispersions, development, **2**(3), 11–12
Uranium nitride–vanadium dispersions, chemical reactions, **1**(4), 9
Uranium oxide
See also Uranium dioxide
CO decomposition on, **2**(2), 14
composition, **1**(2), 14
flow behavior, **2**(2), 12
interstitial O_2, **1**(3), 15
O_2 self-diffusion, **1**(3), 15
oxidation, **3**(3), 18–19
properties, **2**(1), 12
radiation effects, **1**(2), 17; **2**(1), 12; **2**(4), 11; **3**(3), 22
sintering, **1**(2), 13; **1**(3), 14
stability, **3**(4), 12
structure, **1**(2), 14; **1**(3), 15
technology, **2**(1), 12
thermal conductivity, **2**(1), 2
thermodynamic properties, **2**(3), 14
volatilization, **3**(3), 18–19
Uranium oxide ceramics, sintering, **2**(2), 12
Uranium oxide dispersion ceramics, radiation effects, **3**(1), 19
Uranium oxide (fused) fuel elements, swaging with Zircaloy cladding, **3**(2), 43
Uranium oxide powders, Kr^{85} diffusion from, **3**(4), 11
Uranium oxides (active), oxidation, **1**(3), 15
preparation, **1**(3), 15
structural behavior, **1**(3), 15
Uranium oxides (inactive), oxidation, **1**(3), 15
preparation, **1**(3), 15
structural behavior, **1**(3), 15
Uranium oxides (irradiated), differential calorimetry, **3**(3), 17
Mo^{99} chemical behavior, **3**(1), 19
Xe^{133} diffusion, **3**(3), 18
Uranium phosphide, development, **3**(1), 13
properties, **3**(4), 13–15
Uranium powder, metallurgy, **2**(1), 4; **2**(2), 5
preparation, **3**(1), 2
Uranium powder compacts, radiation effects, **2**(1), 2
sintering, **3**(1), 2
Uranium powder compacts (irradiated), fission-gas escape, **2**(1), 2
Uranium powder products (dispersion-hardened), preparation and properties, **3**(4), 10–11
Uranium refractories, fabrication, **2**(1), 14
Uranium selenide, evaluation as fuel material, **3**(3), 20–1
Uranium sheet, annealing effects and rolling, **1**(3), 49

Uranium sheet (cold-rolled), recrystallization, **3**(1), 48
Uranium silicide (Zircaloy-2-clad), preparation and radiation effects, **3**(3), 5
Uranium silicide ceramic fuels, properties, **2**(2), 14
Uranium silicide dispersant, preparation and compatibility with metallic matrices, **2**(2), 11
Uranium silicide–vanadium dispersions, chemical reactions, **1**(4), 9
Uranium silicides, corrosion, **1**(3), 20
development, **3**(1), 13
fabrication, **3**(4), 7
heat-treatment, **3**(4), 7
high-temperature stabilization, **1**(3), 19
microhardness, **1**(2), 16
oxidation, **1**(1), 14; **1**(2), 16
preparation, **1**(3), 19; **3**(3), 21; **3**(4), 15
properties, **1**(3), 18–19; **3**(4), 7, 13–15
radiation effects, **1**(1), 38; **1**(3), 19; **3**(4), 7
reaction with N_2, **1**(1), 14; **1**(2), 16
specific heat, **1**(2), 16
thermal expansion, **1**(1), 14; **1**(2), 16
Uranium sulfide, development, **3**(1), 13
evaluation as fuel material, **3**(3), 20–1
physical properties, **1**(3), 18
Uranium sulfide fuel, properties, **3**(4), 13–15
Uranium-sulfur compounds, preparation, properties, and X-ray diffraction, **2**(2), 14
Uranium telluride, evaluation as fuel material, **3**(3), 20–1
Uranium ternary alloys, hot hardness, **1**(3), 6
Uranium trioxide, properties, **1**(4), 11
Uranium tubing, cable cladding with Al, **2**(1), 45
casting, **3**(4), 8
coextrusion, **2**(3), 50
coextrusion with Zircaloy cladding, **3**(4), 51
development, **1**(3), 1
external extrusion cladding with Al, **3**(2), 46
extrusion, **3**(2), 41
fabrication, **1**(3), 48–9
internal extrusion cladding with Al, **3**(2), 46
pressure bonding with cladding, **3**(4), 50
radiation effects, **1**(3), 1
Uranium tubing (Al-clad), multitemperature coextrusion, **2**(1), 48
Uranium tubing (Al-Mg alloy clad), multitemperature coextrusion and cracking of cladding, **2**(1), 48
Uranium tubing (Ni-plated), external and internal extrusion cladding with Al, **3**(3), 54
Uranium tubing (Zircaloy-2-clad), coextrusion, **1**(4), 41
Uranium tubular fuel elements (Zircaloy-2-clad) (pressure-bonded), diffusion, **3**(2), 44–5
Uranium–uranium aluminide diffusion couple, UAl_2 growth kinetics, **3**(1), 15
Uranium-vanadium alloys, metallic addition effects on eutectic temperature, **1**(4), 2
Uranium-vanadium-zirconium alloys, corrosion in H_2O, **1**(4), 2–3
Uranium washers, production, **1**(1), 26
Uranium wires, vapor deposition with Be-Mg alloy coating, **2**(3), 52
Uranium-yttrium dispersions, density, **3**(1), 9
distortion, **2**(4), 5
fabrication, **3**(1), 8–9
hardness, **2**(4), 5
tensile properties, **2**(4), 5; **3**(1), 9
thermal conductivity, **3**(1), 9
thermal cycling, **3**(1), 9
Uranium-yttrium-zirconium alloys, phase diagram, **1**(4), 36
Uranium-Zircaloy alloys, corrosion in H_2O, **1**(4). 7
Uranium–Zircaloy-2 alloys, corrosion in H_2O, **1**(4), 7
Uranium–Zircaloy-3 alloys, corrosion in H_2O, **1**(4), 7
swelling, **2**(3), 7
Uranium–Zircaloy-3 alloys (irradiated), annealing effects, **2**(3), 8
swelling, **2**(3), 7
Uranium-Zircaloy-Zirca'oy subassemblies, pressure bonding, **1**(1), 27
Uranium zirconide, crystal structure, **3**(4), 8
Uranium-zirconium alloy dispersions, radiation effects, **1**(2), 12
Uranium-zirconium alloy hydride
See Hydrogen-uranium-zirconium system
Uranium-zirconium alloys, behavior summary, **2**(1), 6; **3**(2), 3
coating with Zr, **2**(2), 55
coextrusion with cladding, **2**(3), 51; **2**(4), 43
coextrusion with cladding and thermocouple, **2**(2), 53
constitution, **2**(2), 8; **3**(3), 5
corrosion, **1**(1), 4–5, 7–8; **1**(2), 6; **1**(3), 20; **1**(4), 2–3, 5–7; **2**(1), 7, 15; **2**(2), 14; **2**(3), 8; **3**(3), 6, 22
development for power-reactor use, **3**(1), 4
diffusion, **2**(2), 37; **2**(4), 4; **3**(2), 3; **3**(3), 44; **3**(4), 43
electrical resistivity, **2**(1), 7
fabrication, **3**(3), 6
hardness, **1**(4), 5; **2**(1), 7
heat-treatment effects, **3**(3), 5–6
hydrogen, heats of solution, **3**(1), 25
migration, **1**(2), 23
reaction with, **3**(1), 24–5
solubility, **3**(3), 22
interdiffusion, **2**(3), 16
Kr^{85} diffusion coefficient in, **2**(4), 4
magnetic susceptibility, **2**(1), 7
modulus of elasticity, **1**(1), 8
oxidation, **1**(1), 6, 35
phase diagrams, **2**(3), 3; **3**(3), 5
phase transformation, **3**(3), 5
physical properties, **2**(2), 6, 8
pressure-weld bond strengths, **2**(4), 43
processing, **1**(3), 6
production, **2**(1), 9
properties, **1**(3), 6; **2**(1), 6; **2**(3), 6; **3**(2), 3

Uranium-zirconium alloys (Continued)
radiation effects, 1(1), 8; 1(2), 6–8, 12; 1(3), 8–9; 2(1), 3–4, 7–8; 2(2), 8; 2(3), 8; 3(1), 2–3; 3(3), 2–3, 6; 3(4), 5
scrap recycling, 1(3), 9
sintering, 2(1), 9
stability, 1(4), 5; 2(3), 6
strain at fracture, 1(1), 8
structure, 1(1), 6; 1(3), 6; 2(2), 6
technology, 3(3), 5
tensile strength, 1(1), 8
thermal stability, 1(3), 5–6
transformation, 1(1), 6; 1(4), 7; 2(2), 8; 2(3), 2
U diffusion, 3(3), 44
Xe^{133} and Xe^{135} diffusion coefficients in, 2(4), 4
yield strength, 1(1), 8
Uranium-zirconium alloys (extrusion-clad), radiation effects, 3(3), 2–3
Uranium-zirconium alloys (irradiated), annealing, 1(3), 8; 2(1), 8, 17; 2(2), 7; 2(4), 4, 9
bend testing, 2(1), 8–9
corrosion in H_2O, 2(2), 7
effects of transients, 2(1), 17; 2(2), 7; 2(4), 9
fission-gas release, 2(3), 19; 2(4), 4
heating effects on swelling, 2(2), 7
Uranium-zirconium alloys (Zircaloy-clad), corrosion detection, 1(2), 3
fabrication yield evaluation, 1(1), 26
radiation effects on corrosion, 1(3), 3–4
resistance bonding, 1(4), 42
Uranium-zirconium alloys (Zircaloy-2-clad), corrosion, 1(2), 6; 2(2), 3; 3(2), 8; 3(3), 3
heat-treatment, 2(2), 3
melting, 2(4), 24–5
radiation effects, 1(2), 8; 2(1), 8; 2(2), 3, 15; 2(4), 4; 3(4), 5, 15
reaction with H_2O, 2(4), 24–5
thermal cycling, 1(3), 6; 3(2), 3
Uranium-zirconium alloys (Zircaloy-2-clad) (irradiated), heating effects on swelling, 1(4), 7
Uranium-zirconium alloys (Zircaloy-3-clad), radiation effects, 1(2), 7–8
Uranium-zirconium ceramics, fabrication, 1(1), 13
Uranium (molten)–zirconium diffusion couples, interaction, 2(4), 33
Uranium–zirconium hydride alloys, radiation effects, 2(4), 16
Uranium-zirconium subassemblies, pressure bonding with Zircaloy cladding, 2(3), 50
Uranium-zirconium tubing, coextrusion with Zircaloy-2 cladding, 2(1), 47–8
Uranyl hexahydrate, thermal-decomposition products, 1(4), 11

V

Vanadium, brittleness, 2(4), 37
chemical behavior, 2(3), 31
compatibility with fissium-Pu-U alloys, 3(4), 8–9
corrosion, 2(3), 31
diffusion, 2(3), 17
electroplated coatings, 3(4), 53
fabricability, 3(2), 34
oxidation, 3(4), 34
radiation effects on thermal conductivity, 3(4), 38
relaxation time, 3(2), 36
Vanadium alloys, electroplated coatings, 3(4), 53
oxidation, 3(4), 34
Vanadium boride, properties, 3(4), 34
Vanadium carbide, properties, 3(4), 34
Vanadium nitride, properties, 3(4), 34
Vanadium oxide, properties, 3(4), 34
Vanadium-yttrium alloys, constitution, 2(3), 35
Vapor-deposited coatings, graphite tubes with metallic carbides, 1(1), 28
stainless-steel tubing with Nb, 1(1), 28

W

Washers, production of U, 1(1), 26
Water, separation from D_2O, 3(4), 1
Welding
See also specific metals and alloys
age hardening, 2(3), 53
bibliographies, 3(4), 55
corrosion, 3(4), 34
electrical potential testing, 1(3), 54
electron beam, 2(2), 55
explosion, 3(1), 52; 3(2), 49
nondestructive testing, 1(2), 42
stainless steels, 2(3), 39, 43
technical report catalog, 3(3), 58
ultrasonic, 1(3), 54
Zr, Zircaloy-2, and Zircaloy-3, 1(1), 29

X

X-ray testing
See also Nondestructive testing
applications, 2(3), 53; 2(4), 44–5; 3(3), 58
development, 2(1), 51
fuel-element U content determination, 2(3), 54

Y

Yttrium, addition effects on oxidation resistance of metals and alloys, 3(1), 34
canning in Cu, 3(1), 34
chemistry, 3(1), 48
containment by Cr-U alloy, 2(4), 22
corrosion in H_2O vapor, 2(4), 23
fabrication, 3(1), 48; 3(3), 43–4, 51
melting, 3(1), 48

Yttrium (Continued)
metallurgy, 3(1), 48
O content effects on H absorption, 3(2), 16
O removal, 3(2), 46
oxidation, 3(4), 33
physical constants, 3(1), 42–3
porcelain-enamel coating, 2(4), 44
properties, 3(1), 48
solid solubility in Cr-Fe alloys, 3(2), 32
solid-state reactions with metals and alloys, 3(1), 15–16
welding, 3(4), 55
Yttrium alloys, phase diagrams, 3(1), 48
Yttrium hydrides, density, 3(2), 16
dissociation pressures, 3(2), 16
electrical resistivity, 3(4), 25
fabrication, 3(2), 16
hardness, 3(4), 24
H content effect on N_H, 3(2), 16
H content reduction, 3(2), 16
lattice constant, 3(2), 16
linear thermal expansion, 3(4), 24–5
magnetic susceptibility, 3(4), 25
N_H, 3(2), 16
properties, 3(2), 16; 3(4), 23–4
radiation effects, 3(2), 16
specific heat, 3(4), 25
stress-rupture data, 3(2), 16–17
technology, 3(3), 32
thermal conductivities, 3(4), 24
transformation, 3(4), 25
ultimate tensile strength, 3(4), 23–4
Yttrium-zirconium alloys, eutectic, 3(1), 42
phase diagram, 1(4), 36

Z

Zinc, radiation effects on resistivity, 2(2), 33
reaction with H_2O, 2(1), 33
U solubility in, 2(2), 8
Zinc (irradiated), annealing kinetics, 3(2), 26
Zinc (molten), solubility of Th in, 3(4), 9
Zircaloy, chemical plating with Cu, 2(4), 43
corrosion, 1(2), 30–1; 1(3), 33; 1(4), 21, 35–6; 2(2), 27
electron-beam welding, 2(1), 51
fabrication, 2(2), 47; 3(1), 48
H_2 diffusion, 1(3), 26–7
H_2 pickup, 1(4), 21
hardness, 2(4), 35
hydriding, 1(3), 33; 3(4), 26
melting, 2(2), 47
metallurgically bonded joints with stainless-steel tubes, 3(3), 54
pressure bonding, 1(1), 27; 1(2), 40; 1(3), 50; 1(4), 41
production cost reduction, 1(3), 49
properties, 2(4), 35
quality, [illegible] 39; 1(3), 49
radiation effects, 2(1), 41–2
reaction with steam, 3(4), 36
salt bonding, 2(4), 43
stringer occurrence, 1(3), 49
welding, 1(3), 53; 2(1), 51
Zircaloy (irradiated), annealing effects, 2(1), 41–2
Zircaloy fuel assemblies, ceramic-coated weld backing, 2(4), 44
Zircaloy fuel-element components, forge rolling, 2(3), 48
Zircaloy ingots, ultrasonic testing, 1(3), 54
Zircaloy sheets, diffusion bonding, 2(1), 51
Zircaloy tubing, cold working of extruded, 2(1), 45
injection casting in canning, 2(3), 52
Zircaloy-2, annealing, 2(3), 35–6; 3(3), 51
brazing, 3(2), 48
burst strength, 1(2), 35
cold-work effects, 3(3), 44
compatibility with fissium-Pu-U alloys, 3(4), 8–9
corrosion, 1(1), 32, 35; 1(3), 49; 1(4), 21–2, 39; 2(1), 28, 34; 2(2), 27; 2(3), 28; 2(4), 20; 3(2), 22; 3(3), 22, 37; 3(4), 8, 31, 35
corrosion under irradiation, 3(1), 32
creep properties, 1(2), 35–6; 1(3), 39; 1(4), 27–8, 30; 2(1), 34, 36; 2(2), 41; 2(4), 35; 3(1), 42–3; 3(2), 30; 3(4), 42
creep-rupture properties, 3(1), 43
crystal properties, 1(2), 35
D heat of transport, 3(4), 26
diffusion bonding, 3(2), 45
diffusion with Th, 1(2), 10
ductility, 1(3), 39
dynamic modulus of elasticity, 2(3), 37
explosion forming, 3(1), 52
flow-stress recovery, 1(3), 40
fretting corrosion, 2(3), 28; 3(2), 22; 3(4), 31
grain growth, 2(3), 35
grain size, 2(2), 40; 2(3), 38, 40–1
heat-treatment effects, 1(3), 38–9; 1(4), 39; 2(1), 34; 2(2), 27, 40; 2(3), 38, 40–1
hydridation, 1(3), 33; 1(4), 15, 21; 2(1), 24; 2(3), 23, 28; 2(4), 20; 3(3), 37–8; 3(4), 26, 30–1
hydrogen, absorption in H_2O and steam, 2(3), 28
effects, 1(3), 39–40; 2(1), 34–36; 3(2), 29
pickup, 3(3), 33
thermal diffusion, 3(3), 33, 44
immersion plating, 3(2), 47
inclusions, 2(4), 30
joining to Ag-Cd-In alloys, 1(3), 31
mechanical properties, 1(3), 38–9; 1(4), 26, 30, 32; 2(1), 34, 36; 2(3), 36–7; 3(3), 44; 3(4), 42
metallic coatings, 1(3), 53; 2(2), 55
physical metallurgy, 2(3), 37
precipitates, 2(4), 30
production, 2(1), 28
properties, 3(2), 40; 3(3), 46
quality control, 1(4), 22

Zircaloy-2 (Continued)
radiation effects on, H_2 absorption, **2**(2), 22; **2**(3), 28
impact properties, **2**(2), 36; **3**(1), 37
mechanical properties, **1**(2), 33–4; **2**(4), 27, 29–30; **3**(2), 28; **3**(3), 43
tensile properties, **1**(1), 39; **2**(2), 35; **2**(3), 32–3; **3**(4), 40–1
reactions with H_2O and steam, **1**(1), 35; **3**(4), 35
relaxation, **2**(3), 36
residual work effects, **3**(1), 42–3
rolling, **3**(3), 51
soaking effects, **2**(4), 35
strain-fatigue testing, **1**(2), 36
strain-rate effects, **2**(3), 36–8, 40–1
stress effects, **1**(3), 39
stress-fatigue properties, **2**(3), 36–7
stress-relaxation characteristics, **3**(4), 42
stress-rupture properties, **2**(3), 36
stringers, **2**(2), 47; **3**(3), 51
structural anisotropy effects, **2**(3), 38
surface O_2 effects, **2**(3), 36
tensile properties, **1**(4), 27, 30, 32, 39; **2**(2), 40–2; **2**(3), 36, 38, 40–1; **2**(4), 35; **3**(2), 29
thermal expansion, **2**(3), 37–8
transformation temperatures, **1**(4), 35
wear factors against stainless steel 347, **1**(3), 31
welding, **1**(1), 29; **1**(2), 41; **2**(2), 25; **3**(4), 55
yield strength, **1**(2), 35
Zircaloy-2 (annealed), creep properties, **3**(1), 42; **3**(2), 30
Zircaloy-2 (cast), impact and tensile properties, **2**(1), 34–5
Zircaloy-2 (cold-worked), properties, **3**(1), 42–3; **3**(2), 30; **3**(3), 44
Zircaloy-2 (Cu diffusion-bonded), H_2 absorption in H_2O, **2**(1), 28
Zircaloy-2 (Cu-jacketed), Cu diffusion, **3**(2), 34–5
Zircaloy-2 (Fe diffusion-bonded), H_2 absorption in H_2O, **2**(1), 28
Zircaloy-2 (fusion-welded), ultimate and yield strengths, **2**(1), 34–5
Zircaloy-2 (irradiated), damage annealing, **3**(4), 40
hardening recovery, **1**(3), 44
oxide weight gains in H_2O, **2**(3), 28
Zircaloy-2 (molten), reaction with H_2O, **1**(1), 35; **2**(1), 33–4
reaction with uranyl sulfate solution, **2**(1), 33–4
Zircaloy-2 (vacuum-melted), impact properties, **3**(1), 43
low-cycle strain-fatigue properties, **3**(1), 43
Zircaloy-2 (wrought), impact and tensile properties, **2**(1), 34–5
Zircaloy-2 diaphragms, creep and deflection testing, **3**(2), 30
Zircaloy-2 module boxes, explosion sizing, **3**(2), 51
Zircaloy-2 receptacle plates, fabrication, **2**(3), 50
Zircaloy-2 strip, tensile properties, **2**(3), 36
Zircaloy-2 tubing, fabrication, **1**(4), 39
hydrostatic destructive testing, **3**(2), 29–30
pressure testing, **3**(2), 29
Zircaloy-2 welds, backup contamination, **3**(2), 48
corrosion in H_2O, **2**(1), 50; **2**(4), 20
properties, **2**(4), 34–5
Zircaloy-2–Zircaloy-2 sheet, fretting corrosion in H_2O, **2**(3), 28
Zircaloy-2–zirconium alloy couples, diffusion, **2**(3), 17
Zircaloy-3, corrosion, **1**(1), 32
creep properties, **1**(2), 36; **1**(4), 27, 29
crystal properties, **1**(2), 35
heat-treatment effects, **1**(3), 38–9
mechanical properties, **1**(3), 38–9; **1**(4), 26
radiation effects, **2**(1), 41–2; **2**(3), 32–3; **2**(4), 26–8
strain-fatigue testing, **1**(2), 36
stress-rupture properties, **2**(3), 36
tensile properties, **1**(2), 35–6; **1**(4), 27, 30–1; **2**(3), 36
welding, **1**(1), 29; **2**(3), 53
Zircaloy-3 welds, corrosion resistance in H_2O, **2**(1), 50
Zircaloy-4, creep properties, **3**(3), 44–5
hydriding, **3**(2), 17; **3**(3), 37–8
mechanical properties, **3**(4), 42
Zircaloy-B, reactions with H_2O and steam, **1**(1), 35
Zirconium, arc cutting, **3**(2), 47
brazing, **1**(1), 29–30
compatibility with fissium-Pu-U alloys, **3**(4), 8–9
compatibility with UC, **3**(4), 13
corrosion, **1**(3), 33, 37; **1**(4), 21, 24–5; **3**(1), 34
cracking in hydridation, **2**(4), 15
creep properties, **3**(2), 29
crystal production, **2**(3), 34–5
deformation, **1**(4), 26; **2**(4), 20
density, **2**(2), 22
diffusion, **2**(2), 37–8; **2**(3), 17; **3**(2), 36
diffusion welding, **3**(4), 50
dimensional changes, **2**(2), 20
electron-beam welding, **3**(1), 53
forging, **2**(4), 41
hot hardness, **3**(2), 29
hydridation, **1**(4), 15, 21; **2**(1), 24; **2**(2), 22; **2**(4), 15; **3**(3), 37; **3**(4), 30
hydrogen, content adjustment, **2**(3), 23
diffusion, **1**(2), 23; **2**(4), 15–16; **3**(1), 24
distribution, **3**(2), 34
role in corrosion, **1**(4), 21
ignition, **1**(3), 20; **2**(3), 28; **2**(4), 20
lattice stability, **3**(2), 35
mechanical properties, **3**(3), 32
metallic coating, **1**(3), 53
nuclear properties, **3**(3), 32
oxidation, **1**(2), 31; **1**(3), 34; **2**(4), 20; **3**(2), 22; **3**(4), 34
pressure bonding with metals, **1**(1), 26–7; **2**(3), 50
properties, **3**(3), 46; **3**(4), 30
published data, **2**(3), 45
pyrophoricity, **1**(3), 20; **2**(3), 28

Zirconium (Continued)
radiation effects on, gaseous oxidation, 3(2), 27
impact strength, 3(1), 37
lattice, 1(1), 39; 3(1), 37
mechanical properties, 3(1), 39
radiographic testing, 1(1), 30
reaction with H_2O, 1(1), 35; 1(2), 30; 1(4), 25; 2(1), 33; 2(4), 24–5; 3(2), 8; 3(4), 35
recovery kinetics, 3(2), 35
scaling, 1(2), 31; 1(4), 21–2; 2(2), 27; 2(4), 20
separation from Hf, 3(4), 1
solubility in Y, 3(1), 42
stringers, 1(3), 33; 1(4), 35
technology, 1(3), 49
thermal-gradient effects, 3(2), 34
welding, 1(1), 29; 3(1), 53
Zirconium (cold-worked), hardness, recovery, and recrystallization, 2(3), 34
Zirconium (irradiated), damage recovery, 3(3), 41; 3(4), 41
fission-fragment recoil range, 3(2), 26
Zirconium (molten), reaction with H_2O, 1(1), 35; 3(2), 25
Zirconium alloy hydrides, dissociation pressures, 1(2), 23
mechanical properties, 2(4), 15
Zirconium alloy ingot, piercing, 3(1), 48
Zirconium alloys, annealing, 3(3), 51
corrosion, 2(1), 28; 3(3), 38, 45
deformation modes, 1(3), 38
fabrication, 3(1), 48
H_2 pickup, 3(3), 32–3
hardness, 2(1), 28
hydridation, 1(3), 33; 1(4), 21; 2(4), 15
mechanical properties, 3(1), 37–8, 43–5
oxidation, 1(2), 31; 1(3), 33–4; 3(2), 22; 3(4), 34
pickling, 2(1), 28
published data, 2(3), 45
radiation effects, 2(2), 33–4; 3(1), 37–8
rolling, 3(3), 51
scaling, 1(2), 31; 2(2), 27
strength, 3(3), 38, 45
stringer-formation prevention, 3(3), 51
Zirconium boride
See also Zirconium diboride
compatibility with stainless steel, 3(2), 19
corrosion resistance to Na, 2(1), 32
properties, 3(4), 34
radiation effects, 1(2), 26
solubility in H_2O, 1(3), 32
Zirconium boride–stainless steel dispersions, fabrication, 2(2), 26
Zirconium carbide, corrosion resistance, 2(1), 32
properties, 3(4), 34
vapor-deposited coating on graphite, 1(1), 28
Zirconium cladding, diffusion with Mo-U alloys, 2(2), 39
thickness determination, 3(2), 52
Zirconium diboride
See also Zirconium boride
chemical reactions, 3(4), 29
melting effects, 3(2), 41
oxidation, 3(4), 53
radiation-induced He release, 3(3), 35–6
thermal-shock resistance, 3(4), 53
vapor pressure, 3(4), 28–9
Zirconium diboride powder, coating with Nb, 3(2), 47
radiation effects, 2(4), 19
Zirconium diboride powder (irradiated), annealing effects, lattice constant changes, and line broadening, 2(4), 19
Zirconium dioxide, arc spraying, 3(2), 47
corrosion resistance, 2(1), 32
properties, 3(4), 34
protective effects against H_2, 2(3), 28
radiation effects, 2(4), 11; 3(2), 27; 3(3), 22; 3(4), 39
radiation-induced phase transformation, 3(3), 41
reaction with PuO_2, 3(4), 15
Zirconium dioxide (irradiated), phase changes, 3(4), 40
Zirconium dioxide film breakdown, 3(1), 32
Zirconium dispersions, radiation effects, 1(1), 15
Zirconium hydride
See also Hydrogen-zirconium system
cladding, 1(3), 26; 2(4), 15
compatibility with CO_2, 3(3), 33
crystal structure, 1(2), 23
electrical resistivity, 3(2), 15; 3(3), 32
fabrication, 2(4), 15
H_2 diffusion in, 1(2), 23; 3(2), 16; 3(3), 32–3
Hall coefficients, 3(2), 15; 3(3), 32
heat content, 1(3), 26
mechanical properties, 2(4), 15
moderator uses, 3(1), 24
preparation, 1(3), 26
pressure bonding with stainless-steel cladding, 1(3), 51
properties, 1(1), 21; 1(3), 26; 1(4), 15; 2(4), 15
reactions with N_2 and NaK, 1(3), 26
specific heat, 3(3), 32
structure, 1(4), 15
technology, 3(3), 32
tensile properties, 2(4), 15
thermal conductivity, 2(4), 15
thermal expansion, 1(3), 26
vapor deposition of Mo, 1(3), 53
Zirconium nitride, properties, 3(4), 34
Zirconium silicate, oxidation, 3(4), 53
radiation effects, 3(3), 22; 3(4), 20
thermal-shock resistance, 3(4), 53
Zirconium tubing, fabrication, 1(4), 39
ZW1, radiation effects, 3(1), 38–9

LEGAL NOTICE

This document was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.